

OpenText Filr 23.4 - Frequently Asked Questions

This section provides frequently asked questions on the tasks performed by the Filr application.

- ♦ [“What is displayed on the Home page?” on page 2](#)
- ♦ [“What are the Filr work areas?” on page 3](#)
- ♦ [“What are the columns available in the Filr work areas?” on page 4](#)
- ♦ [“What is the Recent Files List?” on page 6](#)
- ♦ [“Who can see the files listed in the Recent Files?” on page 8](#)
- ♦ [“How to configure the number of files to be listed in Recent Files?” on page 8](#)
- ♦ [“What is Client Downloads?” on page 9](#)
- ♦ [“What is Quota?” on page 10](#)
- ♦ [“How to manage Quota?” on page 11](#)
- ♦ [“How to Customize the Landing Page?” on page 12](#)
- ♦ [“How does Search Work in Web Client?” on page 13](#)
- ♦ [“How can I change the UI language to my local language?” on page 15](#)
- ♦ [“How to set the date and time display format?” on page 16](#)
- ♦ [“What is Follow Notification Settings and how to access them?” on page 18](#)
- ♦ [“What happens when the Notifications are disabled?” on page 19](#)
- ♦ [“How do I create a folder in the Filr work area?” on page 19](#)
- ♦ [“Is there any size limit for the files while uploading?” on page 19](#)
- ♦ [“What are the types of files you can upload to Filr?” on page 20](#)
- ♦ [“How to upload a file?” on page 20](#)
- ♦ [“How to upload a folder?” on page 20](#)
- ♦ [“How to download a file or a folder from Filr?” on page 20](#)
- ♦ [“What happens when you upload a file or a folder that already exists in Filr?” on page 21](#)
- ♦ [“How can I hide or unhide the files?” on page 21](#)
- ♦ [“How to request for a file?” on page 22](#)
- ♦ [“How to preview a file?” on page 23](#)
- ♦ [“How to move a file?” on page 24](#)
- ♦ [“How to make a copy of a file or a folder?” on page 26](#)

- ♦ “How do you edit a file?” on page 28
- ♦ “Can a user edit the files Online?” on page 28
- ♦ “What is the usage of “Edit with the Application”?” on page 28
- ♦ “How to view the comments?” on page 29
- ♦ “How do I maintain multiple versions of a file?” on page 30
- ♦ “Where do I get the list of multiple versions of a file?” on page 31
- ♦ “How many versions of a file can be maintained?” on page 31
- ♦ “Does File versioning impact Quota?” on page 31
- ♦ “What are the other operations available in file versioning?” on page 31
- ♦ “What are the different ways of sharing files and folders?” on page 32
- ♦ “What is Permalink?” on page 32
- ♦ “How do I share files and folders?” on page 34
- ♦ “How do I know who has the share access to a file or a folder inside a NetFolder?” on page 36
- ♦ “How to set expiry settings for a file being shared?” on page 37
- ♦ “Can a shared file be re-shared?” on page 38
- ♦ “How do I know if a file is already shared by me and shared with me?” on page 39
- ♦ “What are the different roles and permissions a user can have?” on page 40
- ♦ “What is a Share Access Report?” on page 40
- ♦ “What is a Share Link?” on page 41
- ♦ “How to generate a Share Link or a Password-Protected Share Link?” on page 41
- ♦ “How to modify the password for a password-protected share link?” on page 44
- ♦ “How to unshare a shared file?” on page 45
- ♦ “How do you edit the share permissions?” on page 45
- ♦ “How do I use a custom template or create a new file?” on page 46
- ♦ “What is Data Leak Prevention (DLP)?” on page 48
- ♦ “What rights should I have to manage DLP on my workspace (netfolder)?” on page 48
- ♦ “How do I know if the DLP policy is applied at Netfolder level?” on page 49
- ♦ “How can a Moderator apply DLP Policy to the files?” on page 51
- ♦ “How to Remove the policy applied to a file?” on page 54
- ♦ “What is a Self-Registration page?” on page 56

What is displayed on the Home page?

The **Home** page is the default landing page for all the users (except the guest).


The Home page consists of:

RECENT FILES: By default, lists the files that are accessed by the logged-in user.

CLIENT DOWNLOADS: Information about the native Filr client, download links to other Filr clients, and Office and Outlook plug-ins.

QUOTA: The Filr administrator can enable and limit the amount of data an individual user can store on Filr. Based on what is enabled by your Filr administrator, you will find different information on your Home page. For example, when you are logging in for the first time to the Filr site, you will see a Welcome screen like below.

Figure 1 Home page




What are the Filr work areas?

- ♦ “My Files (All Files, Shared By Me, and Deleted Items)” on page 3
- ♦ “Shared With Me” on page 4
- ♦ “NetFolders” on page 4

My Files (All Files, Shared By Me, and Deleted Items)

- ♦ “All Files” on page 3
- ♦ “Shared By Me” on page 3
- ♦ “Deleted Items” on page 3

To view the **My Files** area, click  the **My Files** icon on the left pane. By default, files and folders in this area are visible only to you and your administrator determines the sharing rights for them. All your files and folders are stored in one convenient location.

The **My Files** area contains:

- ♦ **Personal Storage:** Lists files and folders that you have uploaded to the Filr site.
- ♦ **User Home Directory:** Lists files or folders from your organization’s file system.

All Files

All your files and folders are available in one location. The items that you uploaded to Filr or that are shared by you are listed under this section.

Shared By Me

Lists the files and folders that you have shared with other users. Use this area to manage the rights that the other users have on the files that you have shared with them. You can revoke rights, grant additional rights, and so forth.

Deleted Items

Lists the files or folders that are deleted by you. Filr enables you to retrieve files and folders from the trash and restore them to their previous location. When you restore a file, all associated comments are also restored.

NOTE: You cannot restore files that are located in NetFolders or your user Home directory.

Shared With Me



To view the **Shared With Me** area, click the **Shared With Me** icon on the left pane. This lists the files and folders that other users have shared with you.

NetFolders



To view the **NetFolders** area, click the **NetFolders** icon on the left side pane. NetFolders provide access to your organization's file system. The Filr administrator defines which NetFolders you can see, and the sharing rights you have on them. NetFolders is not available in the left side pane if the Filr administrator has not assigned any NetFolders.

What are the columns available in the Filr work areas?

- ♦ [“My Files and NetFolders” on page 4](#)
- ♦ [“Deleted Items” on page 5](#)
- ♦ [“Shared With Me” on page 6](#)

My Files and NetFolders

Your **My Files** area can contain one or both of the following, as defined by your Filr administrator:

- ♦ **Personal Storage** : for files and folders that you want to upload directly to the Filr site.
- ♦ **Your Home Directory** on your organization's file system

Files and folders that are located in your My Files area are visible only to you by default. Your administrator determines your My Files sharing rights.

Net Folders provides access to your organization's file system. Your Filr administrator defines which Net Folders you can see and the sharing rights you have in them.

The **My Files** (**All Files** and **Shared By Me**) and **NetFolders** area include the following columns:

- ♦ **Name:** The name of files or folders.
- ♦ **Status:** Status of file or folder - Expired or Active.
- ♦ **Member:** Member of the file or folder. If shared, the number of users or groups.
- ♦ **Modified:** Displays when the file or folder was last modified.
- ♦ **Size:** Displays the size of the file.

Figure 2 My Files Area

MY FILES					
ALL FILES					
12 Items					
NAME	STATUS	MEMBER	MODIFIED	SIZE	
Home	—	Only me	11 days ago		
Share-Dat LOSS	Active	1 group	11 days ago		
TEST	Active	3 members 1 group	14 days ago		
testplan_5570-2019-06-25.csv	Active	1 member	20 days ago	1.71 MB	
14890403_1405407706157149_6568726124842102728_...	Active	1 member	11/7/16	902 KB	
14939977_1405407889490464_5935806634463332501_...	Active	2 members 1 group	11/7/16	897 KB	
File_request.zip	Active	1 member	20 days ago	688 KB	
13690720_1751033571821245_7071816100711195816_...	—	Only me	14 days ago	280 KB	
test5.ods	Active	3 members	20 days ago	244 KB	

Figure 3 Shared By Me Area

MY FILES					
SHARED BY ME					
7 Items					
NAME	STATUS	MEMBER	MODIFIED	SIZE	
TEST	Active	3 members 1 group	14 days ago		
14890403_1405407706157149_6568726124842102728_...	Active	1 member	11/7/16	902 KB	
File_request.zip	Active	1 member	20 days ago	688 KB	
datamodel.stderout.out	Active	1 member	25 days ago	19 KB	
fg n (4).txt	Active	1 member	14 days ago	11 KB	
transparent.png	Active	1 member	22 days ago		
file295.doc	Active	2 members 1 group	7 days ago	1 KB	

Figure 4 NetFolders Area





NETFOLDERS				
19 Items				
NAME	STATUS	MEMBER	MODIFIED	
Netfolders 123	Active		10/23/19	
CIS	Active		8/2/19	
CIS_NSSAD	Active		2/27/20	

Deleted Items

The **Deleted Items** include the following columns:

- ♦ **Name:** The name of files or folders stored in the deleted Items.
- ♦ **Deleted:** The time when the file and folder are deleted.
- ♦ **Deleted By:** User information who deleted the item.
- ♦ **Location:** Displays the location of the file and folder.

Figure 5 Deleted Items Area







MY FILES 			
ALL FILES SHARED BY ME <u>DELETED ITEMS</u>			
NAME ^	DELETED v	DELETED BY	LOCATION
 Folder-ST	a few seconds ago	venkat18 member	My Files/Folder-ST
 1mb_test_file.doc	14 days ago	venkat18 member	My Files/TEST
 Error.png	14 days ago	venkat18 member	My Files/TEST

Shared With Me

The **Shared With Me** includes the following columns:

- ♦ **Name:** The name of files or folders.
- ♦ **Shared By:** The users who shared the item with you. If more than one user has shared a particular item with you, each user is listed.
- ♦ **Expiry:** The date of share expiry. After this date, you no longer have access to the shared item.
- ♦ **Access:** The level of access that you have to the shared item. Depending on the access rights that you have been granted to the item, you can view, edit, or share the item. If the item that was shared with you is a folder, you might also be able to manage files within the folder.
- ♦ **Modified:** Displays when the file or folder was last modified.
- ♦ **Size:** Displays the size of the file.

Figure 6 Shared With Me Area

SHARED WITH ME 						5 Items
NAME ^	SHARED BY	EXPIRY	ACCESS	MODIFIED v	SIZE v	
 Documents	mobile7 mobil...	8/14/20	Contributor	11 hours ago		
 test1	user1	5/8/20	Viewer	2/21/20		
 filr desktop.docx	user1	5/8/20	Viewer	a month ago	30 KB	
 Holidays (1).pdf	mobile7 mobil...	5/8/20	Viewer	a month ago	104 KB	
 NTS_Training.pdf	mobile7 mobil...	5/8/20	Viewer	11 hours ago	1.06 MB	

What is the Recent Files List?

This is the list of recently accessed files by the logged-in user and the files shared (by the logged-in user and other users). By default, 10 files accessed by the user in the past 7 days are listed. The Administrator can configure the number of days. For more information, see the [Recent Files List in OpenText Filr 23.4: Administrative UI Reference](#). The user can change the number of files to be displayed in the list. By default, the NetFolders flag is enabled. If the Administrator disables NetFolders for the Recent Files, then the files

uploaded, renamed, commented, or edited in the Netfolder by any users are not listed under logged-in user's **Recent Files**. For more information, see the [Recent Files List](#) in the [OpenText Filr 23.4: Administrative UI Reference](#).

All the files that you or other users accessed recently are listed in this area. There is no need to browse the individual folders to access those files.

The list displays:

- ♦ Who has modified the file?
- ♦ What is the operation performed on the file?

You can also perform some basic operations on the file directly from the list:

- ♦ **Preview file** – HTML view for the files that can be rendered via browser and in the Filr application.
- ♦ **Show in its location** – Navigates user to the file location.
- ♦ **Download File** – Downloads the file.
- ♦ **Edit Online** – Edit file by using OpenText Content Editor. This option needs to be enabled by the Filr administrator.
- ♦ **Edit with application**– Edit the file by using a native application like Microsoft Office.
- ♦ **Share** – Opens the share dialog to share the file.

Figure 7 Recent Files Listing





Figure 8 Recent Files Operations



Who can see the files listed in the Recent Files?


In the Recent Files, the logged-in user can see the recent files accessed. When the file is shared, only the file owner and the recipient can see the files in the Recent List. For example, User A (owner) shares a file with User B. The file is displayed in User A and User B's Recent Files list. After a few days, if the same file is shared by User A to User C, the shared file is displayed on user A and C's Recent Files list.

If the NetFolders is disabled for Recent Files, then any activity done on the shared files by other users is not listed in the Recent files.

How to configure the number of files to be listed in Recent Files?

The number of files to be displayed on the [Recent List](#) is configurable. To configure the settings, navigate to your [User Profile](#).

Figure 9 User Profile



In the **Personalization** section, select the number of files you want to see in the Recent Files.


What is Client Downloads?

This section includes information about the native Filr client, download links to other clients, install instructions, and, link to the documentation. This section is available only if the Filr administrator has enabled permission to download and install the Filr Client.

Based on the operating system, the appropriate client executable is available to download. For example, accessing web client from a Windows machine displays Windows executables.

To download other clients, click on the link **Other Client Downloads ...**

Figure 10 Client Downloads




What is Quota?

Over time, disk space usage increases. You can limit the amount of data that can be uploaded to Filr's shared storage disk at the system level or at individual users and groups. Files in NetFolders (including your Home directory) do not count towards your quota. Your quota is displayed on your **Home** page only when the quota is enabled by your Filr administrator. When your data quota is exceeded, an email notification is sent to you and the administrator to notify the same.

Quota shows the used space on Filr. The following are the color indicators:

- ♦ The blue color indicates the space consumed by the files saved in the **My Files** area.
- ♦ The red color indicates the space consumed by the deleted files. The files and folders that are moved to trash are listed under **Deleted files**.
- ♦ The orange color indicates the space consumed by the files that are uploaded by other users to folders shared by you to them.
- ♦ The green color indicates the remaining free space available for you.


Figure 11 Home Quota



How to manage Quota?

The **Quota** on the **Home** page reflects the data quota used and available for your account.

Figure 12 Quota Used



Following are the scenarios when your data quota is consumed:

- ♦ Only files count toward the data quota. Empty folders and the files in the Net Folders will not count towards the user's data quota.
- ♦ If another user uploads the same file or reshares the folder or a sub-folder, then the size of the file is attributed to the data quota of the user who has created it.
- ♦ While deleting files, select the option accordingly, if you want to move the files to trash or delete them permanently. If the files are moved to trash, the files are attributed to your data quota.

NOTE: ♦Data quotas at all levels are strictly enforced. If uploading a file would cause a user to exceed the assigned quota, Filr rejects the upload attempt, and the attempt is aborted.


- ♦ When a user is nearing to exceed or exceeds the data quota, a warning message displays on the user's profile page informing the user that he or she is approaching the data quota limit. Also, an email notification is sent to the user when the data quota is exceeded.
-

How to Customize the Landing Page?

The **Home** page is the default landing page and is customizable. You can set the Filr work areas (except Public) or folder in the work areas as a landing page. After configuration, when you log in to Filr, you will land on the folder or the work area that is set as the default landing page. Perform the following steps to set the Landing Page Preferences:


- 1 Click on the username on the top right corner and select **View Profile**.
- 2 Go to the **Personalization** section.
- 3 Select your preference from the **Landing Page** drop-down menu under **Landing Page Preferences** in the **Personalization** section.
 - ♦ Under the **Landing Page**, select the work areas to be displayed as the landing page.

Figure 13 Landing Page Preferences



- ♦ On selecting **Folder**, the **Search Folders** field is displayed. Enter the folder name or the first three alphabets of the folder name. All the folders with the folder name matching the entered string in the search field are listed for selection. The folders from all the Filr work areas for which you have access (My Files, Shared With Me, and NetFolders) are listed. Hover over the folder name to know the exact path of the folder.

Figure 14 Folder as a Landing Page Preference



NOTE: ♦Landing Page Preference is not available for an external user or a guest user.

- ♦ If the access to the folder set as a Landing Page Preference is expired or revoked by an Administrator, then the Landing Page Preference automatically resets to the Home page.
- ♦ If the folder set as a Landing Page Preference is renamed, the changed value is reflected in the Landing Page Preferences, and the setting persists.
- ♦ If the folder set as a Landing Page Preference is deleted, then it automatically resets to the Home page.


How does Search Work in Web Client?

You can perform search operations on files and folders based on the access rights you have on each item. The Search string should contain a minimum of 3 characters for Filr to start searching the content.

To use the Search option,


- 1 Click the search icon on the top right of the [Home](#) page.

Figure 15 Search Icon on the Home page




- 2 From the **All Categories** list, select a category and specify a search string.

Figure 16 Category List



- 3 Filr populates the list of items matching the search string. Clicking on the folder or file takes you to the exact location where the item is present.

Figure 17 Search String



Additional Information on Search Operations:

- ♦ The **Search Results** page is a consolidated view of search items inside a specific location selected by you.

Figure 19 Change Language

The screenshot shows the 'USER PROFILE' page. On the left is a sidebar with links: 'Personal Informa...', 'Account Basics', 'Notifications', and 'Quota'. The 'Account Basics' section is active. It contains a 'Password' subsection with a 'Change Password' link, and a 'Notifications' subsection with a radio button for 'Email only'. The 'Language' field is set to 'English (United Kingdom) [English (United Kingdom)]' and its dropdown menu is open, showing a list of languages including 'čeština (Česká republika) [Czech (Czech Republic)]', 'Dansk (Danmark) [Danish (Denmark)]', 'Deutsch (Deutschland) [German (Germany)]', 'Deutsch (Griechenland) [German (Greece)]', 'Deutsch (Luxemburg) [German (Luxembourg)]', 'Deutsch (Österreich) [German (Austria)]', and 'Deutsch (Schweiz) [German (Switzerland)]'. The 'Time Zone' field is visible below the language dropdown.

NOTE: Any email notification sent to the users will be in the language set at the user’s Language Preferences.

How to set the date and time display format?

Users can modify the **Language** and **Time-Zone** in the **User Profile**. Throughout the Filr Web client, the date and time are displayed as per the selected region.


Figure 20 User Locale

The screenshot shows the 'Account Basics' section of the 'User Profile' page. It includes a 'Password' subsection with a 'Change Password' link. The 'Language' field is set to 'English (United Kingdom) [English (United Kingdom)]' with a dropdown arrow. The 'Time Zone' field is set to '(GMT 1:00) Central European Time (Amsterdam)' with a dropdown arrow.

For example, when a user modifies the Language and Time-Zone in the user profile the time and date in the **More Details** are displayed as per the updates made. The date and time format for the two regions are as shown below:


- ♦ **English (United Kingdom):** dd/mm/yyyy HH:MM 24H.

Figure 21 English (United Kingdom)



- ♦ **English (United States):** mm/dd/yy HH:MM AM/PM.

Figure 22 English (United States)




What is Follow Notification Settings and how to access them?

The **Follow Notification Settings** is present in **User Profile** under **Notifications**.

When you mark a file or folder as **Follow**, you will receive an email notification when any changes are made to that file or folder.

Figure 23 Follow Notifications



The screenshot shows the 'USER PROFILE' settings page. On the left is a sidebar with links: 'Personal Informa...', 'Account Basics', 'Notifications' (which is highlighted), and 'Quota'. The main content area is titled 'Notifications'. At the top, there is a 'Time Zone' dropdown menu set to '(GMT 0:00) Greenwich Mean Time (GMT)'. Below this, the 'My followed item's Email setting' is shown as a toggle switch that is currently turned on. Underneath the toggle, there are two radio button options: 'Email only' and 'Email digest'. The 'Email digest' option is selected, indicated by a filled circle next to it.

If the notification setting is disabled, then the user does not have an option to follow a file or folder. On enabling the setting, you must specify your email address to receive the notifications.

You can add your email in the **User Profile > Personal Information**. If the details in **Personal Information** are grayed out, contact your administrator to add the email address.

When you follow a file or a folder, you will be notified of the following actions performed on a file or a folder that you follow:

- ♦ Upload
- ♦ Comment
- ♦ Edit
- ♦ Rename

The notifications setting has two options:

Email Only:

- ♦ Email notification applies both to folders and files.
- ♦ Filr sends one email message for every new or changed file. The email message does not include an attachment of the actual file but includes information about the file and the activity that occurred.
- ♦ Email notification is sent every time an activity happens.

Email Digest:


- ♦ Digest Notification applies only to folders and not files.
- ♦ By default, Email Digest is enabled when the user enables the notification.

- ♦ Filr sends Digest Notifications at a scheduled time set by the Filr administrator.
- ♦ Filr sends an email that summarizes all the activity in the folder and its sub-folder during the specified interval.

What happens when the Notifications are disabled?

To disable the notifications user can go to **User Profile** > **Notifications** and click the toggle button. The Follow state will be preserved for the previously marked items, just that the user won't be able to follow new items when notifications are disabled.

Figure 24 Notifications




How do I create a folder in the Filr work area?

You can create folders in **My Files**, **Shared with me**, and **NetFolders** area based on the permissions you have. To

create a folder, click  the **Create folder** button.

Figure 25 Create a new folder



Enter the folder name and click **Create**.

Is there any size limit for the files while uploading?


By default, there is no restriction on the file size for upload. The administrator can enforce the size limit. The administrator allots storage space to each user. Based on the storage space limit, the user can upload the files. The Administrator can configure the file size limit for a user, file upload and the file size upload for a group.

What are the types of files you can upload to Filr?

Users can upload any file type to Filr. The administrator can block certain file types. Based on this, the user will not be allowed to upload such types of files.

How to upload a file?


You can upload files to the **My Files** area, to folders in the **NetFolders** area, and the **Shared With Me** area. You can upload files to shared folders only when you have permission. To upload a file, navigate to the folder where

you want to upload the file. Click , browse, and select the file from your computer. Users can also drag-drop the files to the folders.

If you receive a file request from a Filr user, click the link in the file request email sent to you and upload the requested file.

How to upload a folder?

You can upload folders to **My Files** area, to folders in the **NetFolders**, and **Shared With Me** area. You can upload folders to shared folders only when you have contributor permission.



To upload a folder, navigate to the area where you want to upload the folder. Click , on the right top corner of your work area, browse, and select the folder from your computer. You can also drag-drop the folders to upload.

IMPORTANT: ♦When you upload a folder, all the files in the folder are uploaded. The upload notification window displays the file names. When you hover on the file name the relative path to the folder in Filr is displayed.

- ♦ Be cautious while uploading complex structured folders as the behavior is browser-dependent.
 - ♦ Filr does not allow you to upload an empty folder.
 - ♦ When Filr fails to upload a folder, none of the files in the folder are uploaded.
-

How to download a file or a folder from Filr?

You can download files or folders from the **My Files** area, **NetFolders**, and **Shared With Me** area. You can download files/folders from shared folders only when you have contributor permission.


To download a file or a folder from Filr, click  the **Download** button of the selected file or folder. You can also select multiple files or folders and click  the Download button on the right top of the page.

NOTE: If the folder has too many files, then the download fails and an error message “Item chosen for download has no content” is displayed.

What happens when you upload a file or a folder that already exists in Filr?

On uploading an existing file: When you upload an existing file to Filr, If the file versioning feature is disabled, a notification is displayed as shown below, where you are asked if you want to overwrite the existing file. Click **Overwrite File**, the existing file is overwritten.

Figure 26 Overwrite a file




If you click **Show details**, the message “There is already a file with the name <file name> in this location” is displayed.

On uploading an existing folder: If there are new files along with already existing files, then new files are uploaded successfully and for the existing files, an option to overwrite a file is displayed.

How can I hide or unhide the files?

Hidden Shares and **Unhidden Shares** options are available in the **Shared With Me**, **Shared By Me** areas, and **Shared By Me** area of a NetFolder. After you log in to Filr, go to **Shared With Me** or **Share By Me** area. You will find the **Shares** drop-down menu on the left top corner of the **Shared With Me** area.

Figure 27 Hide - Unhide shares



The following options are available:

- ♦ **All Shares:** When **All Shares** is selected, all the hidden and unhidden files are displayed in the **Shared With Me** area.

- ♦ **Unhidden Shares:** By default, **Unhidden Shares** is selected, and all the unhidden files are displayed in the Shared with me area.
- ♦ **Hidden Shares:** When Hidden Shares are selected, all the hidden files are displayed in the **Shared With Me** area.




To hide files, select the files from **Unhidden Shares** and click the **Hide Selected Shares**  button on the right top corner of the **Shared with me** area. On doing this, the selected files will be listed under hidden files. Similarly, to unhide a file, select a file from the files listed under **Hidden Shares** and select **Unhide Selected Shares**  button on the right top corner of the **Shared With Me** area. On doing this, the selected files will be listed under **Unhidden Shares**. If you want to perform hide and unhide on a single file or a folder, then click the More options of the file and select the **Hide Share** and **Unhide Shares** options, respectively.

Figure 28 More Actions Menu



How to request for a file?

You can request an internal user or an external user to upload a file to a specific folder. This feature is available only in **My Files** and **NetFolders**.


Navigate to the folder where you want the other user to upload a file. Click  the **Request File** icon on the right top menu bar. Enter the username or the email ID, add a note about the file you are requesting for, and click **Request**.

Figure 29 Request Files

Request a file

Folder to save the file

ravi0-netfolder

Expires

In 30 days

Email Address

Note to recipients...

CLEAR

REQUEST

How to preview a file?

Filr allows you to preview the files. The Preview option is available only for the supported file types.

MS Office files:


.doc,.docx,.docm,.dotm,.lwp,.odg,.odp,.ods,.odt,.ppt,.pptx,.pptm,.rtf,.csv,.xls,.xlsx,.xlsx,.xlsm

Text files: '.txt', 'c', 'cc', 'cpp', 'cs', 'diff', 'java', 'less', 'out', 'patch', 'php', 'pl', 'properties', 'py', 'rb', 'scala', 'script', 'scm', 'scss', 'sh', 'sml', 'sql', 'swift', 'vb', 'vi', 'vim', 'xsd', 'yaml', 'yml', '.pdf

Image files: 'jpg', 'jpeg', 'png', 'svg', 'bmp', 'webp', 'ico', 'gif'.

To preview a file in the **Home** page > **Recent List**, select **Preview file** option from the **More Actions** menu.

Figure 30 Preview Files



To preview the files from **My Files**, **Shared with me**, and **NetFolders** select the file and click the Preview icon.




How to move a file?

You can move files and folders across and within **My Files** and **NetFolders**. You are not allowed to move files from one Netfolder to another Netfolder. For moving the items you need to have permissions to both source and destination folders.

To move a file/folder, (you can also move multiple items) select the item you want to move and choose the **Move To** option from the **More Actions** menu.


If you want to move multiple items, select multiple files/folders, and select the **Move** option from the **More Actions** menu on the right-top corner of the Main menu.

Figure 31 Move Files



Navigate to the destination location, click **Move Here**. You can also create a new folder by clicking on the folder icon on the bottom left corner of the window, enter the folder name and then click **Move Here**.


Figure 32 Create Folder and Move



How to make a copy of a file or a folder?


You can make a copy of files or folders existing within or across the My Files and Netfolder areas in Filr. To copy the items, navigate to the location of the file or folder you want to copy, and select **Copy** option from the **More Actions** menu. If you want to copy multiple files, select multiple files/folders and click the **Copy** icon on the right-top corner of the Menu bar. On selecting the **Copy** option a window with the list of Filr workspaces to which you have access to are listed.

Figure 33 Copy Files



Navigate to the destination location, click [Copy Here](#). You can also create a new folder by clicking on the folder icon on the bottom left corner of the window, enter the folder name and then click [Copy Here](#).

Figure 34 Create Folder and Copy



How do you edit a file?

You can edit the files that are uploaded by you, or the files shared to you only if you have Edit permission. The Edit option is available for the files in the **More Actions** menu. You can edit the files in My Files, NetFolders, and Shared With Me.

Can a user edit the files Online?

Content Editor appliance is a part of Filr Advanced that gives co-editing capability. If the Content Editor is configured, the user can edit the files online. A file can be directly opened on a web browser and can be edited.

What is the usage of “Edit with the Application”?

This option allows you to edit the file with the application on your desktop. All the basic file types from MS Office/Libre Office are supported. For example, if you want to view or edit a .doc file using MS Word, you can use this option to open the file in your desktop application instead of opening it on the web client. **Edit with the Application** is available for all the users.

How to view the comments?

Any user who has access to a file and has at least read permission to a file can view the comments. To view the comments,




1. Select a file and click the **More Details** .

Figure 35 View Comments



2. Click the **Comments** tab.

Adding a Comment

To add comments, in the **Comments** tab, enter the comments in the **Add your comments** textbox and click . The total number of comments will be displayed beside the comment icon of a file.

Editing a Comment



To edit the comment, in the **Comments** tab, hover the mouse on the comment, click **Edit** and make the required changes and click .

Figure 36 Edit Comments



Replying to a Comment

To add a reply, in the **Comments** tab, enter the comments in the **Reply** textbox and click the **Reply** button.

Deleting a Comment

To delete a comment, select the comment and click **Delete**.

How do I maintain multiple versions of a file?

You can create and maintain multiple versions of a file. When an already existing file is uploaded again to Filr or when you perform an online edit on a file and save the file, the file is saved as the latest version of a file.

- 1 Go to your **My Files** area.
- 2 Upload a file that already exists in **My Files** area or you can also perform an online edit and save the file.
- 3 Click **Create New File** option on the notification window.


NOTE: The **Create New File** option is displayed only if the File Versioning feature is enabled for your zone.

The file is uploaded or saved as the latest version of the file.

Where do I get the list of multiple versions of a file?

If the File Versioning feature is enabled for your zone, the **Version History** option in the **More Actions** menu will be available. On choosing this option, **Version History** tab in the **More Details** window is displayed. All the existing multiple versions of the are listed under this tab.

Figure 37 Version History



How many versions of a file can be maintained?

You can maintain maximum of ten versions per file. When there are more than ten versions, the older files are deleted automatically.

Does File versioning impact Quota?

In the Filr application, when a file version is created, based on the file size, an additional disc space is consumed.

When this feature is enabled, it is recommended to expand the vstorage/vashare size at least twice the amount of the current disk space used (a maximum of 10 times). For more information, see [Expanding Storage](#). Manage the usage of disk space, by making use of data quota. For more information, see [Managing and Restricting Filr Based Storage](#).

What are the other operations available in file versioning?

The following are the other options in the file versioning window:

Promote: You can use this option to make any older version of a file as a current version. For example, there are three versions of a file as 1.0, 1.1, and 1.2. You choose to promote 1.0 to make it the latest version. Then, the file with the version number 1.0 becomes version 1.3 and 1.0 version is automatically deleted from the Filr application. After promotion, the list of file versions will be 1.1, 1.2, and 1.3.

Download: You can download the file versions.

Delete: You can delete the file versions except the current version.

NOTE: ♦When you delete a file, all the versions of a file gets deleted.

- ♦ When you move a file across the folder, the current version of the file is moved.
-

What are the different ways of sharing files and folders?

Filr makes collaboration easy by allowing you to share the files.

SHARING WITH INDIVIDUAL USERS AND GROUPS: You can share files and folders with specific users and groups internal to your organization.

SHARE LINKS: You can generate a link (normal link or a password-protected link) to a file and share it. Any user with the link can view or download the file based on the type of link shared.

SHARING WITH THE PUBLIC: Files and folders are made public. Anyone with the URL to the file or a folder can login as a guest user and view the items in the public folders.


SHARING WITH INDIVIDUAL USERS OUTSIDE YOUR ORGANIZATION: A file is shared with a user, where a link to a Filr registration form is provided, using which a user does a self-registration to view or download the file. Such users are called as an external user.

What is Permalink?

Accessing a file or a folder saved at a nested level is made easy by using the permalink. Permalinks are permanent, authenticated links to files or folders. Every file or folder in the Filr application has a permalink. When a permalink is shared with an authenticated user, the user should at least have view rights to access the file or folder. the user can directly view the previewable files. If the file is non-previewable, then after logging into the Filr application, the user is taken to the location of the file. The checkbox of the file is selected in the list of files in that location.

Right-click on a file or a folder, select **Permalink** from the menu. A link for the file or folder is displayed.

Figure 38 View Permalink



You can click the [Copy link](#) option and share the link.

Accessing Files and Folders using Permalink

Accessing a folder: When you access a folder using its permalink, you will be navigated to the folder after you log in to the Filr application. Based on the permissions, you will be able to view the files and folders inside the accessed folder.

Accessing a previewable file: When you access a previewable file using its permalink, after you log in to the Filr application, file preview is displayed in the browser.

Accessing a non-previewable file: When you access a non- previewable file using its permalink after you log in to the Filr application, you are navigated to the folder where the file is located and the check box of the file is selected to differentiate the file from the other files in the folder.

NOTE: When you access a file or a folder using its permalink, if the share is expired, or deleted from your workspace or Shared By Me, then an error message “The file/Folder you are looking for, does not exist. or may have been deleted” is displayed.

How do I share files and folders?

Sharing a file: A file can be shared in two ways:

- ♦ Sending an invite
- ♦ Share Link

You can share a file with an internal user or an external user. You can share a file only if you have share permissions at the folder level. To share a file or a folder:



- 1 Select a file or a folder to be shared. You can also select multiple files and folders.
- 2 If you are sharing
 - 2a A single file or a folder, select **Share** option from the **More Actions** menu of the file or folder.
 - 2b Multiple files or folders, click  **Share** icon on the right-top corner of the **Menu** bar.

Figure 39 Share Invite



Filtr Documentation.docx ×

INVITE MEMBERS **MANAGE SHARES**

Total: 0 Recipients Can view ▾ Expires In 30 days ▾ **REMOVE INVALID RECIPIENTS**

Search a user or group, or enter a list of ",\" separated emails

☐ Public share

your message...

Notify Only newly added recipients ▾

CANCEL **SAVE**

- 3 Enter the email ID of a user or multiple IDs (list of email addresses separated by comma/semicolon) of the users to whom you want to share the file. If the user is an internal user, then the email ID can be replaced with the full name of the user. You can also enter the usernames of internal users; the address book will auto-populate with the list of internal users. An invalid email ID is identified and is displayed in red color, and you can delete it.

The search box can be used to search for and add users one by one. To search for a user, enter a part of the user's email address or full name. A drop-down with a list of user details matching the search query is then displayed. You can then select the user from the list.

You can also add multiple users at once, by pasting a list of comma/semicolon separated values in the search field. For example: user1@company.org, FirstName1 LastName1, user2@company.org, user3@company.org, FirstName2 LastName2

In both cases, only full names or email addresses of internal users/email addresses of external users can be provided.

IMPORTANT: When using a comma-separated list:


- ♦ If the invited member is already a recipient, the new share would replace the existing share. This is shown as a warning, and the invited member is shown in yellow.
 - ♦ If an entry in the comma-separated list does not correspond to any internal user's full name and is also not a valid email address, such an entry is considered an invalid recipient and is shown in red.
 - ♦ The **Remove Invalid Recipients** button can be used to get rid of such entries at once.
-

NOTE: You can enter only 60 recipients at a time using the **Invite Members** tab in the **Share** dialog. For example, If 45 users have already been added and a list of 20 entries is pasted onto the search field. Now, only the first 15 entries are added, the latter 5 entries in the pasted list are ignored.

4 Set up the permissions:

- ♦ **Viewer:** Users with this permission can view the document.
- ♦ **Editor:** Users with this permission can view and edit the document.
- ♦ **Contributor:** Users with this permission can view, edit, delete, and move the files across the folders. This option is available at the folder level and not at the file level.

Figure 40 Share Permissions



5 You can give re-share permission to the user to whom the file is shared.


- 6 The Public Share toggle will make this file or folder Public, in addition to sharing it with the currently added members.
- 7 Filr sends out email notifications to recipients of new shares by default. If a share message is specified, this message is reflected in the email.
This default behaviour can be changed using the notify dropdown.
- 8 Click **Invite**.

Share Link: Using this option, you can generate a normal link or a password-protected link to a file and share it with one or more recipients.

How do I know who has the share access to a file or a folder inside a NetFolder?

Click the  **More Details** button of a file.

Figure 41 SHARED BY OTHERS



If the file is shared to others, then the names of the sharees are listed under **SHARED BY OTHERS** tab in the **More Details** window.

How to set expiry settings for a file being shared?

When a file is being shared, you can set the share to expire. To do this:

In the **Invite Members** tab, click **Expire** drop-down menu.

Figure 42 Invite Members

Filtr Documentation.docx X

INVITE MEMBERS MANAGE SHARES

Total: 0 Recipients Can view ▼ Expires In 15 days ▼ REMOVE INVALID RECIPIENTS

Search a user or group, or enter a list of "," separated emails

☐ Public share Expires in 30 days.

your message...

Notify Only newly added recipients ▼

In 7 days
In 30 days
On
After
15 days
Never

CANCEL SAVE

The following options are available in the menu:

In 7 days: When this option is selected, sharee's access to the file/folder being shared expires in 7 days from the date of sharing.

In 30 days: When this option is selected, sharee's access to the file/folder being shared expires in 30 days from the date of sharing.

On: On selecting this option, you can set the date of expiry. The sharee can access the file being shared till the set date.

After: When this option is selected, you can set the number of days from the current date after which share will expire.

Never: If you select the **Never** option, then the sharee's access to the file/folder being shared will never expire. For added security, the administrator can decide to hide the **Never** option in the expiry settings menu by disabling the **Allow Shares to Never Expire** check box in the **Share Expiry Settings**. If the administrator disables **Allow Shares to Never Expire** check box, the existing shares which were shared with the **Never** option would continue to be in never expire state. However, when you edit/modify such shares, then by default the expiry for the file/folder is set to 30 days.

Can a shared file be re-shared?

Yes, a file that is shared to you can be re-shared when the owner of the file has provided re-share permission to sharee/receipient. Refer the figure [Share Permissions](#). The following are the options under **Allow re-share with:**

- ♦ **Internal Users:** File can be re-shared with the internal users.

- ♦ **External Users:** File can be re-shared with the external users.
- ♦ **Public:** The file can be made Public.
- ♦ **File Link:** The file can be re-shared using Share Links.

How do I know if a file is already shared by me and shared with me?

On sharing a file, the **Members** column in the **My Files** area gets updated with the count of members or groups the file is shared with. All the files you share are also listed under **SHARED BY ME** in their respective areas. If



any files are shared with you, those files are listed inside **SHARED WITH ME** area. You can also click the  button to view more details.

Figure 43 View More Details



The screenshot displays the 'MY FILES' interface. At the top, there are tabs for 'ALL FILES', 'SHARED BY ME', and 'DELETED ITEMS'. The 'SHARED BY ME' tab is active, showing a list of 11 items. The list has columns for NAME, STATUS, MEMBER, and MODIFIED. The file 'a.txt' is selected, and its details are shown on the right.

NAME	STATUS	MEMBER	MODIFIED
empty	Expired	1 group	4/17/20
viewer	Expired	2 members	1/31/20
a.txt	Expired	2 members	3/11/20
commnet_reply (1).docx	Expired	1 member	3/9/20
Delete issue.py	--	Only me	1/30/20
F1 Racing.pptx	Expired	3 members 1 group	4/29/20
Networking.OS & Unix Commands - Copy - Copy (1...	Expired	1 member	3/17/20
New_pidgin-2.13.0.doc	Expired	1 member	7/31/19
NTS_Training.pdf	Expired	1 group	4/8/20

The details for 'a.txt' are shown on the right. It is a 1 KB TXT file, modified by 'Me' on 3/11/20 at 10:45 AM. It is shared with 3 members, and 1 member has seen it. The 'SHARED' section lists the following users and their roles:

- mobile7 mobile7 (Viewer, Expires: 7/28/20)
- user2 (Editor, Expires: 4/10/20)

The details of the users and the groups are displayed along with the share expiry status.

What are the different roles and permissions a user can have?


Table 1 *Types of Roles*

Role	Rights through Filr
Viewer	<ul style="list-style-type: none">♦ View the existing files in the folder♦ Read the content
Editor	<ul style="list-style-type: none">♦ View the folder content♦ Read and write to the existing files.
Contributor (applicable only to folders)	<ul style="list-style-type: none">♦ View, Create, Delete, Rename, Move, and Copy the shared folder and its contents♦ Read and Write to the existing files

What is a Share Access Report?

The Share Access Report provides you with the details of a file such as who has accessed the file, at what time, and if the comments are added to the file. The Share access report is available only in Filr Advanced. When a receiver accesses the shared file, you will receive a notification email from Filr. You can also view the access report by clicking the link provided in the email, which then routes you to the receiver's details. If the receiver has accessed the shared file, then the **Access Report** option is displayed in the **Details** pane of the file.

Figure 44 Share access notification



The report includes access information of the recipients like who accessed the file, the IP address of the machine with which the file was accessed, date and time of the file access. You can download a PDF version of the report by clicking [Download Report](#).

What is a Share Link?

Share Link is a URL that is used to provide read-only access to a file. Beginning with 24.2, a user can set a password for a share link when or after it is created. If the share link is password-protected, a recipient has to enter the password provided by the user who has shared the file.

How to generate a Share Link or a Password-Protected Share Link?

To generate a Share Link or a Password-Protected Share Link, right-click on a file you want to share and select the [Share Link](#) option from the [Context](#) menu of the file.

Figure 45 Share Link

Share Link

Install guide images.docx

Any user with this link can:

☒ View file

☐ Download file

Access to link will expire:

☐ Never

☐ On

☒ After days

☐ Secure this link

CANCEL **GENERATE**

You can generate the share link with the following permissions:

- ♦ **View file** - The file is converted to an HTML view and is rendered on the browser.
- ♦ **Download file** - The user can download the file. Any media file that is supported by the browser is rendered on the browser. You can then download the file. If the file type is not supported by the browser, then the file is automatically downloaded. Any PDF file whose size is greater than or equal to 32 MB, will be downloaded. You can also download files using command line tools like wget and curl if their corresponding share links are not password-protected.

You can choose one of the following options to set the time of expiration for a link:

- ♦ **Never** - This option will be available only if **Allow Shares to Never Expire** is enabled in the Administration Console. If it is disabled, the existing shares that were shared with the **Never** option will continue to be in the never-expire state.
- ♦ **On** - Set the expiry date of the share link to a specific date.
- ♦ **After** - Set the expiry date of the share link relative to today's date.

Secure this link - Turn on this toggle button to secure the share link. This option is displayed if the **Allow Share Links to be password-protected** option in the **Share Link Settings** in the Administrator console is enabled. This allows you to set the password for the link. You have to provide the password along with the link to one or more recipients to access the link. You can set the password when creating or modifying a Share Link.

Figure 46 Password-Protected Share Link

Share Link

Install guide images.docx

Any user with this link can:

☒ View file

☐ Download file

Access to link will expire:

☐ Never

☐ On

☒ After days

☒ Secure this link ⓘ

Password

CANCEL **GENERATE**

Password - Enter the password for the share link to be generated for the file. If **Apply Filr's Password Policy when setting passwords for Share Links** is enabled in the Administrator Console, the set password has to adhere to Filr's password policy.

Figure 47 Password Policy

Share Link

Install guide images.docx

Any user with this link can:

☒ View file

☐ Download file

Access to link will expire:

☐ Never

☐ On

☒ After days

☒ Secure this link ⓘ

Password

CANCEL **GENERATE**

Can have 8-64 characters

✓ Cannot contain the user's first name, last name, or User ID

✗ Must fulfill any three of the following criteria: atleast one lowercase character, atleast one uppercase character, atleast one numerical value, and atleast one special character

Click **GENERATE** to generate a unique share link.

You can now share the link directly with anyone through email, text messages, social media, or any other collaboration forum. Any user clicking on the link will get direct access to the file. Based on the type of link, users will be able to view or download the file.

✓ **Link created successfully**


Any user with this link can view the file. Expires in 30 days.

[/filr/public-link/file-preview/8ac7e13d1](#) **COPY LINK**

Any password-protected share links can be modified. You can change the password that was already set for a link.

Figure 49 *Modify Link*

Share Link

 npp.8.6.5.Installer.x64.exe

REVOKE LINK

/public-link/file-download/8ac7e13d8e

COPY LINK

Any user with this link can:

☐ View file


☒ Download file

Access to link will expire:


☒ Never

☐ On

☐ After





☒ Secure this link 

Password



CANCEL

SAVE

Click the  edit button next to the **Password** field. This clears the password field, letting you enter a new password. While editing the password, you can toggle the visibility of the entered password by clicking  show/hide password button. Enter the new password that adheres to Filr's password policy click the  right tick button and click **Save**. If you do not wish to edit the password, you can click the  cross button.

NOTE:

- ♦ Here, the password is modified, and the already generated link remains the same. If you wish to obtain a new link, click **Revoke Link** and follow the steps given in “[How to generate a Share Link or a Password-Protected Share Link?](#)” on page 41
 - ♦ Any time the password is modified for an existing password-protected share link, the new password has to be shared with the recipient(s).
-

Figure 50 Modify Password

The screenshot shows a 'Share Link' dialog box for a file named 'npp.8.6.5.Installer.x64.exe'. It features a 'REVOKE LINK' button in red. Below the file name, there is a text field containing a public link: '/fifr/public-link/file-download/8ac7e13d8e', with a 'COPY LINK' button next to it. Under the heading 'Any user with this link can:', there are two radio button options: 'View file' and 'Download file', with 'Download file' selected. Below this, under 'Access to link will expire:', there are three radio button options: 'Never' (selected), 'On', and 'After'. There is also a toggle switch for 'Secure this link' which is turned on. At the bottom, there are fields for 'Password' and 'NewPassword', each with a visibility icon (an eye) and a confirmation icon (a checkmark in a box).

How to unshare a shared file?

To unshare a file, you can select the **Stop Sharing** option from the **More Actions** menu.

If the file is shared with multiple users and you want to unshare the file to a specific user, then use the **Manage share** option in the **More Action** menu of a file. In the **Manage Shares** dialog box, under the **Manage Shares** tab,

select the user name and click  .

You can go to the **SHARED BY ME** area, select multiple files, and select **Stop Sharing** option from the **More Actions** menu on the right top corner of the page.

How do you edit the share permissions?

While sharing multiple files or folders, if one file has View right and one folder has Contributor right, then View rights will be considered.

You can edit the share permissions by using the **Manage shares** option in the **More Action** menu of a file. In the



Manage Share dialog box, under **Manage Shares** tab, select the user/group name and click  .

Figure 51 Edit Shares



Here you can change the share permissions and the share expiry. Clicking the **Reset** option will reset the changes made to the old permission settings.

How do I use a custom template or create a new file?


You can now edit the custom templates or create a new file within Filr. The **Create New File** option is available only for Advanced Filr Edition and Content Editor has to be enabled by the Administrator. In the **My Files** and **NetFolders** area, you can find this option at the root level and folder level, in the **Shared With Me** and **Shared By Me** area, you will find this option only at the folder level.

To create a new file, perform the following steps:

- 1 Click  on the corner in the Filr work areas.


The default file templates that are shipped with Filr and the templates that are added by an Administrator are displayed in the file template list. **Create a new <Document type> Document** window is displayed.

Figure 52 Creating a new file



- 2 Select the file template from the list.

Figure 53 Create New Document



Create New Excel Workbook

File name

New Excel Workbook .xlsx

CANCEL **CREATE**

- 3 Enter the file name and click **Create**. The file is saved in Filr, you can then edit the file as required.

NOTE: This option is displayed when you have Contributor permissions in the folder or Filr workareas.

All the types of file templates added by an Administrator will be available in the template list, however, you can edit the template in the Filr Web Client only if the file type is supported by CE.

What is Data Leak Prevention (DLP)?

The Data Leak Prevention feature allows you to have control over important organizational files and helps you adhere to data protection policies while still providing remote access to external partners and users working remotely.

Data leak prevention is handled with a policy-based prevention mechanism. When a policy is applied to a file, the file will adhere to the configuration set in the policy. A set of file operation restrictions are assigned to a policy. When a policy is applied to a file, the file operation restrictions are honored.

For example: A policy having “Share Externally” as a file operation restriction is applied to a file. Sharing this file with any external user is restricted (Share with external users, Share public, and Share with file links).

What rights should I have to manage DLP on my workspace (netfolder)?

When the DLP is enabled for the netfolder and the policy is not applied at the netfolder level, and if you are made a Moderator for the netfolder, you can apply or remove a DLP policy to files in the workspace.

How do I know if the DLP policy is applied at Netfolder level?


For a file, perform one of the following:

- ♦ Choose the **DLP Policy** from the **More Actions** menu.
- or
- ♦ Click **More Details** option.

For a file in a netfolder, you can see either of the following:


- ♦ If the DLP is enabled and a policy is not applied at the netfolder level, the DLP Policy button will appear above the **Details** tab. You can click this button, select a policy, and apply it to the file.

Figure 54 DLP Policy Button



- ♦ If the DLP is enabled and a policy is applied at the netfolder level, the DLP policy name will appear above the **Details** tab. The policy name is read-only and non editable.

Figure 55 Policy Applied at Netfolder




How can a Moderator apply DLP Policy to the files?

When a DLP policy is enabled for a netfolder, and a policy is not applied at the netfolder level, then as a moderator perform the following steps to apply policy to a file:


- 1 Login to the Filr application.
 - 2 Go to the netfolder for which DLP is enabled and a policy is not applied at the netfolder level.
 - 3 Perform one of the following:
 - 3a Choose **DLP Policy** from the **More Options** menu. The **Manage DLP Policy** dialog box is displayed.
- Or

Figure 56 More Options Menu




3b Choose **DLP Policy** from the **More Actions** menu. The **Manage DLP Policy** dialog box is displayed.

Figure 57 More Details


 Doc2.docx ✕

Netfolders/NetFolder/Doc2.docx

 **DLP POLICY**

DETAILS COMMENTS


Modified by
moose moose
8/30/22 | 2:27 PM



Size 407 KB
DOCX

Type

SHARED


 **Share**

SHARED BY ME SHARED BY OTHERS

Not shared yet

- 4 Select the policy from the drop-down menu.

Figure 58 Manage DLP Policy



- 5 Click **Apply**.

The policy is applied to the file.


How to Remove the policy applied to a file?

If you are made a Moderator to a netfolder, you can apply DLP policy to files in that netfolder.

When a DLP policy is enabled for a netfolder, and a policy is applied to a file at netfolder, then a moderator can Remove the policy. To remove the policy, perform the following:


- 1 Login to the Filr application.
 - 2 Go to the netfolder for which DLP is enabled and a policy is not applied at the netfolder level.
 - 3 Perform one of the following:
 - 3a Choose **DLP Policy** from the **More Options** menu. The **Manage DLP Policy** dialog box is displayed.
- Or

Figure 59 More Options Menu




3b Choose **DLP Policy** from the **More Actions** menu. The **Manage DLP** dialog box is displayed.

Figure 60 More Details



4 Select the policy from the drop-down menu.

Figure 61 Manage DLP Policy



The image shows a 'Manage DLP Policy' dialog box. At the top left is the title 'Manage DLP Policy' and at the top right is a close button 'X'. Below the title is the instruction 'Apply a DLP Policy to this file to honor your organizational policies'. Underneath this is a dropdown menu currently showing 'Confidential' with a blue downward arrow. At the bottom of the dialog are three buttons: 'REMOVE' in red, 'CANCEL' in black, and 'APPLY' in grey.

5 Click **Remove**. A confirmation page is displayed.


6 Click **OK**.

The policy is removed.

What is a Self-Registration page?

When a file is shared with a user outside the organization, the user has to log in to the Filr application to access the file. When the file is shared, an email is sent to the external user with the link to a self-registration form. The user has to register the details in the form and complete the self-registration process to be able to log in to the Filr application. The form looks as shown below:

Figure 62 Self Registration



The image shows a self-registration form for a system. On the left, there is a logo consisting of a grid of plus signs and a blue square with a white folder icon and an upward arrow. Below the plus signs is a blue square with a white 'C' and the word 'COLLABORATION' in black. The main heading is 'GREAT NEWS!' in bold black text. Below this, a message states: 'A file or folder is shared with you. Complete this simple registration process to access it.' The form fields are: 'User ID' with the value 'user103@synology.labs.blr.novell.com'; 'First Name' and 'Last Name' as separate text boxes; 'Country Code' as a dropdown menu with a blue arrow and 'Mobile Number' as a text box with an information icon; 'Password' and 'Re-enter Password' as text boxes with toggle icons. A 'SIGN UP' button is at the bottom right.

GREAT NEWS!

A file or folder is shared with you. Complete this simple registration process to access it.

User ID
user103@synology.labs.blr.novell.com

First Name Last Name

Country Code Mobile Number

Password

Re-enter Password

SIGN UP

- 1 Enter the following details to complete the process:

Table 2 *Self-registration Form*

Field name, options, buttons	Description
User ID	The email id of the external user is considered the user ID.
First Name	Enter the first name.
Last Name	Enter the last name.
Country Code	Enter the Country Code. This is a mandatory field if the you wish to enter the Mobile Phone Number.
Mobile Number	Enter the phone number. This is required to receive a One-Time Password through a text message for Multi-Factor Authentication to login to the Filr application. This is an optional field.
Password	Enter the password.
Re-enter the password	Re-enter the password.

2 Click **Sign Up**.

Legal Notice

Copyright 2023 Open Text.

The only warranties for products and services of Open Text and its affiliates and licensors ("Open Text") are as may be set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Open Text shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.