
Micro Focus Security ArcSight SmartConnectors

Software Version: 8.3.0

SmartConnector for Microsoft Forefront Threat Management Gateway File

Document Release Date: February 2022

Software Release Date: February 2022



Legal Notices

Micro Focus
The Lawn
22-30 Old Bath Road
Newbury, Berkshire RG14 1QN
UK

<https://www.microfocus.com>

Copyright Notice

© Copyright 2022 Micro Focus or one of its affiliates

Confidential computer software. Valid license from Micro Focus required for possession, use or copying. The information contained herein is subject to change without notice.

The only warranties for Micro Focus products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein.

No portion of this product's documentation may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or information storage and retrieval systems, for any purpose other than the purchaser's internal use, without the express written permission of Micro Focus.

Notwithstanding anything to the contrary in your license agreement for Micro Focus ArcSight software, you may reverse engineer and modify certain open source components of the software in accordance with the license terms for those particular components. See below for the applicable terms.

U.S. Governmental Rights. For purposes of your license to Micro Focus ArcSight software, "commercial computer software" is defined at FAR 2.101. If acquired by or on behalf of a civilian agency, the U.S. Government acquires this commercial computer software and/or commercial computer software documentation and other technical data subject to the terms of the Agreement as specified in 48 C.F.R. 12.212 (Computer Software) and 12.211 (Technical Data) of the Federal Acquisition Regulation ("FAR") and its successors. If acquired by or on behalf of any agency within the Department of Defense ("DOD"), the U.S. Government acquires this commercial computer software and/or commercial computer software documentation subject to the terms of the Agreement as specified in 48 C.F.R. 227.7202-3 of the DOD FAR Supplement ("DFARS") and its successors. This U.S. Government Rights Section 18.11 is in lieu of, and supersedes, any other FAR, DFARS, or other clause or provision that addresses government rights in computer software or technical data.

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see <https://www.microfocus.com/about/legal/>.

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number
- Document Release Date, which changes each time the document is updated
- Software Release Date, which indicates the release date of this version of the software

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<https://www.microfocus.com/support-and-services/documentation>

Support

Contact Information

Phone	A list of phone numbers is available on the Technical Support Page: https://softwaresupport.softwaregrp.com/support-contact-information
Support Web Site	https://softwaresupport.softwaregrp.com/
ArcSight Product Documentation	https://www.microfocus.com/documentation/arcsight/

About this PDF Version of Online Help

This document is a PDF version of the online help. This PDF file is provided so you can easily print multiple topics from the help information or read the online help in PDF format. Because this content was originally created to be viewed as online help in a web browser, some topics may not be formatted properly. Some interactive topics may not be present in this PDF version. Those topics can be successfully printed from within the online help.

Contents

- SmartConnector for Microsoft Forefront Threat Management Gateway File 5
- Product Overview 6
 - Supported Versions 6
- Configuring the Server 7
 - Threat Management Gateway 2010 7
 - Threat Management Gateway 2004/200610
 - Grant Access Privilege for Network Share12
- Install the SmartConnector14
 - Prepare to Install Connector14
 - Install Core Software14
 - Set Global Parameters (optional)15
 - Select Connector and Add Parameter Information17
 - Select a Destination 18
 - Complete Installation and Configuration 18
- Run the SmartConnector19
- Device Event Mapping to ArcSight Fields20
 - Threat Management Gateway 2010 Web Proxy Service Log Mappings20
 - Threat Management Gateway Firewall Service Log Mappings21
- Troubleshooting23
- Send Documentation Feedback24

SmartConnector for Microsoft Forefront Threat Management Gateway File

This guide provides information for installing the SmartConnector for Microsoft Forefront Threat Management Gateway File (formerly Microsoft ISA Multiple Server File) and configuring the device for event collection. For supported devices and versions, see [Technical Requirements](#).

Intended Audience

This guide provides information for IT administrators who are responsible for managing the ArcSight SmartConnectors.

Additional Documentation

The ArcSight SmartConnectors documentation library includes the following resources:

- *Installation Guide for ArcSight SmartConnectors*, which provides detailed information about installing SmartConnectors.
- *Configuration Guides for ArcSight SmartConnectors*, which provides information about configuring SmartConnectors to collect events from different sources.
- *Release Notes for ArcSight SmartConnectors*, which provides information about the latest release

For the most recent version of this guide and other ArcSight SmartConnector documentation resources, visit the [documentation site for ArcSight SmartConnectors](#).

Contact Information

We want to hear your comments and suggestions about this book and the other documentation included with this product. You can use the comment on this topic link at the bottom of each page of the online documentation, or send an email to Documentation-Feedback@microsoft.com.

For specific product issues, contact [Micro Focus Customer Care](#).

Product Overview

Microsoft Forefront Threat Management Gateway is a comprehensive, secure Web gateway for protecting against Web-based events, providing multiple layers of continuously updated, integrated protection. The Forefront Threat Management Gateway (TMG) server provides URL filtering, anti-malware inspection, intrusion prevention, firewall, and HTTP/HTTPS inspection in a single solution.

This SmartConnector can be used to collect events from one or more Threat Management Gateway servers.

Supported Versions

Forefront Threat Management Gateway 2004, 2006, and 2010 Servers are supported

Configuring the Server


Perform the following steps for each server from which the SmartConnector is to collect events.




If you are planning to run the installed SmartConnector as a service, and the connector will be collecting events from multiple servers, the machine on which the connector is installed must have the same user credentials as the servers from which it is to collect events. Note that this connector cannot be run as a service when it is run remotely.

Threat Management Gateway 2010


- 1 In the Management Console, expand the computer name in the left pane of the console and click the **Monitoring** node.
- 2 Click the **Logging** tab in the **Details** pane. Expose the **Task** pane if it is not already open. In the **Task** pane, click the **Tasks** tab and **Configure Firewall Logging**.



- 3 Select the **WC3 extended log file format** from the **Format** list. Confirm that a checkmark appears in the **Enable logging for this service** check box.




- 4 Click the **Fields** tab. Confirm that all fields are selected.




ArcSight recommends that you select all fields. Each field that appears in an event is mapped to an ArcSight field for correlation purposes; for example, Log Date and Log Time are mapped to Device Receipt Time, Transport is mapped to Transport Protocol, Protocol is mapped to Application Protocol, and so on. Any field that is not selected for logging cannot be processed.

- 5 Click **Apply** and then click **OK** in the Firewall Logging Properties dialog box.
- 6 Click **Apply** to save changes and update the firewall policy, as shown in the following image:




Threat Management Gateway 2004/2006

- 1 In the Management Console, expand the computer name in the left pane of the console and click the **Monitoring** node.
- 2 Click the **Logging** tab in the **Details** pane. Expose the **Task** pane if it is not already open. In the **Task** pane, click the **Tasks** tab and **Configure Firewall Logging**.




- 3 Select the **WC3 extended log file format** from the **Format** list. Confirm that a checkmark appears in the **Enable logging for this service** check box.



- 4 Click the **Fields** tab. Confirm that all fields are selected.

ArcSight recommends that you select all fields. Each field that appears in an event is mapped to an ArcSight field for correlation purposes; for example, Log Date and Log Time are mapped to Device Receipt Time, Transport is mapped to Transport Protocol, Protocol is mapped to Application Protocol, and so on. Any field that is not selected for logging cannot be processed.




- 5 Click **Apply** to save the changes and update the firewall policy.
- 6 Click **OK** in the **Apply New Configuration** dialog box.
- 7 Click **OK** in the Firewall Logging Properties dialog box.

Grant Access Privilege for Network Share

To allow the SmartConnector to access the Server log folder, grant access as follows:

- 1 On each server, select the folder containing the logs. Right-click on the folder name and select **Properties**.
- 2 Click the **Sharing** tab.



3 Select **Share this folder**.

4 Click the **Permissions** tab to give the logon user of the SmartConnector machine the right to access the share you created.

5 Click **Add** and add the object type and location from the **Select Users, Computers, or Groups** dialog box. Click **OK** when you are finished adding the user; click **OK** to exit the **Permissions** window; click **OK** again to exit the **Properties** window.

If the SmartConnector is to read logs from a remote machine through a network share:

1 Use a UNC name for the folder to be shared (for example, \\computername\sharename) rather than a drive letter (such as F:).

2 Grant access privilege to the user who is to access this share.



If you run the SmartConnector as a Windows service, use the **Log on** tab to enter the name and password for the user to whom access permission is to be granted.

Install the SmartConnector

The following sections provide instructions for installing and configuring your selected SmartConnector.



Connector Appliance/ArcSight Management Center supports mounting for Network File System (NFS) and CIFS (Windows) shares. When you install this connector on one of these devices, establish a CIFS mount on the device before adding the connector. Provide this share name during connector configuration. For more information, see **Remote File Systems** in the Connector Appliance or ArcSight Management Center Administrator's Guide.

Prepare to Install Connector

Before you install any SmartConnectors, make sure that the ArcSight products with which the connectors will communicate have already been installed correctly (such as ArcSight ESM or ArcSight Logger).

For complete product information, read the *Administrator's Guide* as well as the *Installation and Configuration* guide for your ArcSight product before installing a new SmartConnector. If you are adding a connector to the ArcSight Management Center, see the *ArcSight Management Center Administrator's Guide* for instructions, and start the installation procedure at "Set Global Parameters (optional)" or "Select Connector and Add Parameter Information."

Before installing the SmartConnector, be sure the following are available:

- Local access to the machine where the SmartConnector is to be installed
- Administrator passwords

Install Core Software

Unless specified otherwise at the beginning of this guide, this SmartConnector can be installed on all ArcSight supported platforms; for the complete list, see the *SmartConnector Product and Platform Support* document, available from the Micro Focus SSO and Protect 724 sites.


- 1 Download the SmartConnector executable for your operating system from the Micro Focus SSO site.
- 2 Start the SmartConnector installation and configuration wizard by running the executable.

Follow the wizard through the following folder selection tasks and installation of the core connector software:

- Introduction
- Choose Install Folder

Choose Shortcut Folder
Pre-Installation Summary
Installing...

3 When the installation of SmartConnector core component software is finished, the following window is displayed:



Set Global Parameters (optional)

If you choose to perform any of the operations shown in the following table, do so before adding your connector. You can set the following parameters:

Parameter	Setting
FIPS mode	Select 'Enabled' to enable FIPS compliant mode. To enable FIPS Suite B Mode, see the SmartConnector User Guide under "Modifying Connector Parameters" for instructions. Initially, this value is set to 'Disabled'.
Remote Management	Select 'Enabled' to enable remote management from ArcSight Management Center. When queried by the remote management device, the values you specify here for enabling remote management and the port number will be used. Initially, this value is set to 'Disabled'.
Remote Management Listener Port	The remote management device will listen to the port specified in this field. The default port number is 9001.
Preferred IP Version	When both IPv4 and IPv6 IP addresses are available for the local host (the machine on which the connector is installed), you can choose which version is preferred. Otherwise, you will see only one selection. The initial setting is IPv4.

The following parameters should be configured only if you are using Micro Focus SecureData solutions to provide encryption. See the *Micro Focus SecureData Architecture Guide* for more information.

Parameter	Setting
Format Preserving Encryption	Data leaving the connector machine to a specified destination can be encrypted by selecting 'Enabled' to encrypt the fields identified in 'Event Fields to Encrypt' before forwarding events. If encryption is enabled, it cannot be disabled. Changing any of the encryption parameters again will require a fresh installation of the connector.
Format Preserving Policy URL	Enter the URL where the Micro Focus SecureData Server is installed.
Proxy Server (https)	Enter the proxy host for https connection if any proxy is enabled for this machine.
Proxy Port	Enter the proxy port for https connection if any proxy is enabled for this machine.
Format Preserving Identity	The Micro Focus SecureData client software allows client applications to protect and access data based on key names. This key name is referred to as the identity. Enter the user identity configured for Micro Focus SecureData.
Format Preserving Secret	Enter the secret configured for Micro Focus SecureData to use for encryption.
Event Fields to Encrypt	Recommended fields for encryption are listed; delete any fields you do not want encrypted and add any string or numeric fields you want encrypted. Encrypting more fields can affect performance, with 20 fields being the maximum recommended. Also, because encryption changes the value, rules or categorization could also be affected. Once encryption is enabled, the list of event fields cannot be edited.

After making your selections, click **Next**. A summary screen is displayed. Review the summary of your selections and click **Next**. Click **Continue** to return to proceed with "Add a Connector"

window. Continue the installation procedure with "Select Connector and Add Parameter Information."

Select Connector and Add Parameter Information

- 1 Select **Add a Connector** and click **Next**. If applicable, you can enable FIPS mode and enable remote management later in the wizard after SmartConnector configuration.
- 2 Select **Microsoft Forefront Threat Management Gateway File** and click **Next**.
- 3 Enter the required SmartConnector parameters to configure the SmartConnector, then click **Next**.

Server Log Folder	Log Types
C:\Program Files\Microsoft ISA Server\ISALogs\log	FWS,WEB

Parameter	Description
Server Log Folder	For each server, enter the log file home directory for your server log files.
Log Types	Enter the log file types to be collected (FWS, WEB, or both) from each server in the corresponding column.

You can click the 'Export' button to export the host name data you have entered into the table into a CSV file; you can click the 'Import' button to select a CSV file to import into the table rather than add the data manually. See the "SmartConnector User's Guide" for more information.

Select a Destination

- 1 The next window asks for the destination type; select a destination and click **Next**. For information about the destinations listed, see the *ArcSight SmartConnector User Guide*.
- 2 Enter values for the destination. For the ArcSight Manager destination, the values you enter for **User** and **Password** should be the same ArcSight user name and password you created during the ArcSight Manager installation. Click **Next**.
- 3 Enter a name for the SmartConnector and provide other information identifying the connector's use in your environment. Click **Next**. The connector starts the registration process.
- 4 If you have selected ArcSight Manager as the destination, the certificate import window for the ArcSight Manager is displayed. Select **Import the certificate to the connector from destination** and click **Next**. (If you select **Do not import the certificate to connector from destination**, the connector installation will end.) The certificate is imported and the **Add connector Summary** window is displayed.

Complete Installation and Configuration

- 1 Review the **Add Connector Summary** and click **Next**. If the summary is incorrect, click **Previous** to make changes.
- 2 The wizard now prompts you to choose whether you want to run the SmartConnector as a stand-alone process or as a service. If you choose to run the connector as a stand-alone process, select **Leave as a standalone application**, click **Next**, and continue with step 5.
- 3 If you chose to run the connector as a service, with **Install as a service** selected, click **Next**. The wizard prompts you to define service parameters. Enter values for **Service Internal Name** and **Service Display Name** and select **Yes** or **No** for **Start the service automatically**. The **Install Service Summary** window is displayed when you click **Next**.
- 4 Click **Next** on the summary window.
- 5 To complete the installation, choose **Exit** and Click **Next**.

For instructions about upgrading the connector or modifying parameters, see the *SmartConnector User Guide*.

Run the SmartConnector

SmartConnectors can be installed and run in stand-alone mode, on Windows platforms as a Windows service, or on UNIX platforms as a UNIX daemon, depending upon the platform supported. On Windows platforms, SmartConnectors also can be run using shortcuts and optional Start menu entries.

If the connector is installed in stand-alone mode, it must be started manually and is not automatically active when a host is restarted. If installed as a service or daemon, the connector runs automatically when the host is restarted. For information about connectors running as services or daemons, see the *ArcSight SmartConnector User Guide*.

To run all SmartConnectors installed in stand-alone mode on a particular host, open a command window, go to `$ARCSIGHT_HOME\current\bin` and run: `arcsight connectors`

To view the SmartConnector log, read the file `$ARCSIGHT_HOME\current\logs\agent.log`; to stop all SmartConnectors, enter Ctrl+C in the command window.

Device Event Mapping to ArcSight Fields

The following section lists the mappings of ArcSight data fields to the device's specific event definitions. See the *ArcSight Console User's Guide* for more information about the ArcSight data fields.

Threat Management Gateway 2010 Web Proxy Service Log Mappings

ArcSight ESM Field	Device-Specific Field
Agent (Connector) Severity	High = 400 – 599; Medium = 300 – 399; Low = 100 – 299
Application Protocol	cs-protocol
Bytes In	cs-bytes
Bytes Out	sc-bytes
Destination Address	r-ip
Destination Host Name	r-host
Destination Port	r-port
Destination Service Name	s-svcname
Device Action	action
Device Custom Number 3	time-taken
Device Custom String 1	c-agent
Device Custom String 2	FilterInfo
Device Custom String 3	sc-authenticated
Device Custom String 4	rule
Device Custom String 5	One of (cs-Network, cs-network)
Device Custom String 6	One of (sc-Network, sc-network)
Device Event Class ID	sc-status
Device Host Name	s-computername
Device Process Name	s-object-source
Device Product	'ISA Server'

ArcSight ESM Field	Device-Specific Field
Device Receipt Time	date, time
Device Severity	sc-status
Device Translated Address	NAT address
Device Vendor	'Microsoft'
Name	'Web Proxy Service Log'
Reason	UrlCategorizationReason
Request Client Application	c-agent
Request Method	s-operation
Request URL	cs-uri
Source Address	c-ip
Source Port	s-port
Source User Name	cs-username
Transport Protocol	cs-transport

Threat Management Gateway Firewall Service Log Mappings

ArcSight ESM Field	Device-Specific Field
Agent (Connector) Severity	High = 1 – 99, 400 – 999, 10000 – 11004, 13301, 20002; Medium = 300 – 399, 20001; Low = 0, 100 – 299, 20000
Application Protocol	application protocol
Bytes In	bytes received
Bytes Out	bytes sent
Destination Address	First part of destination
Destination Port	Second part of destination
Destination User Name	username
Device Action	action
Device Custom IPv6 Address 2	original client IP (Source IPv6 address)
Device Custom IPv6 Address 3	destination (destination IPv6 address)

SmartConnector for Microsoft Forefront Threat Management Gateway File Device Event Mapping to ArcSight Fields

ArcSight ESM Field	Device-Specific Field
Device Custom Number 1	bytes received intermediate
Device Custom Number 2	bytes sent intermediate
Device Custom Number 3	connection time
Device Custom String 1	agent
Device Custom String 2	session ID
Device Custom String 3	connection ID
Device Custom String 4	rule
Device Custom String 5	source network
Device Custom String 6	destination network
Device Event Class ID	status
Device Host Name	computer
Device Payload ID	protocol payload
Device Product	'ISA Server'
Device Receipt Time	date, time
Device Severity	status
Device Translated Address	NAT Address
Device Vendor	'Microsoft'
Name	'Firewall Service Log'
Request Client Application	agent
Source Address	First part of source
Source Port	Second part of source
Transport Protocol	IP protocol

Troubleshooting

How do I specify the file rotation time zone when it is different from the connector host time zone?

The connector misses processing of events in realtime when the connector and file server are in different time zones. The `isalogfiletimezoneid` property has been added for specifying the log file rotation time zone.

To set this parameter, after connector installation, edit the `agent.properties` file located at `$ARCSIGHT_HOME\current\user\agent`. Locate the `isalogfiletimezoneid` parameter and set its value to the time zone for file rotation. Save the file and restart the connector for your changes to take effect.

please confirm that when customer used MySQL JDBC driver 5.1.38, they had issue to receive events. And the workaround is to apply older driver 5.0.8, after that connector is able to received events.

Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this computer, click the link above and an email window opens with the following information in the subject line:

Feedback on SmartConnector for Microsoft Forefront Threat Management Gateway File (SmartConnectors 8.3.0)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to Documentation-Feedback@microfocus.com.

We appreciate your feedback!