

# ControlPoint

Software Version 5.9.0

## Administration Guide



Document Release Date: November 2020  
Software Release Date: August 2020

## Legal notices

### Copyright notice

© Copyright 2015-2020 Micro Focus or one of its affiliates.

The only warranties for products and services of Micro Focus and its affiliates and licensors (“Micro Focus”) are as may be set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

### Documentation updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for updated documentation, visit <https://www.microfocus.com/support-and-services/documentation/>.

## Support

Visit the [MySupport portal](#) to access contact information and details about the products, services, and support that Micro Focus offers.

This portal also provides customer self-solve capabilities. It gives you a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the MySupport portal to:

- Search for knowledge documents of interest
- Access product documentation
- View software vulnerability alerts
- Enter into discussions with other software customers
- Download software patches
- Manage software licenses, downloads, and support contracts
- Submit and track service requests
- Contact customer support
- View information about all services that Support offers

Many areas of the portal require you to sign in. If you need an account, you can create one when prompted to sign in. To learn about the different access levels the portal uses, see the [Access Levels descriptions](#).

# Contents

Part I: Administration .....	11
Chapter 1: ControlPoint overview .....	12
ControlPoint product suite .....	12
The Micro Focus IDOL platform .....	12
ControlPoint architecture .....	13
ControlPoint components .....	13
Chapter 2: Repositories .....	17
Repository overview .....	17
Repository status .....	18
Set up Apache NiFi for repository creation .....	19
Deploy NiFi and the NiFi IDOL Ingest libraries .....	20
Prepare and import NiFi templates .....	21
Configure required processors in the NiFi UI .....	23
Register the NiFi server with ControlPoint .....	24
Prepare for a NiFi repository .....	24
Add a repository .....	25
Create XML repositories .....	31
Limitations .....	31
Define the tree nodes .....	32
Add an XML repository .....	32
Sample XML repository .....	33
Add an XML repository using Apache NiFi .....	34
Create the NiFi ingestion pipeline from a template .....	34
Connector processor guidelines .....	39
Register the XML repository in ControlPoint .....	39
Start ingestion .....	40
Edit repository settings .....	41
Delete a repository .....	41
Create a repository group .....	42
Create a repository subset .....	43
Change repository status .....	43
Search repositories .....	44
Re-scan a repository .....	45
View repository compliance .....	45
Visualize repositories .....	46
Generate cluster maps .....	46
Generate spectrographs .....	47
Chapter 3: IDOL categories .....	48
Categories .....	48
Training a category .....	48
Configure DNEAR proximity operator support for numerical searches .....	49

Container category .....	49
Category training .....	49
Define a category .....	50
Edit a category .....	53
Categorize repositories during the scan .....	54
View a category history .....	54
View the category details .....	54
Export individual categories .....	56
Export all categories .....	56
Import a category hierarchy .....	56
Delete a category .....	57
Taxonomy .....	57
Chapter 4: Policies .....	58
Overview .....	58
Policy phases .....	59
Assign policies .....	60
Execute policies .....	60
Temporary locations for policy execution .....	62
Considerations .....	62
Define a temporary location for each policy .....	62
Policy execution rules .....	62
Add Rule Builder fields .....	63
Policy templates .....	63
Default templates .....	64
Create a policy template .....	64
Edit a policy template .....	68
Create a policy from a template .....	71
Create a policy .....	72
Edit a policy .....	76
Create an Archive policy .....	80
Delete Archive policy .....	81
Search policies .....	82
Apply policies .....	82
Apply policies automatically .....	82
Apply policies manually .....	83
Re-evaluate policy assignment based on category changes .....	83
Remove Policy Assignment scheduled task .....	83
Expected behaviors .....	84
Limitations .....	85
View policies on items .....	85
View policy summary .....	85
View items assigned to a policy .....	86
View the policies that apply to an item .....	87
View summary report of items processed by a policy .....	87
Remove policy from an item .....	88
Chapter 5: Policy conflicts .....	89

Overview .....	89
Policy conflict set .....	89
Resolve policy conflicts .....	90
Automatically resolve conflicts .....	90
Manually resolve conflicts .....	90
Chapter 6: Custom properties .....	92
Create a custom property .....	92
Update the internal configuration of custom columns .....	93
Add property values to repositories and policies .....	93
Chapter 7: ControlPoint connectors .....	94
Security mapping considerations for connectors .....	94
Mapped security using OmniGroupServer (OGS) .....	96
Configure IDOL Server .....	96
Configure the ControlPoint connector .....	97
Configure OmniGroupServer .....	98
Enforce connector security .....	100
ControlPoint Content Manager connector .....	100
Summary .....	100
Prerequisites .....	100
Supported capability .....	100
Repository policy types .....	100
Target location policy types .....	101
DeployTool configuration .....	101
Content Manager Insert Config Settings .....	102
Configure the Content Manager connector .....	103
Add a new repository of type Content Manager .....	104
Define a target location of type Content Manager .....	104
Security considerations .....	105
Enable Secure Shortcut on Content Manager type target locations .....	105
Set up a document store for Declare in Place policies .....	105
Declare business records into Content Manager .....	106
Introduction .....	107
Create a Content Manager origin .....	107
Create a target location .....	108
Target location for the Content Manager repository .....	109
Create and train a ControlPoint filing policy .....	109
ControlPoint Documentum connector .....	110
Summary .....	110
Supported capability .....	111
Repository policy types .....	111
Target location policy types .....	111
DeployTool configuration .....	111
Configure Documentum connector .....	112
Adding a new repository of type Documentum .....	112
ControlPoint Edge Filesystem connector .....	113
Summary .....	113

Supported capability .....	113
Edge Filesystem Connector configuration file .....	113
Policy summary screen status .....	113
Define a direct target location .....	113
ControlPoint Exchange Web Service connector .....	114
Summary .....	114
Prerequisites .....	114
Supported capability .....	114
Repository policy types .....	114
Target location policy types .....	115
DeployTool configuration .....	115
Configure Exchange WS Connector post deployment .....	115
Add a new repository of type Exchange .....	118
ControlPoint File System connector .....	118
Summary .....	118
Supported capability .....	119
Repository policy types .....	119
Target location policy types .....	119
DeployTool configuration .....	120
Configure File System connector .....	120
Add new repository of type File System .....	120
Define a target Location of type File System .....	121
Last access dates .....	121
Enforce File System connector security .....	121
Enable IDOL security .....	121
Retrieving security group information for the File System connector .....	123
ControlPoint Hadoop connector .....	123
Summary .....	123
Supported capability .....	124
Repository policy types .....	124
Target location policy types .....	124
DeployTool configuration .....	125
Configure Hadoop connector .....	125
Adding new repository of type Hadoop .....	125
Defining a Target Location of Type Hadoop .....	126
ControlPoint Notes connector .....	126
Summary .....	126
Supported capability .....	126
Repository policy types .....	126
Target location policy types .....	127
DeployTool configuration .....	127
Configure Notes connector .....	127
Adding a new repository of type Notes .....	128
ControlPoint SharePoint Remote connector .....	128
Summary .....	128
Prerequisites .....	128
Supported capability .....	128

Repository policy types .....	128
Target location policy types .....	129
Install Holds Web Service .....	130
DeployTool configuration .....	131
Configure SharePoint Remote connector .....	132
Adding a new repository of type SharePoint Remote .....	132
Defining a target location of type SharePoint Remote .....	132
Chapter 8: Target locations .....	134
Overview .....	134
Add a target location .....	135
Edit a target location .....	136
Define file naming conventions .....	137
Remove a target location .....	138
Chapter 9: Insert configurations .....	139
AppSettings in ControlPointTimer.config .....	140
Chapter 10: Metadata ingestion .....	142
Data mapping .....	142
MetaStore.MapColumn .....	142
MetaStore.MapTable .....	143
MetaStore.MapField .....	144
Additional data capture .....	145
Examples .....	145
Example 1: Single value for the same document .....	145
Example 2: Single value hash for the same document .....	146
Example 3: Multiple values for the same document .....	148
Example 4: Multiple values hashed for the same document .....	149
Existing data and re-ingestion .....	150
Field text and advanced properties .....	151
Field text .....	151
Properties and advanced properties .....	152
Chapter 11: Legacy data management .....	153
Overview .....	153
View repository data .....	153
View a summary of repository data .....	154
View data details .....	155
View duplicated data .....	155
View data by statistical analysis .....	156
View data by sensitive group .....	157
View data by file type .....	157
View tagged data .....	158
Browse data .....	158
View cluster maps and spectrographs .....	159
Common file list operations .....	159
Search for files .....	159
Filter lists .....	160

Sample lists .....	161
Change sample list size .....	161
View files and file properties .....	162
Configure last accessed date .....	163
Configure item properties .....	163
Display document summaries .....	164
Export item data .....	164
Clean up legacy data .....	165
Tag files .....	165
Collaborate on data analysis through comments .....	166
Configure potential ROT rule sets .....	166
Configure a file group .....	168
Identify potentially sensitive content .....	168
Re-analyze a repository .....	169
Create and modify tags .....	170
Modify analysis details .....	170
Select a connector for manual scan .....	171
Chapter 12: Security .....	172
Overview .....	172
Enable ControlPoint security .....	172
User roles .....	173
Set global role-based security .....	174
Set security on categories, policies, repositories, and repository groups .....	175
Set security on IDOL categories .....	175
Set security for all categories .....	175
Set permissions for an individual category .....	176
Set repository or policy security .....	177
File-level security .....	177
Individual repositories .....	178
Repository groups .....	180
Domain groups and ControlPoint .....	181
Chapter 13: Scheduled tasks .....	182
Scheduled task to retire orphaned documents .....	182
Default scheduled tasks .....	183
Default scheduled task types .....	183
Default scheduled task configuration .....	184
Schedule plans .....	185
Add a scheduled task .....	185
Edit a scheduled task .....	186
Remove a scheduled task .....	187
Run scheduled tasks .....	187
Run tasks immediately .....	188
Configure ControlPoint schedules for large systems .....	188
Install multiple ControlPoint schedulers .....	188
Change the number of scheduler threads .....	188
Chapter 14: Issue management .....	189

Manage issues .....	189
Resubmit failed items .....	189
Abort failed items .....	190
Chapter 15: Health and usage details .....	191
Check ControlPoint health .....	191
Run advanced health check reports .....	192
Check usage details .....	192
Chapter 16: Audit reports .....	194
Chapter 17: Export ControlPoint data for BI analysis .....	196
Export ControlPoint data .....	196
Refresh the ControlPointExport database .....	197
Chapter 18: Education grammars .....	198
Configure Education thresholds .....	198
GDPR-based sample education grammar .....	199
Overview of custom Education grammar tasks .....	200
Create a custom grammar .....	200
Edit Potential Sets to use custom grammar .....	201
Add a custom grammar to a repository .....	202
Re-analyze the repository .....	202
Remove a grammar .....	202
<b>Part II: Utilities .....</b>	<b>204</b>
Chapter 19: Archiving command-line utility .....	205
Chapter 20: Repository command-line utility .....	209
Chapter 21: Statistics Export utility .....	217
Before you begin .....	217
Statistics Export utility command-line interface .....	218
Location .....	218
Synopsis .....	218
Options .....	218
Examples .....	219
Chapter 22: Support utility .....	220
<b>Part III: Appendices .....</b>	<b>222</b>
Appendix A: ControlPoint API .....	223
Appendix B: ControlPoint components .....	224
Appendix C: Database maintenance .....	227
Overview .....	227
Basic operations .....	227
Advanced operations .....	228
Change the job schedule .....	228
Change objects targeted each day .....	228

Change logic to identify necessary index actions .....	229
Compress or decompress an index .....	229
View recorded fragmentation levels and last actions .....	230
Send documentation feedback .....	231

# Part I: Administration

This part contains conceptual and task information to help you administer your ControlPoint environment.

# Chapter 1: ControlPoint overview

This chapter provides an overview of Micro Focus ControlPoint.

- [ControlPoint product suite](#)
- [The Micro Focus IDOL platform](#)
- [ControlPoint architecture](#)
- [ControlPoint components](#)

## ControlPoint product suite

ControlPoint delivers a broad set of features targeted at addressing information management and governance challenges within the enterprise.

- **Break the silos of information.** Break down information silos and enforce consistent information governance across the entire corporate infrastructure. ControlPoint helps you achieve this using its inbuilt connectivity to the most commonly used data repositories and its capability to address many others.
- **Apply information lifecycle management.** Analyze all your documents to determine if they hold business value, constitute a record, or hold no value. Identify orphaned and unknown data. Develop a taxonomy and apply a complex policy to impose the most appropriate retention to each document.
- **Enforce compliance and security.** Use the ControlPoint analysis and entity extraction capability to identify potentially sensitive documents that need to be protected. Leverage the available policies to ensure that all the documents are properly secured in the desired locations.
- **Optimize storage and application performance.** Manage and delete data that hold no value. Implement a hierarchical storage management strategy to ensure a better utilization of your storage and to improve your backup and application performance.

ControlPoint enables you to understand the value of your data, and thereby gain control of your valuable information and achieve better data management.

## The Micro Focus IDOL platform

For the purposes of full text analysis, ControlPoint utilizes the Micro Focus *Intelligent Data Operating Layer* (IDOL), which gathers and processes unstructured, semi-structured, and structured information in any format from multiple repositories using a global relational index.

As a next step, IDOL forms a contextual understanding of the information in real time, connecting disparate data sources together based on the concepts contained within them. For example, IDOL can automatically link concepts contained in an email message to a recorded phone conversation, which can be associated with a stock trade. This information is then imported into a format that is easily searched, adding advanced retrieval, collaboration, and personalization to any application that integrates the technology.

For more information on IDOL, see the *IDOL Concepts Guide* and the *IDOL Server Getting Started Guide*, available from the [Micro Focus IDOL documentation site](#).

## ControlPoint architecture

ControlPoint has a web application user interface. Functionality is available through several Dashboards in the user interface.

## ControlPoint components

ControlPoint includes the following components:

- [ControlPoint Dashboard](#)
- [ControlPoint Engine](#)
- [ControlPoint Data Analysis](#)
- [ControlPoint IDOL](#)
- [ControlPoint Database](#)
- [ControlPoint MetaStore](#)
- [ControlPoint Redirector](#)
- [ControlPoint Connectors](#)

## ControlPoint Dashboard

The ControlPoint Dashboard interface allows users to view repositories, establish and review policy allocation, administer Micro Focus IDOL categories, and monitor system activity and health, depending on their roles. It consists of the following services:

- **ControlPoint Web Interface.** IIS web application that serves as the ControlPoint user interface.
- **ControlPoint Web Service (Optional).** ControlPoint Web Service (CPWS), which provides the Edge connector access to Edge policies and configuration.

## ControlPoint Engine

The ControlPoint Engine provides the central capability to manage policy content within an organization. It consists of the following services:

- **ControlPoint Engine service.** Windows service that executes all scheduled tasks.
- **CallbackHandler.** IIS web application that receives notifications from IDOL connectors.
- **ControlPoint LicenseService.** Windows service that tracks the data usage details of your ControlPoint environment. The data populates the Usage Details page in the ControlPoint Dashboard.

This service is separate from the ControlPoint License Server service packaged with ControlPoint, which controls IDOL licensing.

## ControlPoint Data Analysis

ControlPoint Data Analysis allows your organization to analyze and understand, and to deal with the unstructured data contained within legacy repositories. ControlPoint uses IDOL connectors to scan and capture metadata and (optionally) content of files in the repository to analyze them, and then to present the results of the statistical analysis visually in a dynamic user interface.

## ControlPoint IDOL

ControlPoint IDOL delivers an analysis of all content that ControlPoint manages. All repositories that are to be considered by ControlPoint for policy application must be scanned into IDOL.

The ControlPoint IDOL Deploy Tool can deploy the following items:

- **ControlPoint IDOL service.** Contains the central index.
- **ControlPoint Content services.** Index all of the content and serves search requests.
- **ControlPoint Content Manager Trim connector service.** Scans and performs actions on items in Content Manager repositories. This connector type has a connector framework deployed alongside.
- **ControlPoint DataAnalysis Store service.** Analyzes, understands, and deals with the unstructured data contained in legacy repositories.
- **ControlPoint Distributed connector service.** Distributes connector calls to the appropriate connector.
- **ControlPoint Documentum connector service.** Scans and performs actions on items in Documentum repositories.
- **ControlPoint Exchange connector service.** Scans and performs actions on items in Exchange repositories.
- **ControlPoint FileSystem connector service.** Scans and performs actions on items in file shares.
- **ControlPoint Hadoop connector service.** Scans and performs actions on items in Hadoop repositories.
- **ControlPoint IDOL License Server service.** Controls the licensing of all ControlPoint functionality.
- **ControlPoint OGS (Omni Group Server) service.** Collects and aggregates user and group security information from a variety of repositories.
- **ControlPoint Notes connector service.** Scans and performs actions on items on a Notes server.
- **ControlPoint SharePoint Remote connector service.** Scans and performs actions on items in SharePoint and SharePoint Remote sites.

## ControlPoint Database

The ControlPoint Database provide storage for all policies, repository definitions, configuration settings, schedule tasks, and security information.

## ControlPoint MetaStore

ControlPoint MetaStore is a relational database used to store information about all files in repositories that are being managed or analyzed by ControlPoint. Information stored includes document and repository metadata such as file create date, document author, and so on. Policy execution status is also stored in ControlPoint MetaStore.

## ControlPoint Redirector

ControlPoint Redirector service retrieves file contents when a shortcut established by a Secure Shortcut policy is clicked.

## ControlPoint Connectors

ControlPoint connectors and accompanying connector framework services scan and extract metadata and (optionally) content from files in source repositories. Connectors are also used to action policy execution instructions such as dispose or secure.

Connectors are specific to the repository type. The following connectors are provided with ControlPoint:

- **ControlPoint Content Manager connector.** Scans and performs actions on items in Content Manager repositories. This connector type has a connector framework deployed alongside.
- **ControlPoint Distributed connector.** Distributes connector calls to the appropriate connector.
- **ControlPoint Documentum connector.** Scans and performs actions on items in Documentum repositories. This connector type has a connector framework deployed alongside.
- **ControlPoint Edge Filesystem connector.** Scans and performs actions on items in file shares. This connector type has a connector framework deployed alongside.
- **ControlPoint Exchange connector.** Scans and performs actions on items in Exchange repositories. This connector type has a connector framework deployed alongside.
- **ControlPoint FileSystem connector.** Scans and performs actions on items in file shares. This connector type has a connector framework deployed alongside.
- **ControlPoint Hadoop connector.** Scans and performs actions on items in Hadoop repositories. This connector type has a connector framework deployed alongside.
- **ControlPoint Notes connector.** Scans and executes policy on messages, appointments, contacts, and other items from a Notes server. This connector type has a connector framework deployed alongside.
- **ControlPoint SharePoint Remote connector** scans and performs actions on items in

SharePoint and SharePoint Remote sites. This connector type has a connector framework deployed alongside.

## Chapter 2: Repositories

The ControlPoint Repositories dashboard allows you to create and manage repositories.

- [Repository overview](#)
- [Set up Apache NiFi for repository creation](#)
- [Prepare for a NiFi repository](#)
- [Add a repository](#)
- [Create XML repositories](#)
- [Edit repository settings](#)
- [Delete a repository](#)
- [Create a repository group](#)
- [Create a repository subset](#)
- [Change repository status](#)
- [Search repositories](#)
- [Re-scan a repository](#)
- [View repository compliance](#)
- [Visualize repositories](#)

### Repository overview

ControlPoint manages content that you scan into ControlPoint MetaStore. Repositories provide a view of the data that ControlPoint manages. Repositories are automatically created for every IDOL data source with analyzed documents that exists in your IDOL server.

The Register Repositories scheduled task discovers new repositories and registers them in ControlPoint. You can also add repositories manually.

Repositories allow you to:

- Browse content, and view and assign policies manually
- Visualize the content within the repository using IDOL cluster maps and spectrographs
- Analyze and clean up data in legacy repositories
- Identify a set of documents that you want to isolate for analysis or to promote to a higher analysis level

**NOTE:** ControlPoint is limited to managing documents in defined repositories.

Different repositories support different types of policy actions. For more information on policy phase actions, see [Policy phases, on page 59](#).

For more information on policy phases supported by the different target location types, see [Overview](#).

### Supported policy phases by repository

Policy phase	Connector							
	Content Manager	Documentum	Exchange	File System	Hadoop	Notes	SharePoint Remote	
							SharePoint On-Premises	SharePoint Online
Apply Lua Script			x	x			x	
Declare in Place		x					x	x
Declare Leave		x	x	x	x	x	x	x
Declare Link Shortcut		x	x	x	x	x	x	
Declare Remove		x	x	x	x	x	x	x
Dispose	x	x	x	x	x	x	x	x
Hold / Release Hold	x	x					x	
Secure Leave	x	x	x	x	x	x	x	x
Secure Link Shortcut				x				
Secure Remove	x	x	x	x	x	x	x	x
Tag	x	x	x	x	x	x	x	x
Update							x	x

## Repository status

Repositories can have one of three possible statuses: Registered, Analyzed, or Managed. The available information and the actions you can perform on the repositories are determined by the status.

- **Registered** repositories have been registered into IDOL, but have not been analyzed. The Repositories page displays some basic repository statistics, however, you can browse the repository content and view visualizations.
- **Analyzed** repositories are ready for statistical analysis and cleanup. The summary page displays detailed statistical information about the repository contents, and you can take a number of actions to clean up legacy data.
- **Managed** repositories are being managed by ControlPoint policies. Like Registered repositories, the Repositories page displays the number of documents and disk space for each repository. You

also browse repository content and view visualizations. This status is required if you want to automatically assign policy to content. See [Apply policies automatically, on page 82](#).

You can change the repository status manually. See [Change repository status, on page 43](#).

## Set up Apache NiFi for repository creation

If you plan to add an Apache NiFi repository through the ControlPoint UI (recommended method) or create an XML repository through a NiFi template, you must first set up and configure Apache NiFi for initial use.

### Before you begin

Familiarize yourself with ControlPoint's NiFi-related limitations to ensure using NiFi will meet your needs:

- ControlPoint supports only a single NiFi instance setup.
- ControlPoint supports only HTTP communication with the NiFi instance.
- ControlPoint has the following limitations on NiFi repositories:
  - **Create Repository.** Capture Permission and Visualization settings are not supported.
  - **Browse Repository.** Browsing limitations as follows:
    - Repository size and File size: Not supported.
    - Path display: Not supported
    - View and Download actions: Requires traditional connector of the same type be deployed.
  - **Edit Repository.** Not supported.
  - **Repository Groups.** Not supported.
  - **Policy Execution.** Requires traditional connector of the same type be deployed.
  - **Security Management.** Not supported.
  - **Usage Details.** Not supported.

The [Prepare for a NiFi repository](#) task provides information about how to deploy traditional connectors to support the View, Download, and Policy Execution features.

### To set up Apache NiFi for repository creation

1. [Deploy NiFi and the NiFi IDOL Ingest libraries.](#)
2. [Prepare and import NiFi templates.](#)
3. If you plan to create a NiFi repository through the ControlPoint UI, [configure required processors in the NiFi UI.](#)
4. [Register the NiFi server with ControlPoint.](#)

NiFi setup is now complete. Before creating a NiFi repository through the ControlPoint UI (recommended), a few additional steps are required to [prepare for it](#). Alternatively, you can [add an XML repository using a NiFi template](#).

## Deploy NiFi and the NiFi IDOL Ingest libraries

First, install NiFi-related software and ensure that it works correctly.

### Before you begin

Review the ControlPoint requirements for NiFi support listed in the *ControlPoint Support Matrix*, available from the [Micro Focus ControlPoint documentation site](#).

Also, ensure the server that will host the Apache NiFi software meets all system requirements as described in the Apache NiFi help. For the JAVA 8 requirement, be sure to use the 64-bit version.

### To deploy NiFi-related software

1. Install Apache NiFi, and then start it to confirm the installation.

**NOTE:** If you install Apache NiFi on the same server as ControlPoint, you might need to change the port that NiFi uses to avoid a conflict.

The NiFi port is defined in the *NiFiInstallDir\conf\nifi.properties* file by the `nifi.web.http.port` parameter and defaults to 8080. If this conflicts with your ControlPoint port, change it. For example: `nifi.web.http.port=18080`.

If you plan to support creating NiFi repositories through the ControlPoint UI, make note of the NiFi server name and port number. You will need them in a later task to register NiFi with ControlPoint.

2. Stop the Apache NiFi service.
3. Copy the following IDOL NiFi libraries located in `ControlPoint\5.9.0\NiFiIngest` to the *NiFiInstallDir\lib* folder:
  - `idol-nifi-framework-nar-idolVersion.nar`
  - `idol-nifi-framework-api-nar-idolVersion.nar`

For detailed installation information, how to create the required KeyView Service and IDOL License Service (step 8), or how use NiFi Ingest components (which run within Apache NiFi), see the NiFi Ingest help. To access the help, go to the [Micro Focus IDOL documentation web page](#), select the IDOL version you are using, and then click **NiFi Ingest** in the Connectors section of that page.

4. Configure performance settings for NiFi processors as follows:
  - a. Open the *NiFiInstallDir*\conf\bootstrap.conf file in a text editor.
  - b. Set the values of the following parameters as shown:
    - java.arg.2=-Xms4096m
    - java.arg.3=-Xmx8192m
  - c. Save the file.
5. Configure NiFi logging to Info-level, which is appropriate for normal operation:
  - a. Open the *NiFiInstallDir*\conf\logback.xml file in a text editor.
  - b. Set the following :

```
<root level="INFO">
```
  - c. Save the file.
6. Start the Apache NiFi service.
7. Open the following URL in a browser to ensure the Apache NiFi UI works correctly:  
`https://NiFiInstallHost:port/nifi/`
8. Add the KeyView Service and the IDOL License Service, as described in the NiFi Ingest help.

## Prepare and import NiFi templates

After deploying NiFi, prepare for its use and import NiFi-related templates into the Apache NiFi UI. Perform this step even if you plan to create the repository through the ControlPoint UI because ControlPoint requires a set of NiFi templates for internal use.

### To prepare and import NiFi templates

1. Create a folder on the server where you installed NiFi. For example: `C:\cp_nifiTemplate`.  
This folder will contain files the template needs.
2. Copy the following items from any connector framework folder to the new folder:
  - `eduction` folder  
For example, copy `\Indexer\Filesystem Connector Framework\eduction` to `C:\cp_nifiTemplate\eduction`
  - `lua` folder  
For example, copy `\Indexer\Filesystem Connector Framework\lua` to `C:\cp_nifiTemplate\lua`
  - Any configuration file  
For example, copy `\Indexer\Filesystem Connector Framework\ControlPoint Filesystem Connector Framework.cfg` to `C:\cp_nifiTemplate`

3. In a text editor, open the following Lua files you copied and add a CFS configuration path inside the `get_config()` method on the specified lines:

- `Category.lua`, line 15
- `NoExtract.lua`, line 12
- `processDocument.lua`, line 832

For example:

```
local luaConfig = get_config('C:\\cp_nifiTemplate\\ControlPoint FileSystem  
Connector Framework.cfg')
```

4. Copy the following items from the `ControlPoint\5.9.0\NiFiIngest` folder to the new folder:

- `filters` subfolder
- `cp_ingest_pipeline_template.xml` file
- `CP_UI_Extract_NoEducation.xml` file
- `CP_UI_Extract_WithEducation.xml` file
- `CP_UI_NoExtract_NoEducation.xml` file
- `CP_UI_NoExtract_WithEducation.xml` file

To ensure all templates are available for future use, copy all of them, regardless of whether you plan to create a NiFi repository through the ControlPoint UI or an XML repository by using a template to create the ingest pipeline.

5. Copy the `ControlPoint\5.9.0\Commons\fieldNormalizationData\connectors_dictionary.xml` file to the new folder.

For example, create `C:\cp_nifiTemplate\fieldNormalizationData` and copy the file to it.

6. Open the `connectors_dictionary.xml` file in a text editor and add the mapping for the connector you will use.

For example, to use a OneDrive connector, add a `<mappings>` section for it that contains the appropriate field elements.

Make note of the file's path name and the mapping's key name you created. You must specify these values while configuring the NiFi template's processors.

7. Open the Apache NiFi web-based user interface.
8. Upload each template XML file listed in step 4 as follows:
  - a. Right-click an empty space on the canvas, and then click **Upload Template**.
  - b. Click , select a template from the folder you created on the NiFi server, and then click **Upload**.

If you plan to add an XML repository using Apache NiFi, complete the NiFi setup process by [registering the NiFi server with ControlPoint](#). Otherwise, if you plan to add a NiFi repository through the ControlPoint UI (recommended method), continue with the next task in this section.

## Configure required processors in the NiFi UI

Before you can add a NiFi repository through the ControlPoint UI, you must create a few processors through the NiFi UI for use by ControlPoint.

### To configure required processors in the NiFi UI

1. Open the NiFi UI's root canvas, <https://NiFiInstallHost:port/nifi/>.

2. On the toolbar click , and drag it to the canvas.

The **Add Process Group** dialog box opens.

3. In the **Process Group Name** field, type `Config` (case sensitive), and then click **ADD**.

4. Double click the new **Config** process group, which opens a blank canvas.

5. Add the following processors, keeping the default names:

- `Education`
- `ExecuteDocumentLua`
- `StandardizeMetadata`

To add a processor:

a. On the toolbar click , and drag it to the canvas. The **Add Processor** dialog box opens.

b. In the **Type** column, double-click the name of the processor to add. The dialog box closes and the new processor appears.

**TIP:** To easily find a processor, type its name in the filter box.

6. Configure each processor, as follows:

a. Double-click the processor.

The **Configure Processor** dialog box opens.

b. On the **Comments** tab, enter the following information depending on processor:

- **Education.** Full path to the `education` folder you previously copied to the NiFi server. For example: `C:\cp_nifiTemplate\education`
- **ExecuteDocumentLua.** Full path to the `lua` folder you previously copied to the NiFi server. For example: `C:\cp_nifiTemplate\lua`

You must assign the same Lua folder to all processors.

- **StandardizeMetadata.** Full path to the folder where you previously copied the `connectors_dictionary.xml` file to on the NiFi server. For example: `C:\cp_nifiTemplate\fieldNormalizationData`

c. Click **APPLY**.

7. Add a **GetConnectorType** processor for each type of connector in your ControlPoint

environment, and keep the default names.

For example, if you support the File System and OneDrive connectors, add the **GetFileSystem** and **GetOneDrive** processors. When creating a NiFi repository through the ControlPoint UI, you will select the connector to use from a list of those that you configure here.

Before creating a NiFi repository through the ControlPoint UI, register the NiFi server.

## Register the NiFi server with ControlPoint

The final step to setting up NiFi for repository creation is to register the NiFi server with ControlPoint.

### To register the NiFi server with ControlPoint

1. On the **ADMINISTRATION** tab of the ControlPoint UI, click **NIFI REGISTRATION**.
2. Under **MANAGE NIFI**, click **Add**.
3. In the **HOST NAME** field, enter the name of the server where you installed NiFi.
4. In the **PORT NUMBER** field, enter the port number that NiFi uses to services requests by ControlPoint.
5. Click **Add**.

This completes the NiFi setup process. To create a NiFi repository through the ControlPoint UI, see [Add a repository](#). Alternatively, you can [add an XML repository using NiFi](#).

## Prepare for a NiFi repository

If you plan to create a NiFi repository, you must first prepare for it.

### To prepare for a NiFi repository

1. Before creating your first NiFi repository, ensure you have [set up Apache NiFi for repository creation](#).
2. Review ControlPoint's limitations on NiFi repositories:
  - **Create Repository**. Capture Permission and Visualization settings are not supported.
  - **Browse Repository**. Browsing limitations as follows:
    - Repository size and File size: Not supported.
    - Path display: Not supported
    - View and Download actions: Requires traditional connector of the same type be deployed.
  - **Edit Repository**. Not supported.
  - **Repository Groups**. Not supported.

- **Policy Execution.** Requires traditional connector of the same type be deployed.
- **Security Management.** Not supported.
- **Usage Details.** Not supported.

The next step provides information about how to deploy traditional connectors to bypass some of these limitations.

3. To support the **View** and **Download** actions and **Policy Execution** in the NiFi repository, do the following:
  - a. On the server where NiFi is installed, open `NiFiInstallDir\FieldStandardization\FieldStandardization.xml` in a text editor.
  - b. Locate the `<mappings key=<connectorName>` entry for the connector you plan to use with NiFi and note the case-sensitive `connectorName`.
  - c. Deploy a new connector of the type that you plan to use with NiFi.
  - d. Open that connector's `C:\Program Files\Microsoft Focus\ControlPoint\Indexer\connectorName Connector\ControlPoint\connectorName Connector.cfg` file in a text editor.
  - e. In the file's `[server]` section, set:

```
ConnectorGroup=<connectorName>
```

Where `connectorName` is the case-sensitive name of the connector you located in Step b.
  - f. Save the file.
  - g. Restart the connector service.

Preparation for a NiFi repository is complete. For information about how to add one, see [Add a repository, below](#).

## Add a repository

You can manually add a repository on the Repositories dashboard. Alternatively, the Register Repositories scheduled task automatically adds repositories and maps them to individual databases.

**NOTE:** This section provides information about how to add most types of repositories. To add an XML repository, see the following topics:

- [Add an XML repository, on page 32](#)
- [Add an XML repository using Apache NiFi, on page 34](#)

### Before you begin

If you plan to create a NiFi repository, ensure that you understand its limitations and that your environment is set up for it as described by [Prepare for a NiFi repository, on the previous page](#).

## To add a repository

1. Ensure that the appropriate connector is configured.

Administrators can configure connectors on the Settings page in the Administration dashboard.

2. On the **Repositories** dashboard, click **+**.

The Add New Repository page opens.

3. In the **Details** section, specify the following information:

- **Name.** Enter the repository name.
- **Description.** Enter a description of the repository.
- **Type.** Select the repository type. You must provide additional information, which varies depending on the type you select.
- **Connector.** Select the connector to use for data scan. You can accept the default or choose an alternative, if one is configured, so that you can manually load balance.

The necessary settings are dynamically loaded into the **Settings** section after you select a connector.

**NOTE:** Here are some important connector-related pieces of information:

- If you are creating a NiFi repository, ControlPoint generates the list of available connectors based on the [connector-related processors created during NiFi setup](#).
- To use Archive policies in your environment, you must select the Edge Filesystem Connector. You can specify the Archive policies in the **Direct Policy Execution** field in the **Settings** section.

4. In the **Settings** section, configure the repository based on the type of repository you selected in the **Details** section:

- **Content Manager**
  - **WORKGROUP SERVER NAME.** The name of the Content Manager workgroup server.
  - **WORKGROUP SERVER PORT.** The port used to connect to the Content Manager workgroup server. The default port is 1137.
  - **DATASET IDENTIFIER.** The two-character identifier that identifies the Content Manager data set.
- **Documentum**
  - **DOCBASE.** The Documentum Server repository location.
  - **DOCBASE FOLDER.** The Documentum Server repository folder path, which must begin with either a forward slash / or backslash \.
- **Exchange (Microsoft Exchange Server)**
  - **WEBSERVICE URL:** The URL to your site-specific Exchange Server web service. For example: `http://exchServer1.domain.com/ews/exchange.asmx`

- **LDAP PATH:** The LDAP path for the Exchange Server, in the following format:  
LDAP://exchServer1.domain.com:389/DC=domain,DC=com
- **DEFAULT AUTHENTICATION:** Click **Yes**.
- **Exchange** (*Microsoft Office 365 Exchange Online Server*)
  - **WEBSERVICE URL:** The following URL:  
https://outlook.office365.com/EWS/exchange.asmx
  - **LDAP PATH:** The LDAP path for MS Office 365 Exchange Online, specified as:  
LDAP://server/CN=Users,DC=domain,DC=com
  - **DEFAULT AUTHENTICATION:** Click **No**.
  - **DOMAIN:** *Leave blank*
  - **USERNAME / PASSWORD:** The credentials for your Office 365 Exchange Online account.

- **Filesystem**

- **NETWORK PATHS.** One or more UNC paths for the repository.

Click **Add (+)** to add more than one path.

**NOTE:** Escape any commas (,) in the network path with a backslash (\) to ensure that ControlPoint handles the path correctly. For example:

To specify the path: \\servername\Fs\subfolder\Folder1, \Folder2

Use: \\servername\Fs\subfolder\Folder1\, \Folder2

- **INCLUDE FILES OF TYPE.** One or more file extensions, separated by commas, to include in the repository.
- **EXCLUDE FILES OF TYPE.** One or more file extensions, separated by commas, to exclude from the repository.
- **NiFi**

- **NIFI INGEST ATTRIBUTES.** The set of required attributes for the selected connector.

Specify attribute/value pairs in a comma-separated list using the following syntax:

*attribute1=value1,attribute2=value2,attribute3=value3,...*

For example:

- FileSystem: DirectoryPathCSVs=\\myServer\cpsrc\nifi
- SharePoint Remote: SharepointUrl=http://myServer-sps2019,Username=ADMIN2,Password=myPassw0rd!,Domain=QA

For information about the attributes required by a specific connector, see the "TaskName Configuration Parameters" topic of that IDOL Connector's documentation available from the [Micro Focus IDOL documentation site](#). For further information or questions about configuring attributes, contact Support.

**NOTE:** This field supports only the connector's required attributes. To specify values for other connector attributes, use the NiFi UI to configure them on the **PROPERTIES** tab of that connector's **GetConnectorType** processor. For more information about how to configure attributes in this manner, see Apache NiFi help.

- **SharePoint Remote** (*Microsoft SharePoint Remote Server*)
  - **SHAREPOINT URL.** The URL of the web application or site collection that will comprise the new repository.
- **SharePoint Remote** (*Microsoft Office 365 SharePoint Online Server*)
  - **SHAREPOINT URL.** The URL of the site collection that will comprise the new repository.

**NOTE:** ControlPoint security does not support SharePoint Online repositories.

- **XML**

For information about this type of repository, see [Add an XML repository, on page 32](#).

5. In the **Analysis** section, set the following properties:

- **Analysis Type.** Select one of the following (if creating a decoupled IDOL database repository, select **Content**):
  - **No Analysis** does not analyze any item.

**NOTE:** This Analysis type is only available for Edge Filesystem Connector repositories.

- **Repository Metadata Only** (Default). Analyzes metadata from the repository, but does not include document-level metadata. This is the fastest setting and builds the smallest analysis. It is useful to detect duplicate files.
  - **Metadata Only.** Analyzes repository and document-level metadata. Processing time is slightly longer than the Repository Metadata Only setting because each document is opened.
  - **Content.** Includes all document content, as well as the metadata. Documents can be analyzed using advanced IDOL features such as visualization, categorization, and education. Select this type when creating a decoupled IDOL database repository.
- **Capture Permissions and Ownership.** Select whether item permissions and ownership details should be captured.
  - **Analyze Subitems.** Select whether to assign a Policy to subitems. Examples of subitems include documents within a .zip or .pst file.
  - **Categorize Items.** Select whether to categorize items during analysis.  
This option is only available for Metadata-Only or Content repositories.
  - **Education.** Select whether to run Education during analysis.

This option is only available for Metadata-Only or Content repositories.

If you select **Yes**, you must select at least one Education grammar and specify the maximum number of education fields per document.

- **Idol Database.** If creating a decoupled IDOL database repository, select the database you specified in the **DETAILS** section.
6. (Optional) In the **Properties** section, add any required properties (see [Custom properties, on page 92](#)).

**NOTE:** This section does not apply when creating a NiFi repository.

- a. Click **Add**.  
The Add Property dialog box opens.
  - b. From the **Property** list, select the property to add.
  - c. From the **Value** list, select one or more values to apply to the repository.
  - d. Repeat for as many properties as required.
  - e. Click **Save**.
7. In the **Schedule** section, specify the following information to define the repository ingestion schedule.
- **Start Time.** Specify a start time. **Now** is selected by default.
  - **Cycle.** Specify the number of times to run the schedule. **Run Once** is selected by default.
  - **Recur Every.** Specify the recurrence period. The default is **1 hour**.

8. Click **Save**.

You receive a prompt to restart all affected services. Depending on your selections, you may need to restart one or more of the following services:

- Selected connector
- Associated Connector Framework Service
- ControlPoint
- IDOL

After you restart the ControlPoint services, the new repository appears on the Repositories dashboard.

9. If you added a repository for Microsoft Office 365 Exchange Online, finish configuring it as follows:
- a. Open `\Indexer\Exchange Connector\ControlPoint Exchange Connector.cfg` in a text editor.
  - b. Add the following lines to the end of the `[TaskYourExchangeOnlineRepoName]` section, and then save the file:

```
ExchangeOnline=true  
ExchangeOnlineMailbox=ExchangeOnlineMailbox
```

Where *ExchangeOnlineMailbox* is any mailbox accessible to the Office 365 Exchange Online account you specified in the **Settings** section while adding the repository (Step 4).

- c. Use Windows Services to restart the ControlPoint Exchange Connector service.
  - d. Initiate an incremental re-scan of the new Exchange repository.
10. If you added a repository for Microsoft Office 365 SharePoint Online, finish configuring it as follows:

- a. Open `\Indexer\SharePoint Remote Connector\ControlPoint SharePoint Remote Connector.cfg` in a text editor.
- b. Add the following lines to the end of the `[Connector]` section to configure the proxy server that the connector requires to ingest data into the SharePoint Online repository.

```
ProxyHost=proxyHostName  
ProxyPort=proxyPortNumber  
UseSystemProxy=TRUE
```

Where *proxyHostName* and *proxyPortNumber* define the proxy server to use. For example:

```
ProxyHost=proxy.myCorp.com  
ProxyPort=8080
```

- c. Add the following lines to the end of the `[FetchTasks]` section to specify your SharePoint Online account credentials:

```
Username=ShareOnlineAccountUserName  
Password=ShareOnlineAccountPassword  
Domain= (Leave blank)
```

- d. Add the following lines to the end of both the `[TaskYourSharePointOnlineRepoName]` and `[Groups_TaskYourSharePointOnlineRepoName]` sections:

```
SharepointOnline=true  
SharepointUrlType=SiteCollection  
Username=ShareOnlineAccountUserName  
Password=ShareOnlineAccountPassword  
Domain= (Leave blank)
```

- e. Add the following lines to the end of the file, and then save the file:

```
[SSLOption0]  
SSLMethod=TLSV1.2
```

- f. Use Windows Services to restart the ControlPoint SharePoint Remote Connector service.
- g. Initiate a full re-scan of the new SharePoint Online repository.

## Create XML repositories

ControlPoint provides the opportunity to add repositories for non-supported IDOL connectors, FTP and so on.

- For more information on supported ControlPoint connectors, see [ControlPoint connectors, on page 94](#).
- For more information on IDOL connectors, see the *Administration Guide* for the specific IDOL connector.

By modifying configuration files and running a few processes from the ControlPoint Administration Console, these repositories can hold the ingestion information and can be analyzed just like any file system connector repositories.

When ControlPoint does not provide support for a repository type, its Register Repositories task creates an XML repository whenever it discovers an IDOL database that has not been analyzed by a ControlPoint connector.

## Limitations

- No repositories should be created from the Administration Console until the successful completion of Registering the XML repositories.  
  
This affects the repository ID counters and blocks any repository creations initiated from the Administration Console.
- The Register Repository task only works if there is at least one document to be ingested into IDOL for every repository created through this method.
- If you add a large number of Task sections for a single connector, then each repository goes into an ingestion queue for processing the Register Repository tasks.
- The XML structure defines the tree structure displayed in the Administration Console.

You define the tree structure in the XML file. It describes the tree structure that is displayed when users browse the content.

- If you do not provide the XML structure, you can view the content, but there is no hierarchical navigation, and you must filter the full list of content in the repository.
- The XML structure configuration is static. You must periodically update the XML structure for a repository where the contents are changing over time.

For assistance in creating the XML structure, contact Micro Focus Support.

- XML repositories are supported for the **Content** Analysis Type only. The **Metadata** Analysis type is not supported.

**Content** includes all document content, as well as the metadata. Documents can be analyzed using advanced IDOL features such as visualization, categorization, and education.

## Define the tree nodes

Administrators can use the XML elements described in the following table to define caption-filter pairs for each node in the tree.

**NOTE:** You must provide `FieldText` or `CategoryId` for each `StructureItem`, but not both.

Element	Description
Title	The node title.
FieldText	The IDOL <code>FieldText</code> to run when tree node is selected. Matching items appear in the panel to the right of the navigation tree.
CategoryId	The ID of the category whose results you want to display when the tree node is selected. Matching items appear in the panel to the right of the navigation tree.

## Add an XML repository

You can manually add an XML repository on the Repositories dashboard.

Alternatively, the Register Repositories scheduled task automatically adds repositories and maps them to individual databases. For additional information and limitations, see [Create XML repositories, on the previous page](#).

### To add an XML repository

1. On the **Repositories** dashboard, click **+**.  
The Add New Repository page opens.
2. In the **Details** section, specify the following information:
  - a. **Name.** Enter the repository name.
  - b. **Description.** Enter a description for the repository.
  - c. **Type.** Select the repository type as **XML**.
  - d. **XML Source.** Specify whether to structure the repository from an existing XML file or from XML input.

**NOTE:** XML input takes precedence.

- e. **XML File Path** or **XML String**.

If you selected:

- **File.** Enter the path to the XML file that defines the structure for the XML repository.
- **XML Input.** Enter an XML string that defines the structure for the XML repository.

3. (Optional) In the **Properties** section, add any required properties. See [Custom properties, on page 92](#).

- a. Click **Add**.

The Add Property dialog box appears.

- b. From the **Property** list, select the property to add.
- c. From the **Value** list, select one or more values to apply to the repository.

Repeat for as many properties as required.

4. Click **Save**.

You receive a prompt to restart all affected services.

Depending on your selections, you may need to restart one or more of the following services:

- Selected connector
- Associated Connector Framework Service
- ControlPoint
- IDOL

After you restart the ControlPoint services, the new repository appears on the Repositories dashboard.

## Sample XML repository

The following sample XML defines a simple tree structure for an XML repository.

```
<?xml version="1.0" encoding="utf-8">
<Structure>
  <StructureItemFilter>
    <FieldText>WILD{\\v-qa2-connector\Fs\Start*}:DRREFERENCE</FieldText>
  </StructureItemFilter>
  <StructureItems xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <StructureItem>
      <Title>Financial documents</Title>
      <ItemType>1</ItemType>
      <StructureItemFilter>
        <FieldText>WILD{\\v-qa2-connector\Fs\Fin*}:DRREFERENCE</FieldText>
      </StructureItemFilter>
    </StructureItem>
    <StructureItem>
      <Title>Contracts</Title>
      <ItemType>1</ItemType>
      <StructureItemFilter>
        <FieldText>WILD{\\v-qa2-connector\Fs\Contracts*}:DRREFERENCE</FieldText>
      </StructureItemFilter>
    </StructureItem>
  </StructureItems>
</Structure>
```

```
<StructureItem>
  <Title>US Region</Title>
  <ItemType>1</ItemType>
  <StructureItemFilter>
    <FieldText>WILD{\\v-qa2-
connector\F5\Contracts\US\*}:DREREFERENCE</FieldText>
  </StructureItemFilter>
</StructureItem>
<StructureItem>
  <Title>Europe Region</Title>
  <ItemType>1</ItemType>
  <StructureItemFilter>
    <CategoryId>45323567564345</CategoryId>
  </StructureItemFilter>
</StructureItem>
</StructureItems>
</StructureItem></StructureItems>
</Structure>
```

## Add an XML repository using Apache NiFi

You can add an XML repository from a template using Apache NiFi. Alternatively, you can [add a NiFi repository](#) through the ControlPoint UI (recommended method).

### Before you begin

Ensure you have performed the one-time process to [set up Apache NiFi for repository creation](#).

### To add an XML repository using Apache NiFi

1. [Create the NiFi ingestion pipeline from a template](#).
2. [Register the XML repository in ControlPoint](#).
3. [Start ingestion](#).

## Create the NiFi ingestion pipeline from a template

After deploying the NiFi-related software and ensuring it works correctly, the next step in creating an XML repository using NiFi is to set up the NiFi ingestion pipeline from a template using the Apache NiFi web-based user interface.

### To create the NiFi ingestion pipeline from a template

1. On the NiFi UI's toolbar, click , and drag it to the empty canvas.
2. In the **Add Template** dialog box, select **cp\_ingest\_pipeline\_template** from the template list, and then click **ADD**.

**NOTE:** Duplicate template names are not allowed.

3. After the template components finish loading, click an empty space on canvas. On the left side of the canvas, click , and then click .

The **NiFi Flow Configuration** dialog box appears.

4. Add the following controller services:

- **DocumentRegistryServiceImpl**
- **IdolLicenseServiceImpl**
- **KeyViewFilterServiceImpl**

To add a controller service:

- a. On the **CONTROLLER SERVICES** tab, click .
  - b. In the **Add Controller Service** dialog box, do the following:
    - i. In the **Source** list, click **idol.nifi**.
    - ii. In the **Type** column, click the controller service to add.
    - iii. Click **ADD**.
5. Configure the following controller services you just added:

- **IdolLicenseServiceImpl**
- **KeyViewFilterServiceImpl**

The **DocumentRegistryServiceImpl** controller service does not require any configuration.

To configure a controller service:

- a. On the **CONTROLLER SERVICES** tab, locate the row for that controller service, and then click .
- b. In the **Configure Controller Service** dialog box, on the **PROPERTIES** tab, do one of the following:
  - For the **IdolLicenseServiceImpl** controller service:
    - i. Click , add a property named `License Server Hostname`, and then specify the value for your environment.
    - ii. Click , add a property named `License Server Port`, and then specify the license server's port number.
  - For the **KeyViewFilterServiceImpl** controller service:
    - i. Click , add a property named `KeyView directory`, and then set its value to location of the `filters` folder you copied to your NiFi server.  
  
For example: `C:\cp_nifiTemplate\filter`.
- c. Click **APPLY**.

6. On the **CONTROLLER SERVICES** tab, enable each controller service you added.

To do so, in the far-right column of each controller service, click .

7. To return to the main canvas, in the **NiFi Flow Configuration** dialog box, click .

8. Configure the template's default processors.

To configure a processor's properties (as described in the table below), do the following:

- a. Right-click the processor, and then click .
- b. In the **Configure Processor** dialog box, click the **PROPERTIES** tab.
- c. Click the value you want to change, specify the new value, and then click **OK**.
- d. Click **APPLY**.

Processor	Property / value
HashDocument	Keep all default property values.
KeyViewExtractFiles	Set <b>KeyView Filter Service</b> to <b>KeyViewFilterServiceImpl</b> .
	Set <b>Document Registry Service</b> to <b>DocumentRegistryServiceImpl</b> .
KeyViewFilterDocument	Set <b>KeyView Filter Service</b> to <b>KeyViewFilterServiceImpl</b> .
KeyViewRouteOnFileType	Set <b>KeyView Filter Service</b> to <b>KeyViewFilterServiceImpl</b> .
Lua-related processors: <ul style="list-style-type: none"> <li>• CategoryLua</li> <li>• CFSFixupLua</li> <li>• EductionLua</li> <li>• ExtractFileNameLua</li> <li>• HashLua</li> <li>• IndexingTargetLua</li> <li>• NiFiFixup</li> <li>• NoExtractLua</li> <li>• ProcessDocumentLua</li> <li>• SecurityUpdateLua</li> <li>• SetIndexTypeLua</li> </ul>	For any property value that contains a placeholder for the Lua folder ( <b>{lua folder}</b> ), change the placeholder to the location of the Lua folder that you previously copied to your NiFi server.  For example, change <code>{lua folder}\Eduction.lua</code> to <code>C:\cp_nifiTemplate\lua\Eduction.lua</code> . <div style="border: 1px solid blue; padding: 5px; margin-top: 10px;"> <p><b>NOTE:</b> You can assign the same Lua folder to each processor. However, if you need to customize one or more Lua scripts for different connectors, create dedicated folders for each connector and assign them accordingly.</p> </div>

Processor	Property / value
PutIDOL	<p>Do one of the following:</p> <ul style="list-style-type: none"> <li>To ingest data into IDOL content engines at same time as the MetaStore database: <ul style="list-style-type: none"> <li>Set <b>IDOL Host</b> to the DIH ACI service hostname.</li> <li>Set <b>IDOL ACI Port</b> to the host's port number.</li> </ul> <p>This value is specified by the <code>Port</code> parameter in the <code>[Server]</code> section of the relevant component's configuration file.</p> </li> <li>To ingest into the MetaStore database only, delete the <b>PutIDOL</b> processor.</li> </ul>
PutMetastore	<p>Set <b>Metastore Host</b> to the MetaStore ACI service hostname.</p> <p>Set <b>Metastore Port</b> to the host's port number.</p> <p>This value is specified by the <code>Port</code> parameter in the <code>[Server]</code> section of the relevant component's configuration file.</p>
RemoveDocumentPart	Keep all default property values.
StandardizeMetadata	<p>These properties use values you specified during <a href="#">Prepare and import NiFi templates, on page 21</a>.</p> <p>Set <b>Component names</b> to the value of the <code>&lt; mappings key &gt;</code> element you specified in <code>connectors_dictionary.xml</code>.</p> <p>Set <b>Standardizer XML</b> to the full path to the <code>connectors_dictionary.xml</code> file. For example: <code>C:\cp_nifiTemplate\fieldNormalizationData\connectors_dictionary.xml</code>.</p>
UpdateAttribute	Keep all default property values.

- Add and configure a connector processor for the connector you want to use.

**TIP:** Add the connector near the **KeyViewRouteOnFileType** processor to make it easier to connect the two in the next step.

To add a processor:

- On the toolbar click , and drag it to the canvas. The **Add Processor** dialog box opens.
- In the **Type** column, double-click the name of the processor to add. The dialog box closes and

the new processor appears.

**TIP:** To easily find a processor, type its name in the filter box.

To configure a processor:

- a. Double-click the processor. The **Configure Processor** dialog box opens.
- b. Configure the processor's settings on each tab, as needed.

For important configuration information, see [Connector processor guidelines, on the next page](#).

- c. If your environment has Advanced IDOL Distribution enabled, then add the following property:  
META:DREIDOLDBNAME and set it to the database name under the Content Engine.
  - d. Click **APPLY**.
10. Connect the new connector processor to the **KeyViewRouteOnFileType** processor.

To connect two processors:

- a. Point to the center of the first processor component until the Connection icon (🔗) appears, and then drag and drop the icon onto the second processor.

The **Create Connection** dialog box opens.

- b. On the **Details** tab of the dialog box, under **For Relationships**, select the **success** check box.

This setting ensures any FlowFiles that are successfully processed by the processor are queued for filtering.

- c. Click **ADD**.

11. (Optional) If needed, create and configure an Education processor, and then connect it into the flow as follows:

... → **DocumentPart** → **Education** → **StandardizeMetadata** → ...

12. If your environment has Advanced IDOL Distribution enabled, add and configure a Lua processor as follows:

- a. Create a processor of type ExecuteDocumentLua with the name NifiModifyReference.
- b. On the **PROPERTIES** tab, set the processor's default **Lua script file** property to `<LuaFolder>\NifiModifyReference.lua`.

For example:

```
C:\cp_nifiTemplate\lua\NifiModifyReference.lua
```

- c. Add the following properties:

- lua:constants, set to `<LuaFolder>\constants.lua`
- lua:initialize, set to `<LuaFolder>\initialize.lua`

- d. On the **Settings** tab, under **Automatically Terminate Relationships**, select the **failure** and

**returned** check boxes.

- e. Connect the new Lua processor into the processor flow:

... → **SecurityUpdateLua** → **NifiModifyReference** → **UpdateAttribute** → ...

13. Enable and start all non-connector processors.

For each one, right-click it and click **Enable**, and then right-click it again and click **Start**.

Creation of the pipeline using the template is complete. Next, [Register the XML repository in ControlPoint, below](#).

## Connector processor guidelines

You can find detailed information about how to create each connector processor in the NiFi Ingest help but here are some additional guidelines:

- ControlPoint uses the name of each connector processor as the name of the corresponding repository. Therefore, provide each processor a unique name because each repository requires a unique name.
- On the **SCHEDULING** tab, you must define a schedule.

The first time a connector processor runs, a full index scan is performed. Incremental indexes are generated according to the schedule you specify.

- On the **PROPERTIES** tab, define the following properties:
  - **META:AUTN\_GROUP**. Specify the connector type, such as OneDrive/Filesystem.
  - **META:AUTN\_TASK\_BATCH\_ID**. Specify the batch ID, in *TaskRepoName\_UUID* format, that is used to extract the repository name under Advanced mode. For example: TaskMyRepo\_ef2a0bcc352f15d39d7fafbbbed253054
  - **META:CPDefaultCategoryTag** (*optional*). Specify the name of the Default Category tag.
  - **META:CPREPOSITORYTYPEID** Specify the value 4, which defines the repository type as XML.
  - **META:CPINDEXINGTYPE**. If the data goes only into the PutMetastore processor, set to 1. Otherwise, if it goes to both the PutMetastore and PutIDOL processors, set to 2.
  - **META:DREDBNAME**. Specify the name that ControlPoint will use for both the connector processor and its corresponding repository.
- **Do not start any connector processors until the pipeline is complete and you have registered the repositories in ControlPoint.**

## Register the XML repository in ControlPoint

After creating the pipeline, add the XML repositories by registering them in ControlPoint.

### To register the XML repositories

1. On the **ADMINISTRATION** tab of ControlPoint, click **NIFI REGISTRATION**.
2. Click **Add**.

3. Define the NiFi instance by specifying the following, and then click **Add**.
  - **Host Name**. Name of the host where you installed NiFi.
  - **Port Number**. Port number of the NiFi host.
4. On the **REPOSITORIES** tab, click **+**, and then click **Register Repository**.
5. On the Add New Repositories page, under **NiFi Details**, specify the following for the first connector processor in the pipeline:
  - **COMPONENT ID**. To determine the ID of the connector processor:
    - a. In the NiFi UI, double-click the connector processor, which opens the **Processor Details** dialog box.
    - b. On the **SETTINGS** tab, locate the ID field. Use the value of this field as the **COMPONENT ID**.
  - **NIFI INSTANCE** Select the NiFi instance that contains the connector processor.
6. Click **Save**.
7. Repeat steps 4 through 6 until you create a repository for each subsequent connector processor in the pipeline.
8. If your environment is not configured for Advanced IDOL Distribution mode and the pipeline contains a PutIDOL processor, then complete the following steps:
  - a. In the `ControlPoint IDOL.cfg` file, add a virtual database section for the new repository and increment the `VirtualDatabases` property value.
  - b. Restart the ControlPoint IDOL service.
  - c. Confirm the IDOL databases have been created:
    - i. Go to `http://IDOLServerName:32000/a=admin`, then click **Control > Database**.
    - ii. Verify the list contains a row for each new XML content-based repository you registered through NiFi.

If any repositories are missing, check the following files:

- **ControlPoint Content.cfg**. Locate the `[Databases]` section and verify it contains an entry for each new XML content-based repository you registered through NiFi.
- **ControlPoint IDOL.cfg**. Locate the `VirtualDatabases` section and verify it contains a sub-section for each new XML content-based repository you registered through NiFi.

## Start ingestion

After registering the XML repository, start the ingestion process.

### To start ingestion

- In the NiFi UI, enable and start all processors.  
For each one, right-click it and click **Enable**, and then right-click it again and click **Start**.

## Edit repository settings

You can edit repository settings on the Repositories dashboard. The options available for editing depend on the repository type.

**NOTE:** You cannot edit a NiFi repository with this version of ControlPoint.

### To change repository settings

1. On the **Repositories** dashboard or any details page, click the menu icon (☰).
2. Click **Edit**.  
The Edit Repository page opens.
3. In the **Details** group, you can:
  - Edit the **Description** of the repository.
  - Edit supplementary information, such as Network Paths for FileSystem repositories or Web service URLs for Exchange repositories.
4. Edit the **Capture Permissions and Ownership** and **Analyze Subitems** settings by selecting **Yes** or **No**.
5. Edit any of the **Properties**, **Visualization**, or **Scheduling** group settings, as required.
6. Click **Save**.

Depending on your selections, you may receive a prompt to restart affected services, such as ControlPoint IDOL, connectors, and the connector framework.

The repository updates with the new settings.

## Delete a repository

When you no longer require a repository, for example, when you finish analyzing a repository or consolidating data, you can delete it from ControlPoint. If Policies are applied to documents in a Repository, you cannot delete the Repository.

- If no items in the repository have policy assignments in the executing state, the repository can be deleted. In this case, any policy assignments are also deleted from ControlPoint. They either completely execute or completely fail. The audit still keeps a record of the execution.
- If some items in the repository have policy assignments in the executing state, the repository cannot be deleted. The check box to delete is not available, and a warning message appears.

### To remove a repository

1. On the **Repositories** dashboard or any details page, click the menu icon (☰).
2. Click **Delete**.  
A confirmation message opens.
3. Click **Delete** to remove the repository or cancel to abort the action.

**NOTE:** Deleting the repository does not remove any policy associations from the files that it contains, nor does it remove the content from the IDOL server (unless you selected that option in the confirmation message box).

## Create a repository group

You can create a group of repositories for data analysis. The individual repositories remain accessible and available for analysis separately. Repository groups can be useful to analyze data by department, geographic region, repository type, or any other characteristic.

### To create a repository group

1. On the **Repositories** dashboard, click **+**.  
The Add New Repository page opens.
2. Click **New Group**.
3. In the **Details** section, specify the following information.
  - **Name** Enter the repository group name.  
Allowed characters are A-Z, a-z, 0-9, and **\_**.
  - **Description** Enter a description of the repository group.
  - **Repositories**. Add as many repositories as you require.
    - a. Click **Add**.  
The Add New Repository dialog box appears.
    - b. Select repositories from the **Type** and **Connector** lists.
    - c. Click **Save**.
4. (*Optional*) In the **Properties** group, add any required custom properties. See [Custom properties, on page 92](#).
  - a. Click **Add**.  
The Add Property dialog box appears.
  - b. From the **Property** list, select the property to add.
  - c. From the **Value** list, select one or more values to apply to the repository.

- d. Repeat for as many properties as you require.
  - e. Click **Save**.
5. Click **Save**.

The group appears on the Repositories dashboard. A link icon appears on the panel to indicate that it is a group.

## Create a repository subset

You can create a subset of analyzed repository data to view analysis metrics of a small portion of the repository contents. For example, you may want to analyze all files of a specific type, a specific size, created during a certain date range, and so on.

You can create subsets from a single repository or a repository group. You can create subsets of subsets. Also, you can promote the subset to a higher analysis level.

### To create a repository subset

1. Create a filtered list of the files to analyze.

There are several ways to do this:

- view a file list and apply any desired filters (see [Filter lists, on page 160](#))
- view data by statistical analysis, by tag, or by any other method
- combine the resulting file list with filters

2. Click **Actions > Create Subset**.

The Create Subset dialog box appears.

3. Enter a **Name** and **Description**.

4. Select the **Potential Set** to use to identify ROT (redundant, obsolete, or trivial) data. In addition, use the **Analysis Type** option to select the analysis type.

If **Analysis Type** is changed, analysis is not automatically triggered. However, if it is not changed, analysis is automatically triggered. You cannot set this to a lower Analysis type than the parent Repository.

5. Click **Save**.
6. In the confirmation dialog box, click **OK**.

The subset appears in the Subsets tab and resembles a repository. You can analyze the subset in a similar manner.

## Change repository status

You can change the repository status at any time on the Repositories dashboard. When you add repositories, the repository status is set to Registered by default.

Repositories must have a Managed status if you want ControlPoint to apply policies to the repository content automatically. See [Apply policies automatically, on page 82](#).

### To change the status of a repository

1. On the **Repositories** dashboard or any details page, click the menu icon (☰).  
Depending on the current status of the repository, the menu options vary. For example, if the repository is Registered, you can either **Analyze** or **Manage** the repository.

2. Click the desired repository change.

A confirmation dialog box appears.

If you move a repository to a Managed state, you can set the following options:

- **Automatic Policy Assignment**
- **Allow Policy Execution**

3. In the confirmation dialog box, click **Yes**.

The repository status changes, and it moves to the appropriate Repositories tab.

**NOTE:** You may also want to use the Analyze Density Indicator to know the Analyzed content for each Analyzed level.

To view this information, click the menu button in the upper-right corner of the repository and select **Refresh Totals**.

## Search repositories

If you have a large number of repositories, you can use the Repositories dashboard to sort and filter the repository list to find repositories of interest. You can create custom properties to increase your sorting and filtering options (see [Custom properties, on page 92](#)).

You can switch between panel and grid displays. The Panel Display contains more information, while the Grid Display allows you to view more repositories at a time.

### To switch between panel and grid display

- On the **Repositories** dashboard, click:
  -  to view repositories in panel display. This is the default view.
  -  to view a grid display.

### To sort the repository list

1. Configure one or more custom properties that apply to repositories. See [Create a custom property, on page 92](#).
2. On the Policies dashboard, select one of the criteria from the **Sort By** list.

The repositories sorted by the selected criteria.

### To filter the repository list

1. (Optional) Configure one or more custom properties that apply to repositories. See [Create a custom property, on page 92](#).

The Repositories dashboard's menu bar displays the properties on the left.

2. Select a value from one or more of the filters.

By default, you can filter by repository type. You can also filter by custom properties.

The repository list is filtered. If you filter by property value, the list displays only the repositories that have matching values. Filters are cumulative: you can filter by type, then by one property (for example, *Department*), then by another property (such as *Region*), and so on.

### To filter the repository list by text

1. On the **Repositories** dashboard, click .

The Filter dialog box appears.

2. Enter text in the **Filter** box, and then click **Filter**.

The repository list updates.

## Re-scan a repository

You can re-scan repositories from the Repositories dashboard.

Re-scanning is useful if you selected or configured Education grammars or IDOL categories for sensitive or trivial information, and you want to apply the new criteria to repositories that have been scanned.

When you manually scan a repository, you can see the progress of the scanning operation on the Repository panel.

### To re-scan a repository

1. On the **Repositories** dashboard or any details page, click the menu icon (.
2. Click **Re-Scan Repository**.
3. In the Re-Scanning dialog box, click either:
  - **Full Re-Scan** to process all documents in the repository to the IDOL re-scan. For more information, see [Scheduled task to retire orphaned documents , on page 182](#)
  - **Incremental Re-Scan** to process newly added, changed (since the last scan), or removed documents.

## View repository compliance

If a repository is in a Managed state, you can view its overall level of compliance with all relevant policies.

### To view repository compliance

1. On the **Repositories** dashboard, open the **Managed** tab.
2. To view more details, click the repository.

The repository details page opens.

3. Click the **Policy** tab.

The Policy Compliance section lists the percentage compliance with each policy, and the Policy Assigned/Executed Items lists the total number of affected items.

## Visualize repositories

IDOL can automatically cluster information in repositories to make trends in the information visible and identify common concepts. Clustering is the process of taking a large collection of unstructured data and automatically partitioning it so that similar information is grouped together. Each cluster represents a concept area within the repository and contains a set of items with common properties.

IDOL attempts to generate six visualizations for each repository. If there is enough content, IDOL generates two-dimensional cluster maps and spectrographs for:

- All content
- Content with policy applied
- Content without policy applied

If there is insufficient content in the repository, not all visualizations are available.

You can only visualize content from *Content* repository types. Visualization is not supported for *Metadata Only* or *Repository Metadata Only* repositories.

### To visualize repository content

1. On the **Repositories** dashboard, click the repository to visualize.
2. Click the **Visualization** tab.

The Content Visualization page opens, which contains a Cluster Map on the left side. To view spectrographs, select one of the spectrograph options from the **Viewing** list above the Cluster Map.

3. To view the contents of a cluster map or spectrograph on the right side of the page, click a location on the item.

## Generate cluster maps

To generate cluster maps, IDOL takes a snapshot of the data that the IDOL server stores in the repository. IDOL then automatically clusters data within the snapshot—this does not require setting up an initial taxonomy. You can use concept clusters to identify common or notable themes in the repository content.

You can view cluster maps on the **Visualization** tab of the repository. Each cluster represents a concept area that contains a set of items that share common properties.

Snapshots generate according to the visualization schedule defined when adding or editing a repository. For more information, see [Add a repository, on page 25](#) and [Edit repository settings, on page 41](#).

## Generate spectrographs

A spectrograph reflects a number of clusters over time. Each spectrograph data set takes a succession of clusters from different time periods, calculates cluster similarity measures across days, and applies a graph theoretic matching algorithm. The IDOL server calculates the conceptual spread of a cluster and its general quality. The spectrograph uses lines to represent the size (number of documents in a cluster) and quality of a cluster. The brighter a spectrograph line is, the more documents the cluster contains; the thicker the line is, the higher the cluster quality.

You can view spectrographs on the Visualization tab of the repository. Spectrographs can be generated once or according to a schedule. As with cluster maps, you can use spectrographs to identify themes in repository content.

Spectrographs generate according to the visualization schedule defined when adding or editing a repository. For more information, see [Add a repository, on page 25](#) and [Edit repository settings, on page 41](#).

## Chapter 3: IDOL categories

IDOL categories identify the content to which ControlPoint policies apply. Categories allow policies to be applied automatically to new content entering an organization. This section describes how to create Categories, how to train them to match appropriate content, and how to measure their effectiveness.

- [Categories](#)
- [Taxonomy](#)

### Categories

Most categories are used to find documents or files using metadata and concepts found within unstructured text.

### Training a category

A category definition is a mathematical rule against which each document can be evaluated for membership in that category. You can train a category by using one or more of the following methods:

- **Training text** is a list of keywords that is highly relevant to the type of documents you wish the category to locate.

Enter the keywords in the **Training text** box in the following manner:

word1 word2 word3... wordN

**IMPORTANT:** Do not use quotes in this list.

- **Boolean training text** is a Boolean query expression containing, words, phrases (in quotes) and operators.

Enter a query expression in the following manner:

(human DNEAR resources OR HR OR personnel) AND "HR policies and procedures".

**NOTE:** Before searching by number, see [Configure DNEAR proximity operator support for numerical searches](#).

- **Field text** is a combination of field criteria that identifies a set of documents based on a property value match. The property value can either be from the document or from the storage location of the document.
- **Training documents** is set of sample documents, chosen on the basis of their content.

IDOL extracts the concepts from the training document, in the form of a set of terms and associated weights, and then uses them to train the category.

## Configure DNEAR proximity operator support for numerical searches

Before using the DNEAR proximity operator to search for numbers, you must configure your environment to support those types of searches.

### To configure DNEAR proximity operator support for numerical searches

1. Configure the following in the IDOL Server's configuration file:
  - a. In the [*<Language>*] section, set the `IndexNumbers` parameter to 1.  
  
Where *<Language>* corresponds to the language you are using. This setting configures IDOL Server to index all numbers, regardless of whether they appear on their own or as part of a word.
  - b. In the [`Server`] section, ensure that the `SplitNumbers` parameter is set to `False` (the default value).

This setting enables IDOL Server to match numbers and alphanumerics through wildcard queries.

For more information about these parameters, see the *IDOL Server Reference*, available from the [Micro Focus IDOL documentation site](#).

2. Save the file.
3. If you changed the `SplitNumbers` parameter, initialize your index.
4. Reindex the data.

## Container category

A *container category* is an untrained category that serves as a parent for one or more trained categories. ControlPoint configuration uses container categories when defining:

- A single set of categories to use to analyze a repository and populate the “Of Interest” metric on the summary page
- One or more sets of categories to use to analyze a repository and to display on the Analysis by Category page
- Trivial or Sensitive content in analysis Potential Sets

## Category training

In most cases, the default settings for categorization return good results, yet for some data sets you may be able to improve your results by considering the following factors. The default settings of the Category are values for training. You can restrict options, such as **Language**, to control the number of terms extracted from training documents and the threshold that the results must meet. Training documents must be at the Content level.

- Ensure that you have good quality training documents. IDOL Server uses the content of the analysis fields of training documents as training, so pay attention to the content of those fields.

For example, if the analysis fields contain a lot of useless metadata from web pages, you are unlikely to receive meaningful results. Each document should contain at least 50 words of text, and the more words it has, the better. Check the quality of training data as the first priority if the categorization results are disappointing.

- The training documents should not be too large. If the training data includes only a few very large documents, the results may be wasteful or misleading. This is because the IDOL Server assigns a greater importance to occurrences of words in different documents than to multiple occurrences in the same document.
- The training data must be typical of the type of documents that you want to categorize. For example, to categorize web pages, your training documents should be similar web pages.
- The best categories are clearly defined and are different from other categories.
- Ensure that your training data is correctly categorized. Consider the entire content of the document, not just the title or the first few lines.
- Generally, the more categories you have, the more training data you need to distinguish between them. The categories that are the least distinct from others require more training data than categories without overlap with others.
- Avoid using a list of words as training. The IDOL Server calculates the most appropriate concepts from training documents and does not rely on a few human-chosen terms.
- Categorization depends on the contents of the whole analysis and not just on the training documents. If you have two IDOL Server analysis that contain different documents, they categorize differently, even if you use the same training documents. The weights that training gives to terms depend on how often those terms occur in the analysis, not just in the training documents. For categorization, you obtain the best results if the analysis contains the complete set of training documents and nothing else.
- Avoid using URLs to train your categories because the linked file is likely to contain extra content, such as advertisements, which is not useful. It is best to use the documents in the data analysis that generally have been scrubbed of extraneous content and are in a useful format.
- Ensure that ControlPoint can access your training documents.
- Use **Fine Tuning** to define which terms can and cannot be used to derive the terms and weights (TNWs) for a category from its training. Only terms in the **Allowed Terms** list can be used in TNWs. No terms in the disallowed list can be used in the TNWs.

Categories trained using Repositories and FieldText work for Repositories that are below Content. Additional training options such as training text will only return documents that are in Content Repositories (IDOL).

## Define a category

When you define a category, you can use *benchmark documents* to measure the quality of the category training. Benchmark documents do not impact training; they show the impact of training on specific documents.

- *Positive benchmark documents* contain category training content at or above a desired threshold.
- A *negative benchmark document* is typically a “false positive” that you identify in the results list of a category. You can mark it and use it to retrain the category with the objective to get all negative benchmark documents below the threshold and excluded from category results.

Ideally, a category would include all positive benchmark documents above the threshold and all negative benchmark documents below the threshold.

Benchmark documents that are incorrectly located (that is, positive and below the threshold, or negative and above the threshold) are highlighted in the Benchmark Document grid, with an Alert icon and a ToolTip.

Benchmarks

**Benchmark Documents and False Positives** ⓘ

Benchmark documents and identification of false positives in the category results can be used to measure the accuracy of a category and to evaluate the impact of changes to the category training.

★ ★ ★ ★ ★  
CATEGORY QUALITY: **VERY POOR** 🔄

Actions + Add

Title	Repository	Weight ↓	
<input type="checkbox"/> <a href="#">Around-the-World-in-80-Days-2 - Copy.pdf</a> Download free eBooks of classic literature, books and novels at Planet eBook. Subscribe to our free eBooks blog and email newsletter. Around the World in 80 Days By Jules Verne <a href="http://blog.planetebook.com">http://blog.planetebook.com</a> <a href="http://www.planetebook.com">http://www.planetebook.com</a> Around the	5081_ebooks	95	
<input type="checkbox"/> <a href="#">H.G. Wells - The Invisible Man.doc</a> The Invisible Man H.G. Wells Chapter 1 The Strange Man's Arrival The stranger came early in February one wintry day, through a biting wind and a driving snow, the last snowfall of the year, over the down, walking as it seemed from Bramblehurst railway station	5081_ebooks	84	
<input type="checkbox"/> <a href="#">H.G. Wells - THE ISLAND OF DR MOREAU.doc</a> THE ISLAND OF DR. MOREAU by H. G. Wells INTRODUCTION. ON February the First 1887, the Lady Vain was lost by collision with a derelict when about the latitude 1° S. and longitude 107° W. On January the Fifth, 1888--that is eleven months and four days after--	5081_ebooks	82	
<input type="checkbox"/> <a href="#">Wells.doc</a> But the three men looked neither east nor <b>west</b> , but only steadfastly across the valley.	5081_ebooks	79	<b>ALERT</b>
<input type="checkbox"/> <a href="#">Sense-and-Sensibility-2.pdf</a>	5081_ebooks	79	<b>ALERT</b>

An indication of the quality of a category appears above the benchmark document grid. The quality is based upon the ratio of positive benchmark documents, which are above the threshold, and the number of negative benchmark documents, which are below the threshold. Category quality is reported on a scale of 1 - 5.

### To define a category

1. Click the **Categories** tab.  
The taxonomy appears on the left of the page.
2. Add a category at the desired level of the taxonomy:
  - To add a category immediately under the top-level, root node, click .
  - To add a child category of an existing category, first select the category, and then click .
3. On the **General** page, enter a category **Name** and an optional **Description**.

4. On the **Training** page:
  - a. Select one or more **Repositories** for the category to search
  - b. Specify one or more methods to train the category:
    - **Training Text.** Enter the training text into the text box.
    - **Boolean Training Text.** Enter the Boolean query text into the text box.
    - **Field Text.** From the Add Criteria list, select the IDOL fields and values to use for training.

**NOTE:** You can add additional criteria fields using the Rule Builder. See [Add Rule Builder fields, on page 63](#).

- **Training Documents.**
  - i. Click  .  
The Training Documents dialog box opens.
  - ii. Click **Add**.  
The Add Training Documents dialog box opens.
  - iii. Search or browse for documents, and then select the boxes beside the items you want to use.
  - iv. Click **Add**, and then click **OK**.

**NOTE:** To create a container category as a parent for trained categories, omit the training options.

5. (Optional) On the **Fine Tuning** page, click **Add** to add terms and associated weights.  
Use terms and weights that best represent the concepts in the documents.  
If the category was trained using either training text, training documents, or both, you can adjust the assigned terms and weights.
6. On the **Options** page, specify:
  - **Match on Subitems.** Select whether to allow the category to match results that are sub-items, such as files within a .zip archive or email messages within a .pst file. The default option is **No**.
  - **Maximum Number of Terms.** Enter the maximum number of terms that are generated for the current category. The default value is 100; the range is 1 - 500.
  - (Optional) **Languages.** Select the languages for the category to use while searching.
  - **Threshold.** Select the minimum quality threshold that documents must achieve before they are considered part of the category.

Depending on the training of the category, documents receive a quality match in the form of a number from 0 - 100, where 0 represents very poor or no similarity to the trained

category and 100 represents an excellent match with the trained category. The default quality match is **70**.

7. (Optional) On the **Benchmarks** page, add benchmark documents to measure the quality of the category training you established.

- a. Click **Add**.

The Add Benchmark Documents dialog box opens.

- b. Search or browse for documents.
- c. Select the desired documents.

You can add documents from multiple pages, and from both search results and browse results.

- d. Click **Add**.

The Add Benchmark Documents dialog box closes, and the selected documents appear in the Benchmarks list in the Edit Category dialog box.

8. When your category is trained appropriately, click **Publish**.

The Publish dialog box opens. You can add an optional comment.

9. Click **Publish**.

The category is published in the Categories list.

### ***To create a category using documents from a repository***

1. On the Repositories page, view a file list, and then filter or search within it as required to identify the files to use for category training.

See [View repository data, on page 153](#) for more information.

2. Select the documents to use to train the category.
3. Click **Actions > Train New Category**.

The Train New Category dialog box opens.

**NOTE:** **Train New Category** is only applicable to repositories that are **Content** indexed.

4. Enter a **Name** and a **Description** of the category.
5. If desired, select a **Parent Category**.

By default, the category is a new, root-level category in the taxonomy.

6. Click **Save**.

The category appears on the Categories page.

## **Edit a category**

When you edit an existing category, a draft version of the category is created, which allows you to edit the category and measure the impact of the adjustments without affecting the published category. The

published category continues to be the version in use until you publish the draft category. You can also discard changes to the draft category to ensure that the published category continues to be the version in use.

### To edit a category

1. Select the category in the taxonomy, and then click .

2. Adjust the training or settings of the category, as required.

The effect on the category results and benchmark documents is indicated using a movement indicator to the right of the quality weight value.

3. Click **Save**.

The Publish dialog box opens. You can add an optional comment.

4. Click **Publish**.

The category is published in the Categories list.

## Categorize repositories during the scan

You can configure Metadata Only or Content repositories so that they are categorized during scan.

If categorization is enabled for an existing repository, you can re-scan the repository content. For more information, see [Add a repository, on page 25](#) and [Edit repository settings, on page 41](#). All trained categories are used to evaluate documents during the scan of the repository.

After the repository is scanned or re-scanned, the matching categories appear in an IDOL multiple-value field called CPCategory. Each document can belong to a maximum of 100 categories.

## View a category history

You can view the version history of a category in an Audit Report.

### To view a category history

1. On the Administration dashboard, click **Audit Reports**.

The Audit Reports page opens.

2. Select **Category Training Activity**.

3. Adjust the report settings as required.

4. Click **View Report**.

The report opens and displays a history of the published versions of the selected categories, as well as any comments entered at the time of publication.

## View the category details

On the Categories dashboard you can do the following:

- Browse categories.
- View category details.

### To browse categories

- In the left panel category taxonomy, browse the category name in the **Categories** list.

The right panel displays a file list for the category. You can perform several tasks on the file list:

- Click **Display Summaries**  to toggle the display of file summaries in the file list.
- Filter the file list.

#### **To filter a file list**

1. Click one of the filter icons to the right of the file list.

When you click an icon, a dialog box opens where you can specify the filter criteria. You can filter by:

- **Title**
- **Age**, by date of creation, last access, or last modification. You can combine multiple selections to identify date ranges as required.
- **File Size**
- **File Type**
- **Users**
- **Group** allows you to filter by Active Directory group to see what documents are available to different groups
- **Tags** (Analyzed repositories) Select a tag, and then click + to include documents with the selected tag in the list, or click - to exclude documents with the selected tag from the list.
- **Custom Property** is only available if a ControlPoint administrator configured any
- **Policies**
- **Potential** (Analyzed repositories) One or more of Redundant, Obsolete, and Trivial. You can select subsets of the Obsolete and Trivial criteria. For Redundant information, you can show all duplicates or only duplicates of specific repositories.

2. Click **Filter**.

The filter applies and the file list refreshes. You can apply multiple filters to a file list as required.

To clear all filters, click **X** above the filter icons.

### To view category details

- From the category taxonomy, select the category, and then click .

The View Category dialog box opens. It lists the basic category configuration settings.

## Export individual categories

You can export individual categories and their children in XML format.

### To export a category

1. On the Categories dashboard, select the category, and then do one of the following:

- Click 
- Click **Actions > Export**

The Export dialog box opens. To include the category contents, ensure that **Include Category Contents** is selected.

2. Click **Export**.

The browser window offers the ability to select where to save the XML file, named Category Export - *CategoryName.xml*.

## Export all categories

All categories under the top-level root node can be exported to an XML file.

### To export all categories

1. On the Categories dashboard, select **Categories**, and then click .

The Export All Categories dialog box appears. To include the category contents, ensure that **Include Category Contents** is selected.

2. Click **Export**.

The browser window offers the option to select where to save the XML file, named Category Export - All Categories.xml.

## Import a category hierarchy

You can import a previously exported category hierarchy.

### To import a category hierarchy

1. Select the category under which to import the hierarchy, and then click .  
The Import Category page opens.
2. In the **File to Import** box, browse to the location of the category XML file, and then click **Open**.
3. In the **Child Categories** setting, select whether to **Keep** or **Remove** child categories.
4. In the **Duplicate Handling** setting, specify how to handle encountered duplicates:
  - **Keep existing**
  - **Merge**
  - **Overwrite**
5. Click **Import**.

### Delete a category

You can delete an existing category if it is no longer required. Any ControlPoint policy that uses this category no longer applies to the content after the category is deleted.

#### To delete a category

1. On the Categories dashboard, select the category from the taxonomy, and then click .  
A confirmation dialog box opens.
2. Click **Delete**.

## Taxonomy

IDOL Categories exist in a hierarchical structure called a *taxonomy*. The taxonomy has a single, top-level, root category. All category nodes have at least one parent category and can have zero or more children (sub-categories).

# Chapter 4: Policies

A policy defines the rules and actions to perform on registered repositories. The ControlPoint Policies dashboard allows you to create and manage policies and policy templates for enterprise information management.

- [Overview](#)
- [Policy templates](#)
- [Create a policy from a template](#)
- [Create a policy](#)
- [Edit a policy](#)
- [Create an Archive policy](#)
- [Delete Archive policy](#)
- [Search policies](#)
- [Apply policies](#)
- [View policies on items](#)
- [Remove policy from an item](#)

## Overview

A policy defines the rules and actions to perform on information content. ControlPoint policies can be defined to address a variety of requirements including:

- Information retention and disposal of content in repositories
- Information categorization and capture of business records to record repositories, such as Content Manager
- Information categorization and capture of important business information to secure storage for archiving

The following items are examples of typical ControlPoint policies.

- Delete project files in one or more file shares if they still exist three years after the project closes
- Secure correspondence relating to supplier contracts in a SharePoint site and then delete it five years after the date of creation
- Declare business records relating to health and safety into a Content Manager repository

ControlPoint lets you archive and stub a file using the Archive policy. Content of the specified source file is copied to the archive location. The copied file is not an exact copy, as it contains additional information. Therefore, you cannot access the archived version of the file as if it were the source file. Instead, you continue to access the local file and it will behave as if the file is still local. After the archive file is created, the source file is modified and a reparse point is placed on the file. In addition,

the file is changed to a sparse file. This essentially removes the main data stream from the file. For information on creating a policy based on the Archive policy template, see [Create a policy from a template, on page 71](#).

You can delete the stub file using **Delete Archive Policy**. For more information on deleting the Archive policy, see [Delete Archive policy, on page 81](#).

ControlPoint also provides the Archiving command line utility, which lets you recreate a file or directory stub, rehydrate a stubbed file or directory, dump the reparse data contents of a stubbed file, or delete the stubbed source file. For information on the Archive command line utility, see [Archiving command-line utility, on page 205](#).

## Policy phases

A policy consists of one or more phases. Each phase defines an action to take on a document that the policy is assigned to and that meets certain rule criteria. Policy phases can occur on repositories or target locations. For additional information, see [Repository overview, on page 17](#) or [Overview, on page 134](#).

You can perform the following actions using ControlPoint policy phases.

- **Apply Lua Script.** Apply a Lua script to the item. For each supported connector, ControlPoint provides a sample Lua script that you can customize for your own use: `C:\Program Files\Micro Focus\ControlPoint\Indexer\<ConnectorName> Connector\lua\test.lua`.

You can specify a script with either a full path or a relative path based on the root of the supported connector. For example, the following full and relative paths are equivalent: `C:\Program Files\Micro Focus\ControlPoint\Indexer\<ConnectorName>\lua\test.lua` and `lua\test.lua`.

**NOTE:** The **Apply Lua Script** policy applies only to the File System Connector.

Ensure that you deploy the customized Lua script and any accompanying custom application to all servers hosting the connector.

- **Declare.** Copy or move the item to the named location. No conflicts will occur. The three possible actions for the source files are:
  - **Leave.** Create a copy of the original file in the target location, and the original file remains in the repository.
  - **Remove.** The file moves from the repository to the target location.
  - **Shortcut.** The file moves from the repository to the target location, and a shortcut remains in the repository.

**NOTE:** **Shortcut** policies apply to File System as source and the target can be either File System or the Content Manager.

- **Declare in Place.** Use the Content Manager Manage in Place feature. ControlPoint sends an item to Content Manager with additional metadata, and then Content Manager issues a connector hold action on the item in its original location.

**NOTE: Declare in Place** policies are supported for Content Only type repositories.

- **Dispose.** Remove the item from the repository.
- **Hold.** Place a hold on the item in its current location.
- **No Action.** Perform no action on the item.
- **Release Hold.** Release a hold on an item. You can release holds placed on items by different policies, which allows indefinite holds to be placed by one policy and lifted by another.
- **Secure.** Secure the item in a target location. Any conflicts are detected and prevent the item from being copied or moved. The three possible actions for the source files are:
  - **Leave.** Create a copy of the original file in the target location, and the original file remains in the repository.
  - **Remove.** The file moves from the repository to the target location.
  - **Shortcut.** The file moves from the repository to the target location, and a shortcut remains in the repository.

**NOTE: Shortcut** policies apply to File System as source and the target can be either File System or the Content Manager.

- **Tag Item.** Tag the item in IDOL with the defined field and value.
- **Update.** Update a property on an item with the specified value.

## Assign policies

You can assign policies:

- By assigning a category that is trained to match the content to which you want to assign the policy.
- From the ControlPoint dashboard.

Assign Policies is a scheduled task that assigns policies based on category matches.

In certain cases, a category is retrained and content that initially matched the category may no longer match it. In such situations, any policies that were assigned based on the initial match are removed, however, this only applies to policies that have not executed or have executed actions that can be removed (such as tag and hold actions).

The Assign Policies task runs on a defined schedule. For more information, see [Scheduled tasks, on page 182](#).

## Execute policies

A policy can have one or more phases that execute in sequence or in parallel. Each phase has a name, action, execution rules, and a policy review definition.

You can apply policies to any document, however, if the policy phase has execution rules associated with it, the document must meet the criteria specified in the policy execution rules before the phase action executes. An example of an execution rule is: *five years after creation date*.


ControlPoint checks for documents that are ready to execute (that is, that meet a policy phase execution rule) using a scheduled task that runs on a defined schedule. The execution rules are evaluated for each document and any rules that are satisfied start to execute.

There are multiple policy schedules that determine how frequently policies execute: Low, Medium, and High. For more information, see [Schedule plans, on page 185](#).

In the first step of execution, ControlPoint checks for policy conflicts. A policy conflict occurs when a policy phase is ready to execute on a document and one or more policies that have not executed are also assigned to that document. For example, a document may have a policy phase ready to execute with a disposal action *five years after creation date* and another policy has a disposal action *10 years after creation date*. All such conflicts must be resolved before execution continues.

When a policy phase executes, ControlPoint performs the policy action on associated documents.

The diagram below describes the policy execution.



## Temporary locations for policy execution

Temporary locations for policy executions are shared network directories to store temporary files for the policy execution processes, such as Secure, Declare or Declare in Place policy phases. ControlPoint enables you to define custom temporary locations for each policy.

### Considerations

- The temporary location must be accessible from the ControlPoint Scheduler and the connectors. When you save a policy, the ControlPoint Scheduler validates whether it can access the temporary location.

**NOTE:** The validation in the Add Policy page only checks for the accessibility from the ControlPoint Scheduler. It does not check accessibility from the connectors. You will need to manually check the connector accessibility to the temporary locations.

**TIP:** To ensure connector accessibility to temporary locations, use the same user account for the ControlPoint Scheduler service and all connectors.

- All temporary locations are regularly cleaned up as part of policy execution. The cleaner deletes any subfolders that are older than the defined expiration period from the present for all temporary locations, including the default temporary location or the user-defined temporary location under any policies.

The expiration time is defined under `Autonomy.ControlPoint.CollectCleanupTime` in the **GlobalSettings** table in the ControlPoint database. The default expiration time is 24 hours.

### Define a temporary location for each policy

Unless otherwise defined on the Add Policy page, the ControlPoint Engine uses the default temporary location defined in the Settings page of the Administration Dashboard.

**NOTE:** Adding a temporary location is only possible during policy creation.

Once the policy is saved, the **Temporary Location** field is no longer modifiable. This restriction is to ensure that policy execution will not be affected by a change of temporary locations.

The temporary location is a field under the Settings area the Policy Execution page. For more information, see [Create a policy, on page 72](#).

## Policy execution rules

When you create a policy phase, you must create a set of rules for when to execute the policy phase action.

A policy phase that does not have execution rules executes immediately. You can use this option, for example, to immediately apply a legal hold to a set of documents.

You can construct rules using field names, operators, and values.

## Add Rule Builder fields

You add fields through the Rule Builder that is accessible through the Administration dashboard. The Rule Builder allows you to select fields and operators from lists. You can only select Match, NumericDate, or Date type fields. To use other fields, you must first define them as one of these types.

By default, the Rule Builder contains the following fields.

- Location (CPLOCATION) – This is shown on Category only.
- Repository Create Date (AU\_REPOSITORY\_CREATEDDATE\_EPOCHSECONDS)
- Repository Last Modified Date (AU\_REPOSITORY\_MODIFIEDDATE\_EPOCHSECONDS)
- Document Create Date (CPDOCUMENT\_CREATEDDATE\_EPOCHSECONDS)
- File Type (IMPORTMAGICEXTENSION)

### To add a field

1. On the Administration dashboard, click the **Settings** panel.  
The Settings page opens.
2. On the General tab, click **Fields**.  
The Rule Builder page opens.
3. Under Details, click **Add**.  
The Add New Field dialog box appears.
4. Enter a **Display Name** for the field, click the **Field** box, and then select an IDOL field from the list.
5. Click **Save**.  
The rule appears in the Rule Builder Fields list.

## Policy templates

You can use a policy template to store a partial policy definition that you can then use to create a policy. Templates are useful when you need several similar policies. For example, several disposal policies have different disposal dates or declaration policies with different target repositories. Any mandatory parameters that are not supplied in a template must be provided in the policy you build using that template.

You can store as much or as little information as required in a policy template. At minimum, you must store the template name.

You use a default template, or create or modify your templates on the Administration dashboard under **Template Management**.

## Default templates

The following templates are available by default.

- **Archive.** Archives and stubs a file.
- **Declare to.** Copies items to a target location.
- **Delete Archive.** Deletes Archive items.
- **Delete with review.** Sends items for review, and then deletes them if approved.
- **Delete without review.** Deletes items without first sending them for review.
- **Retain in place.** Holds items in their current locations.

## Create a policy template

You create a policy template from the Administration dashboard.

### Before you begin

If you plan to create a Declare in Place policy template, ensure that you have a document store set up because you will need it when creating the template. For more information, see [Set up a document store for Declare in Place policies, on page 105](#).

### To create a policy template

1. On the **Administration** dashboard, click **Template Management**.  
The Template Management page opens.
2. Click **+**.
3. In the **Details** section, enter or select the following information:
  - **Name** of the template
  - **Description** is an optional description of the policy template
  - **Phases.** Specify a list of policy execution phases.
    - To specify one or more policy phases, click **Add**.
    - To group several policy phases together to run simultaneously, hover over the policy phase and click . Select an item to group with this item.
    - To assign a different order to the policy phase sequence, hover over a policy phase and drag the entry to a new position.

<b>Action</b>	One of the following actions applied to the content when this phase executes: <ul style="list-style-type: none"><li>• <b>Apply Lua Script.</b> Applies the specified Lua script to the item.</li></ul>
---------------	--

- **Lua Script:** Specify the Lua script to apply
- **Declare.** Copies or moves the item to the named location. No conflicts will occur.
  - **Target Locations:** Select the target location to which the policy action declares, copies, or moves documents.
  - **Source File Action:** Select one of the three possible actions for the source files:
    - **Leave** Creates a copy in the target location and the original file remains in the source repository.
    - **Remove** Moves the file from the source repository to the target location.
    - **Link Shortcut** Moves the file from the source repository to the target location and a shortcut remains in the source repository.
- **Declare in Place.** Uses the Content Manager Manage in Place feature: ControlPoint sends an item to Content Manager with additional metadata, and then Content Manager issues a connector hold action on the item in its original location.
  - **Target Locations:** Select the target location to which the policy action declares, copies, or moves documents.
  - **Content Manager Document Store Name:** Specify the case-sensitive name of the document store. You can find the name as follows:
    - a. Open the Content Manager client.
    - b. On the **Administration** tab, click **Document Stores**.
    - c. In the list of document stores, locate the name of the one with a **Type of Manage in Place** and whose **Configuration Information** contains information to the corresponding SharePoint connector, such as the URL to it.

**TIP:** To view **Configuration Information** for a particular document store, double-click the item's name to open the Document Store dialog box. The **Configuration Information** field is on the **Manage in Place** tab.
  - **Content Manager Record Type:** Specify the case-sensitive record type. To determine this value:
    - a. On the **Administration** tab of the Content Manager client, in the **Search for** list, click **Origins**.
    - b. In the list of origins, open the one that matches the **Origin Name** specified in ControlPoint for the policy's target.

	<p>c. In the Origin dialog box, click <b>Defaults</b>, and locate the <b>Record Type</b> value.</p> <ul style="list-style-type: none"> <li>• <b>Dispose</b>. Removes the document from the repository.</li> <li>• <b>Hold</b>. Places a hold on the document in its current location.</li> <li>• <b>No Action</b>. Performs no action on the document.</li> <li>• <b>Release Hold</b>. Releases a hold on the document. <ul style="list-style-type: none"> <li>◦ <b>Hold to be released</b>: Select the name of the policy that placed the hold to be released.</li> </ul> </li> <li>• <b>Secure</b>. Secures the item in a target location. Any conflicts are detected and prevent the item from being copied or moved. <ul style="list-style-type: none"> <li>◦ <b>Target Locations</b>: Select the target location to which the policy action declares, copies, or moves documents.</li> <li>◦ <b>Source File Action</b>: Select one of the following actions to perform on any source file that matches this phase: <ul style="list-style-type: none"> <li>▪ <b>Leave</b>. Creates a copy in the target location and the original file remains in the source repository.</li> <li>▪ <b>Remove</b>. Moves the file from the source repository to the target location.</li> <li>▪ <b>Link Shortcut</b>. Moves the file from the source repository to the target location and a shortcut remains in the source repository. Applies to File System target locations only.</li> </ul> </li> </ul> </li> <li>• <b>Tag Item</b>. Tags the document in IDOL with the defined field and value. <ul style="list-style-type: none"> <li>◦ <b>Tag Name</b>: Specify the name of the tag to add to the metadata index for a file. Note that ControlPoint prefaces the tag name in the index with CP_TAGNAME_. The only valid characters in the name are letters, numbers, and underscores (_).</li> <li>◦ <b>Tag Value</b>: Specify the tag's value.</li> <li>◦ <b>Multi-valued tag</b>: Specify whether the tag supports multiple values.</li> </ul> </li> <li>• <b>Update</b>. Updates a property on an item with the specified value. <ul style="list-style-type: none"> <li>◦ <b>Property Name</b>: Specify the name of the property to be updated, such as <b>Title for SharePoint document</b>.</li> <li>◦ <b>Property Value</b>: Specify the property's value.</li> </ul> </li> </ul>
<b>Name</b>	Name of the new phase.
<b>Policy Review</b>	Specifies whether items must be reviewed before ControlPoint executes the associated Action. You can use the following values:

	<ul style="list-style-type: none"> <li>• <b>System Default</b> (default)</li> <li>• <b>Review</b> This option ensures that ControlPoint only applies the policy action after approval by an authorized user.</li> <li>• <b>No Review</b></li> </ul>
<b>Execution Rules</b>	<p>The criteria that the content must meet for ControlPoint to apply the associated Action.</p> <ul style="list-style-type: none"> <li>• <b>Add Criteria</b></li> <li>• <b>Begin Group</b> This option creates a group of conditions and specifies whether <i>all</i>, <i>any</i>, or <i>none</i> must be met. Click the down arrow to select an option.</li> <li>• <b>Repository Create Date</b></li> <li>• <b>Repository Last Modified Date</b></li> <li>• <b>Document Create Date</b></li> <li>• <b>File Type</b></li> </ul>

- In the **Settings** section, specify the following options.
  - **Assign Policy** selects whether to enable the policy for assignment, and specifies when it will be available for assignment using the Date Options field.
  - **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
  - **Schedule Plan** selects how frequently ControlPoint checks the policy for items to execute. The default values are:
    - **High** every 10 minutes
    - **Normal** every four hours. The default is Normal.
    - **Low** every 24 hours

See [Schedule plans, on page 185](#) for more details.
  - **Compliance Policy** selects whether to include the policy in the Overall Compliance metric for Managed repositories.
  - **Priority** determines the priority of the policy that ControlPoint uses during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)
- (Optional) In the **Properties** section, click **Add** to associate any properties and values that are appropriate for the policy. The properties are defined in **Administration > Settings > General > Properties**.
- (Optional) In the **Assign To** section, click **Add** to select one or more IDOL categories. The policy will be assigned content associated with the selected categories.
- Click **Save**.

## Edit a policy template

You can edit a policy template.

### Before you begin

If you plan to change a Declare in Place policy template's document store, ensure that the new store is already set up because you will need it when editing the template. For more information, see [Set up a document store for Declare in Place policies, on page 105](#).

### To edit a policy template

1. On the **Administration** dashboard, click **Template Management**.

The Template Management page opens.

2. Select a policy template panel.

The Edit Policy Template page opens.

3. In the **Details** section, edit or select the following information:

- **Name** of the template
- **Description** is an optional description of the policy template
- **Phases**. Specify a list of policy execution phases.
  - To specify one or more policy phases, click **Add**.
  - To group several policy phases together to run simultaneously, hover over the policy phase and click . Select an item to group with this item.
  - To assign a different order to the policy phase sequence, hover over a policy phase and drag the entry to a new position.

<b>Action</b>	<p>One of the following actions applied to the content when this phase executes:</p> <ul style="list-style-type: none"><li>• <b>Apply Lua Script</b>. Applies the specified Lua script to the item.<ul style="list-style-type: none"><li>◦ <b>Lua Script</b>: Specify the Lua script to apply</li></ul></li><li>• <b>Declare</b>. Copies or moves the item to the named location. No conflicts will occur.<ul style="list-style-type: none"><li>◦ <b>Target Locations</b>: Select the target location to which the policy action declares, copies, or moves documents.</li><li>◦ <b>Source File Action</b>: Select one of the three possible actions for the source files:<ul style="list-style-type: none"><li>■ <b>Leave</b> Creates a copy in the target location and the original file remains in the source repository.</li></ul></li></ul></li></ul>
---------------	--

- **Remove** Moves the file from the source repository to the target location.
  - **Link Shortcut** Moves the file from the source repository to the target location and a shortcut remains in the source repository.
  - **Declare in Place.** Uses the Content Manager Manage in Place feature: ControlPoint sends an item to Content Manager with additional metadata, and then Content Manager issues a connector hold action on the item in its original location.
    - **Target Locations:** Select the target location to which the policy action declares, copies, or moves documents.
    - **Content Manager Document Store Name:** Specify the case-sensitive name of the document store. You can find the name as follows:
      - a. Open the Content Manager client.
      - b. On the **Administration** tab, click **Document Stores**.
      - c. In the list of document stores, locate the name of the one with a **Type** of **Manage in Place** and whose **Configuration Information** contains information to the corresponding SharePoint connector, such as the URL to it.
- TIP:** To view **Configuration Information** for a particular document store, double-click the item's name to open the Document Store dialog box. The **Configuration Information** field is on the **Manage in Place** tab.
- **Content Manager Record Type:** Specify the case-sensitive record type. To determine this value:
    - a. On the **Administration** tab of the Content Manager client, in the **Search for** list, click **Origins**.
    - b. In the list of origins, open the one that matches the **Origin Name** specified in ControlPoint for the policy's target.
    - c. In the Origin dialog box, click **Defaults**, and locate the **Record Type** value.
  - **Dispose.** Removes the document from the repository.
  - **Hold.** Places a hold on the document in its current location.
  - **No Action.** Performs no action on the document.
  - **Release Hold.** Releases a hold on the document.
    - **Hold to be released:** Select the name of the policy that placed the hold to be released.
  - **Secure.** Secures the item in a target location. Any conflicts are detected and

	<p>prevent the item from being copied or moved.</p> <ul style="list-style-type: none"> <li>○ <b>Target Locations:</b> Select the target location to which the policy action declares, copies, or moves documents.</li> <li>○ <b>Source File Action:</b> Select one of the following actions to perform on any source file that matches this phase: <ul style="list-style-type: none"> <li>■ <b>Leave.</b> Creates a copy in the target location and the original file remains in the source repository.</li> <li>■ <b>Remove.</b> Moves the file from the source repository to the target location.</li> <li>■ <b>Link Shortcut.</b> Moves the file from the source repository to the target location and a shortcut remains in the source repository. Applies to File System target locations only.</li> </ul> </li> <li>● <b>Tag Item.</b> Tags the document in IDOL with the defined field and value. <ul style="list-style-type: none"> <li>○ <b>Tag Name:</b> Specify the name of the tag to add to the metadata index for a file. Note that ControlPoint prefaces the tag name in the index with CP_TAGNAME_. The only valid characters in the name are letters, numbers, and underscores (_).</li> <li>○ <b>Tag Value:</b> Specify the tag's value.</li> <li>○ <b>Multi-valued tag:</b> Specify whether the tag supports multiple values.</li> </ul> </li> <li>● <b>Update.</b> Updates a property on an item with the specified value. <ul style="list-style-type: none"> <li>○ <b>Property Name:</b> Specify the name of the property to be updated, such as <b>Title for SharePoint document</b>.</li> <li>○ <b>Property Value:</b> Specify the property's value.</li> </ul> </li> </ul>
<b>Name</b>	Name of the new phase.
<b>Policy Review</b>	<p>Specifies whether items must be reviewed before ControlPoint executes the associated Action. You can use the following values:</p> <ul style="list-style-type: none"> <li>● <b>System Default</b> (default)</li> <li>● <b>Review</b> This option ensures that ControlPoint only applies the policy action after approval by an authorized user.</li> <li>● <b>No Review</b></li> </ul>
<b>Execution Rules</b>	<p>The criteria that the content must meet for ControlPoint to apply the associated Action.</p> <ul style="list-style-type: none"> <li>● <b>Add Criteria</b></li> <li>● <b>Begin Group</b> This option creates a group of conditions and specifies whether <i>all</i>, <i>any</i>, or <i>none</i> must be met. Click the down arrow to select an option.</li> </ul>

	<ul style="list-style-type: none"><li>• <b>Repository Create Date</b></li><li>• <b>Repository Last Modified Date</b></li><li>• <b>Document Create Date</b></li><li>• <b>File Type</b></li></ul>
--	---

4. In the **Settings** section, specify the following options.
  - **Assign Policy** selects whether to enable the policy for assignment, and specifies when it will be available for assignment using the Date Options field.
  - **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
  - **Schedule Plan** selects how frequently ControlPoint checks the policy for items to execute. The default values are:
    - **High** every 10 minutes
    - **Normal** every four hours. The default is Normal.
    - **Low** every 24 hoursSee [Schedule plans, on page 185](#) for more details.
  - **Compliance Policy** selects whether to include the policy in the Overall Compliance metric for Managed repositories.
  - **Priority** determines the priority of the policy that ControlPoint uses during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)
5. (*Optional*) In the **Properties** section, click **Add** to associate any properties and values that are appropriate for the policy. The properties are defined in **Administration > Settings > General > Properties**.
6. (*Optional*) In the **Assign To** section, click **Add** to select one or more IDOL categories. The policy will be assigned content associated with the selected categories.
7. Click **Save**.

## Create a policy from a template

You can create a new policy from an existing policy template. A template provides some or all of the policy definition. You must provide any missing values in the policy definition.

### To create a new policy from a policy template

1. On the **Policies** dashboard, click **+**.  
The Add Policy dialog box opens.
2. Select a template from the **Template** list, and then click **Continue**.

The Add New Policy page opens.

3. In the **Details** section, specify the following information:
  - **Name** of the policy
  - **Description** for the policy
  - **Phases**. Specify a list of policy execution phases.
    - To specify one or more policy phases, click **Add**.
    - To group several policy phases together to run simultaneously, hover over the policy phase and click . Select an item to group with this item.
    - To assign a different order to the policy phase sequence, hover over a policy phase and drag the entry to a new position.
4. (*Optional*) In the **Settings** section, specify the following options.
  - **Assign Policy**
  - **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
  - **Schedule Plan**
  - **Compliance Policy**
  - **Priority** determines the priority of the policy. The policy with the highest priority executes on a document. The highest level of priority is 100. ControlPoint uses this priority during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)
5. (*Optional*) In the **Properties** section, click **Add** to associate any properties and values that are appropriate for the policy.
6. Click **Save**.

The policy is saved.

## Create a policy

For special cases, you can create a policy without using a policy template.

### Before you begin

If you plan to create a Declare in Place policy, ensure that you have a document store set up because you will need it when creating the policy. For more information, see [Set up a document store for Declare in Place policies, on page 105](#).

### To create a policy

1. On the **Policies** dashboard, click **+**.

The Add Policy dialog box opens.

2. Select **Blank (default)** from the Template list.
3. Click **Continue**.

The Add New Policy page opens.

4. In the **Details** section, specify the following information:
  - **Name** of the policy
  - **Description** for the policy
  - **Phases**. Specify a list of policy execution phases.
    - To specify one or more policy phases, click **Add**.
    - To group several policy phases together to run simultaneously, hover over the policy phase and click . Select an item to group with this item.
    - To assign a different order to the policy phase sequence, hover over a policy phase and drag the entry to a new position.

<b>Action</b>	One of the following actions applied to the content when this phase executes: <ul style="list-style-type: none"><li>◦ <b>Apply Lua Script</b>. Applies the specified Lua script to the item.<ul style="list-style-type: none"><li>■ <b>Lua Script</b>: Specify the Lua script to apply</li></ul></li><li>◦ <b>Declare</b>. Copies or moves the item to the named location. No conflicts will occur.<ul style="list-style-type: none"><li>■ <b>Target Locations</b>: Select the target location to which the policy action declares, copies, or moves documents.</li><li>■ <b>Source File Action</b>: Select one of the three possible actions for the source files:<ul style="list-style-type: none"><li>• <b>Leave</b> Creates a copy in the target location and the original file remains in the source repository.</li><li>• <b>Remove</b> Moves the file from the source repository to the target location.</li><li>• <b>Link Shortcut</b> Moves the file from the source repository to the target location and a shortcut remains in the source repository.</li></ul></li></ul></li><li>◦ <b>Declare in Place</b>. Uses the Content Manager Manage in Place feature: ControlPoint sends an item to Content Manager with additional metadata, and then Content Manager issues a connector hold action on the item in its original location.<ul style="list-style-type: none"><li>■ <b>Target Locations</b>: Select the target location to which the policy action declares, copies, or moves documents.</li><li>■ <b>Content Manager Document Store Name</b>: Specify the case-sensitive name of the document store. You can find the name as follows:</li></ul></li></ul>
---------------	--

- a. Open the Content Manager client.
- b. On the **Administration** tab, click **Document Stores**.
- c. In the list of document stores, locate the name of the one with a **Type** of **Manage in Place** and whose **Configuration Information** contains information to the corresponding SharePoint connector, such as the URL to it.

**TIP:** To view **Configuration Information** for a particular document store, double-click the item's name to open the Document Store dialog box. The **Configuration Information** field is on the **Manage in Place** tab.

- **Content Manager Record Type:** Specify the case-sensitive record type. To determine this value:

- a. On the **Administration** tab of the Content Manager client, in the **Search for** list, click **Origins**.
- b. In the list of origins, open the one that matches the **Origin Name** specified in ControlPoint for the policy's target.
- c. In the Origin dialog box, click **Defaults**, and locate the **Record Type** value.

- **Dispose.** Removes the document from the repository.
- **Hold.** Places a hold on the document in its current location.
- **No Action.** Performs no action on the document.
- **Release Hold.** Releases a hold on the document.
  - **Hold to be released:** Select the name of the policy that placed the hold to be released.
- **Secure.** Secures the item in a target location. Any conflicts are detected and prevent the item from being copied or moved.
  - **Target Locations:** Select the target location to which the policy action declares, copies, or moves documents.
  - **Source File Action:** Select one of the following actions to perform on any source file that matches this phase:
    - **Leave.** Creates a copy in the target location and the original file remains in the source repository.
    - **Remove.** Moves the file from the source repository to the target location.
    - **Link Shortcut.** Moves the file from the source repository to the target location and a shortcut remains in the source repository. Applies to File System target locations only.

	<ul style="list-style-type: none"> <li>○ <b>Tag Item.</b> Tags the document in IDOL with the defined field and value. <ul style="list-style-type: none"> <li>■ <b>Tag Name:</b> Specify the name of the tag to add to the metadata index for a file. Note that ControlPoint prefaces the tag name in the index with CP_TAGNAME_. The only valid characters in the name are letters, numbers, and underscores (_).</li> <li>■ <b>Tag Value:</b> Specify the tag's value.</li> <li>■ <b>Multi-valued tag:</b> Specify whether the tag supports multiple values.</li> </ul> </li> <li>○ <b>Update.</b> Updates a property on an item with the specified value. <ul style="list-style-type: none"> <li>■ <b>Property Name:</b> Specify the name of the property to be updated, such as <b>Title for SharePoint document</b>.</li> <li>■ <b>Property Value:</b> Specify the property's value.</li> </ul> </li> </ul>
<b>Name</b>	Name of the new phase.
<b>Policy Review</b>	<p>Specifies whether items must be reviewed before ControlPoint executes the associated Action. You can use the following values:</p> <ul style="list-style-type: none"> <li>○ <b>System Default</b> (default)</li> <li>○ <b>Review</b> This option ensures that ControlPoint only applies the policy action after approval by an authorized user.</li> <li>○ <b>No Review</b></li> </ul>
<b>Execution Rules</b>	<p>The criteria that the content must meet for ControlPoint to apply the associated Action.</p> <ul style="list-style-type: none"> <li>○ <b>Add Criteria</b></li> <li>○ <b>Begin Group</b> This option creates a group of conditions and specifies whether <i>all</i>, <i>any</i>, or <i>none</i> must be met. Click the down arrow to select an option.</li> <li>○ <b>Repository Create Date</b></li> <li>○ <b>Repository Last Modified Date</b></li> <li>○ <b>Document Create Date</b></li> <li>○ <b>File Type</b></li> </ul>

5. In the **Settings** section, specify the following options:

- **Assign Policy** selects whether to enable the policy for assignment, and specifies when it will be available for assignment using the Date Options field.
- **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
- **Schedule Plan** selects how frequently ControlPoint checks the policy for items to execute. The default values are:

- **High** runs every 10 minutes
- **Normal** runs every four hours. The default is Normal.
- **Low** runs every 24 hours

See [Schedule plans, on page 185](#) for more details.

- **Compliance Policy** selects whether to include the policy in the Overall Compliance metric for Managed repositories.
  - **Priority** determines the priority of the policy, which ControlPoint uses during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)
  - **Policy Approver Email Address** selects the email address of the policy approvers to be notified about the review before the policy execution.
  - **Temp location** defines the shared network directory that is used for storing temporary files for Secure, Declare, or Declare in Place policy phases. For more information, see [Define a temporary location for each policy, on page 62](#)
6. (*Optional*) In the **Properties** section, click **Add** to associate any properties and values that are appropriate for the policy.
  7. (*Optional*) In the **Assign To** section, click **Add** to select IDOL categories. The policy will be assigned content associated with the selected categories.
  8. When you finish adding phases, click **OK**.

## Edit a policy

You can change the settings for a local policy from the Policies page.

### Before you begin

If you plan to change a Declare in Place policy's document store, ensure that the new store is already set up because you will need it when editing the policy. For more information, see [Set up a document store for Declare in Place policies, on page 105](#).

### To edit a policy

1. On the **Policies** dashboard, select a policy panel and click the menu icon (☰).  
The Edit Policy page opens.
2. In the **Details** section, change the following information as required.
  - **Name** of the policy
  - **Description** of the policy
  - **Phases**. Specify a list of policy execution phases or click the edit icon (✎) to edit a policy phase.

- To specify one or more policy phases, click **Add**.
- To group several policy phases together to run simultaneously, hover over the policy phase and click . Select an item to group with this item.
- To assign a different order to the policy phase sequence, hover over a policy phase and drag the entry to a new position.

<b>Action</b>	<p>One of the following actions applied to the content when this phase executes:</p> <ul style="list-style-type: none"><li>• <b>Apply Lua Script.</b> Applies the specified Lua script to the item.<ul style="list-style-type: none"><li>◦ <b>Lua Script:</b> Specify the Lua script to apply</li></ul></li><li>• <b>Declare.</b> Copies or moves the item to the named location. No conflicts will occur.<ul style="list-style-type: none"><li>◦ <b>Target Locations:</b> Select the target location to which the policy action declares, copies, or moves documents.</li><li>◦ <b>Source File Action:</b> Select one of the three possible actions for the source files:<ul style="list-style-type: none"><li>■ <b>Leave</b> Creates a copy in the target location and the original file remains in the source repository.</li><li>■ <b>Remove</b> Moves the file from the source repository to the target location.</li><li>■ <b>Link Shortcut</b> Moves the file from the source repository to the target location and a shortcut remains in the source repository.</li></ul></li></ul></li><li>• <b>Declare in Place.</b> Uses the Content Manager Manage in Place feature: ControlPoint sends an item to Content Manager with additional metadata, and then Content Manager issues a connector hold action on the item in its original location.<ul style="list-style-type: none"><li>◦ <b>Target Locations:</b> Select the target location to which the policy action declares, copies, or moves documents.</li><li>◦ <b>Content Manager Document Store Name:</b> Specify the case-sensitive name of the document store. You can find the name as follows:<ol style="list-style-type: none"><li>a. Open the Content Manager client.</li><li>b. On the <b>Administration</b> tab, click <b>Document Stores</b>.</li><li>c. In the list of document stores, locate the name of the one with a <b>Type of Manage in Place</b> and whose <b>Configuration Information</b> contains information to the corresponding SharePoint connector, such as the URL to it.</li></ol></li></ul></li></ul> <p><b>TIP:</b> To view <b>Configuration Information</b> for a particular document store, double-click the item's name to open the Document Store dialog box. The <b>Configuration Information</b> field in on the <b>Manage</b></p>
---------------	---

**in Place** tab.

- **Content Manager Record Type:** Specify the case-sensitive record type. To determine this value:
  - a. On the **Administration** tab of the Content Manager client, in the **Search for** list, click **Origins**.
  - b. In the list of origins, open the one that matches the **Origin Name** specified in ControlPoint for the policy's target.
  - c. In the Origin dialog box, click **Defaults**, and locate the **Record Type** value.
- **Dispose.** Removes the document from the repository.
- **Hold.** Places a hold on the document in its current location.
- **No Action.** Performs no action on the document.
- **Release Hold.** Releases a hold on the document.
  - **Hold to be released:** Select the name of the policy that placed the hold to be released.
- **Secure.** Secures the item in a target location. Any conflicts are detected and prevent the item from being copied or moved.
  - **Target Locations:** Select the target location to which the policy action declares, copies, or moves documents.
  - **Source File Action:** Select one of the following actions to perform on any source file that matches this phase:
    - **Leave.** Creates a copy in the target location and the original file remains in the source repository.
    - **Remove.** Moves the file from the source repository to the target location.
    - **Link Shortcut.** Moves the file from the source repository to the target location and a shortcut remains in the source repository. Applies to File System target locations only.
- **Tag Item.** Tags the document in IDOL with the defined field and value.
  - **Tag Name:** Specify the name of the tag to add to the metadata index for a file. Note that ControlPoint prefaces the tag name in the index with CP\_TAGNAME\_. The only valid characters in the name are letters, numbers, and underscores (\_).
  - **Tag Value:** Specify the tag's value.
  - **Multi-valued tag:** Specify whether the tag supports multiple values.
- **Update.** Updates a property on an item with the specified value.

	<ul style="list-style-type: none"> <li>○ <b>Property Name:</b> Specify the name of the property to be updated, such as <b>Title for SharePoint document</b>.</li> <li>○ <b>Property Value:</b> Specify the property's value.</li> </ul>
<b>Name</b>	Name of the new phase.
<b>Policy Review</b>	<p>Specifies whether items must be reviewed before ControlPoint executes the associated Action. You can use the following values:</p> <ul style="list-style-type: none"> <li>• <b>System Default</b> (default)</li> <li>• <b>Review</b> This option ensures that ControlPoint only applies the policy action after approval by an authorized user.</li> <li>• <b>No Review</b></li> </ul>
<b>Execution Rules</b>	<p>The criteria that the content must meet for ControlPoint to apply the associated Action.</p> <ul style="list-style-type: none"> <li>• <b>Add Criteria</b></li> <li>• <b>Begin Group</b> This option creates a group of conditions and specifies whether <i>all</i>, <i>any</i>, or <i>none</i> must be met. Click the down arrow to select an option.</li> <li>• <b>Repository Create Date</b></li> <li>• <b>Repository Last Modified Date</b></li> <li>• <b>Document Create Date</b></li> <li>• <b>File Type</b></li> </ul>

3. In the **Settings** section, change the following options as required.
  - **Assign Policy** selects whether to enable the policy for assignment, and specifies when it will be available for assignment using the Date Options field.
  - **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
  - **Compliance Policy** selects whether to include the policy in the Overall Compliance metric for repositories.
  - **Priority** determines the priority of the policy that ControlPoint uses during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)
4. (Optional) In the **Properties** section, edit any existing properties or values, or click **Add** to add new ones.
5. (Optional) In the **Assign To** section, edit any IDOLcategories, or click **Add** to select new ones.
6. Click **Save**.

Changes to some policy settings affect the documents to which ControlPoint previously applied the policy.

Policy Setting	Effect
Execute Policy	If you deactivate a policy (that is, change the setting from <i>Yes</i> to <i>No</i> ), ControlPoint does not execute it again until you reactivate it.  If the policy was previously active, the action taken by the policy remains.
Phases	If you add a new policy phase, it applies to all items that meet the rules associated with the policy from the time you add it.  The new phase does not apply to existing items that ControlPoint applied the previous phases to.
Execution Rules	Documents must meet the new rules for ControlPoint to apply the action associated with the policy.  The new rules do not change existing documents that ControlPoint previously assigned to the policy.
Categories	ControlPoint applies the policy to documents in the current category list.  The policy association remains for documents in other categories that the policy previously applied to.

## Create an Archive policy

You can create a new Archive policy from an existing Archive policy template. A template provides some or all of the policy definition. You must provide any missing values in the policy definition.

### To create a new Archive policy from the Archive policy template

1. On the **Policies** dashboard, click **+**.  
The Add Policy dialog box opens.
2. Select **Archive (Archives items)** from the Template list, and then click **Continue**.  
The Add New Policy page opens.
3. In the **Details** section, specify the following information:
  - **Name** of the policy
  - **Description** for the policy
  - **Archive Location** of the items to be archived.

**NOTE:** This target location is defined in **Administration -> Target Locations**. See [Overview, on page 134](#).

4. In the **Execution Rules** section, specify the criteria that the content must meet for ControlPoint

to apply the associated Action.

- **Add Criteria**
- **Begin Group** creates a group of conditions and specifies whether *all*, *any*, or *none* must be met.
- **Repository Create Date**
- **Repository Last Modified Date**
- **Document Create Date**
- **File Type**

5. In the **Settings** section, specify the following options.

- **Execute Policy** selects whether the ControlPoint Engine checks the policy for items to execute.
- **Priority** determines the priority of the policy. The policy with the highest priority executes on a document. The highest level of priority is 100. ControlPoint uses this priority during automatic conflict resolution. See [Automatically resolve conflicts, on page 90](#)

6. (*Optional*) In the **Properties** section, click **Add** to associate any properties and values that are appropriate for the policy.

7. Click **Save**.

## Delete Archive policy

There are two ways of applying a Delete Archive Policy. You can create a new repository or you can edit an existing archive repository.

### Apply a Delete Archive policy while creating a new repository

1. Create a new **Delete Archive Policy**.
2. Create a new repository and select the **Edge File System Connector** from the list of connectors.
3. From the settings, select the newly created Delete Archive Policy.
4. Execute the policy.

### Apply a Delete Archive policy while editing an archive repository

1. Create a new **Delete Archive Policy**.
2. Edit the existing archive repository.
3. From the settings, add the newly created Delete Archive Policy along with the existing archive policy.
4. Execute the policies.

## Search policies

If you have a large number of policies, you can use the Policies dashboard to sort and to filter the policy list to find the policies that you want. To sort and filter, you must configure custom properties that apply to policies. See [Custom properties, on page 92](#).

### **To sort the policy list**

1. Configure one or more custom properties that apply to policies. See [Create a custom property, on page 92](#).
2. On the Policies dashboard, select one of the criteria from the **Sort By** list.  
The policies are sorted by the selected criteria.

### **To filter the policy list**

1. Configure one or more custom properties to apply to policies. See [Create a custom property, on page 92](#).  
The properties appear on the left of the menu bar of the Policy dashboard.
2. Select a value from one or more property filters.  
The policy list is filtered to display only the policies that have matching property values.  
Filters are cumulative, so you can filter by one property, for example, *Department*, and then filter the list by another property, such as *Region*, and so on.

### **To filter the policy list by schedule plan**

- On the Policies dashboard, select a Schedule Plan from the list.  
The policies are sorted by the selected schedule plan.

### **To filter the repository list by text**

1. On the Policies dashboard, click .  
A Filter dialog box opens.
2. Enter text in the **Filter** box, and then click **Filter**.  
The policy list updates.

## Apply policies

You can apply policies to documents in ControlPoint either manually or you can set up an automatic process to apply policies.

### Apply policies automatically

You can automatically apply a policy by associating it with one or more server categories, either when you create the policy or when you edit it.

After you set up category associations, a scheduled task assigns policies to documents by category association. By default, this task executes every hour. You can change this frequency from the **Schedule Management** page that is accessible from the Administration dashboard.

You can also control policy assignment and execution at the repository level. Automatic policy assignment only applies to Managed repositories. To specify whether repositories support automatic policy assignment and execution, edit the repository, select the appropriate options, and then change the status to Managed.

## Apply policies manually

You can apply policies to documents manually from any file list.

### To apply a policy manually

1. Select one or more files to apply a policy to, and then click .
2. A policy list opens, including all active and inactive policies.
3. Select one or more policies to apply to the documents, and then click **Apply**.

ControlPoint applies the policies to the documents.

## Re-evaluate policy assignment based on category changes

Upon creating a new category, a policy associated with the new category, and a repository in the Managed state, you can run the Assign Policy scheduled task to assign the policy to documents based on the category matches. See [Assign policies, on page 60](#) and [Default scheduled tasks, on page 183](#).

### Remove Policy Assignment scheduled task

When you need to change the category definition so that the new category matches a different set of files and you have assigned a policy based on the previous category definition, you run the Remove Policy Assignment scheduled task. It removes the policy assignments, based on the previous definitions, according to the following conditions:

- Documents are unassigned from the policy if the documents matching the previous category have not gone into the Executing state.

After you remove the policy assignment from documents using the Remove Policy Assignment scheduled task:

- You must wait 24 hours to use the Assign Policy scheduled task to assign the same policy to the same document again.

**NOTE:** This limitation is to avoid documents being repeatedly assigned to the same policy based on category.

- You can still manually assign the same policy to the same document by using the ControlPoint dashboard.

## Expected behaviors

Consider the following interactions of the Remove Policy Assignment on different repository types.

1. If the repository type is **Content**, after you change the category definition:
  - a. Run the Assign Policies task. This assigns the policy to documents that match the current category definition and does not match the previous category definition.
  - b. Run the Remove Policy Assignment task after at least five (5) minutes. This removes the policy assignment from all documents that match the previous category definition.
  - c. Run the Assign Policies task. This assigns the policy to the documents that were excluded in step 1a, which are documents that match both current and previous category definitions.

### For example:

- Assume that an original category definition matches Documents A, B and C. Documents A, B, and C are assigned with a policy associated with the category.
- An updated category definition matches Document B, C and D.
- All documents are still in the Policy Assigned state.

### Results

- Step 1a would assign to D.
- Step 1b would remove the policy from Documents A, B and C.
- Step 1c would assign to B, C.

**NOTE:** This scenario also applies to Content repositories whose categories are trained by the following means:

- Boolean training text
- Training text
- Boolean training text and field text
- Training text and field text.

2. If the repository type is **Repository Metadata Only** or **Metadata Only**, after you change the category definition:
  - a. Run the Assign Policies task. This assigns the policy to documents that match the current category definition, regardless of whether the documents match previous category definitions.
  - b. Run the Remove Policy Assignment task after at least five (5) minutes. This removes the policy assignment from documents that match the previous category definition and does not match the new category definition.

### For example:

- Assume that an original category definition matches Documents A, B, and C. Documents A, B, and C are assigned with a policy associated with the category.

- An updated category definition matches Document B, C and D.
- All documents are still in Policy Assigned state.

#### Results

- Step 2a would assign to D.
- Step 2b would remove the policy from A.

**NOTE:** This scenario also applies to Content repositories whose categories are trained by the following means:

- Field text

## Limitations

- After you change the category definition, you must run the Assign Policies scheduled task once before you can run the Remove Policy Assignment scheduled task effectively.

The time interval between running the Assign Policies and Remove Policy Assignment scheduled tasks must be at least five (5) minutes.

- The Remove Policy Assignment scheduled task is based on category versioning, not actual category matches. If you change the category definition such that the new category matches the same set of documents, the scheduled task will still remove the policy assignment because there is a new version of the category.

After 24 hours, you can run the Assign Policy scheduled task to assign the same policy to the document again.

## View policies on items

The ControlPoint Policies dashboard allows you to view:

- A summary of the policy information
- Items that have a particular policy applied. This information can help you evaluate how widely and accurately a policy applies.
- Policies that a particular item belongs to. This information can help you to identify whether a policy has been applied incorrectly or accidentally by a category match or a policy assigner.

## View policy summary

### To view a policy summary

1. On the **Policies** dashboard, double-click a policy.

The Policy Summary page displays the following information:

- **Date** that this version of the policy was published
  - **Items** number
  - **Executing** status
  - **Assigning** status
  - **Schedule Plan** type
  - **Priority** number
  - **Phases** list
  - **Policy Assignment Rate** shows a chart of the number of items that this policy has been assigned to by date
  - **Policy Execution Rate** shows a chart of the number of items that this policy has been executed on to by date
2. To change the granularity of the time axis on the policy activity charts, select an **Interval** option: *Hour, Day, Week, Month, Quarter, Year*.

## View items assigned to a policy

You can view all the items that a policy applies to. You can also apply a filter to view items that have a specific status.

### To view items that are assigned to a particular policy

1. On the **Policies** dashboard, click the policy.  
The Policy summary page opens.
2. Click the **Policy Items** tab.  
The Policy Items page opens, displaying a list of policy items on the right of the page.
3. (Optional) To filter the view of items assigned to a particular policy
  - select one of the policy statuses from the box on the left of the pageOne or more of the following statuses may appear.

Status	Description
Policy Assigned	Items with a policy assigned to them, but whose execution criteria have not been checked.
Policy Executed	Items where the policy has executed.
Executing	Items that are currently being processed by the scheduler.
Awaiting Execution	Items that meet execution criteria, yet have not yet been executed.

Status	Description
Awaiting Review	Items that are ready to execute, but that require review before execution can proceed.
Awaiting Conflict Resolution	Items that are ready to execute, but that require you to resolve a conflict before execution can proceed.
Execution Rules not met	Items that do not meet the policy execution rules.
Execution Rejected	Items that were prevented from executing after review.
Prevented Due to Conflict	Items that were prevented from executing after resolution of a policy conflict.

## View the policies that apply to an item

You can view a list of policies that have been assigned to an individual item, and see their current states.

### To view a list of policies that apply to an item

1. Locate the item in the Repository dashboard view.
2. Select the check box beside the item.
3. Click **Actions > Properties**.  
The Properties dialog box opens.
4. Open the **Policies** tab.

## View summary report of items processed by a policy

You can add a summary report of items processed by a policy to the Document Activity report generated by SQL Server Reporting Services.

**NOTE:** To enable this report, your ControlPoint environment must have SQL Server Reporting Services configured with the ControlPoint data source.

### Before you begin

1. Configure the ControlPoint data source in SQL Server Reporting Services.
2. During the ControlPoint database installation, select **Upload Reports** on the Audit Reports page of the ControlPoint Database Installer wizard.

For more information, see the *ControlPoint Installation Guide*, available from the [Micro Focus ControlPoint documentation site](#).

### To enable the summary report

1. On the Administration dashboard, click **Settings**.  
The Settings page opens.
2. Click the **General** tab.
3. In the Details section, click **Yes** for the **Audit Activity** setting.
4. Specify any other settings as needed.
5. Click **Save**.
6. Navigate to the ControlPoint Reports site, select **English > Document Activity.rdl**.
7. Specify any necessary parameters, such as dates, and click **View Report**.  
The Document Activity report displays a summary report of items processed by a policy.

## Remove policy from an item

You can manually remove a policy from a document if, for example, it was incorrectly or accidentally assigned by a category match or a policy assigner.

### To remove a policy from a document

1. On the **Policies** dashboard, click the policy.  
The Policy summary page opens.
2. Click the **Policy Items** tab.  
The Policy Items page opens, displaying a list of policy items on the right of the page.
3. Select the check box next to the item that you want to remove the policy from.
4. Click **Actions > Remove Policy**.  
If you are removing a policy that was automatically applied by an IDOL category, you can prevent the policy from being reassigned automatically.

# Chapter 5: Policy conflicts

The Conflict Management page, which is accessible through the Administration dashboard, displays policy execution conflicts that ControlPoint encounters as it applies and executes policies against content. The page allows an administrator to define the action to take for each policy conflict scenario encountered and lists each conflict resolution decision that was previously been defined.

- [Overview](#)
- [Policy conflict set](#)
- [Resolve policy conflicts](#)

## Overview

A policy conflict occurs whenever a policy phase is ready to execute on a document and other policies were applied to that document.

ControlPoint automatically reports policy conflicts when it encounters them. When ControlPoint first encounters a conflict, it does not execute the policy for affected documents until the conflict is resolved.

**NOTE:** A Hold policy action is not evaluated for conflicts and always executes.

## Policy conflict set

The *Policy Conflict Set* is the combination of the policy phase that is running on the document (the executing policy), and other policies present on the document (conflicting policies).

For example, Documents A and B have three policies applied to them.

- **Policy1.** Dispose 5 years after creation.
- **Policy2.** Dispose 10 years after creation.
- **Policy3.** Secure Copy 1 year after date of last modification.

If ControlPoint attempts to execute **Policy3** first on document A because it meets the policy execution rule, then the policy conflict set is:

- Executing policy — Policy3
- Conflicting policies — Policy1, Policy2

If ControlPoint attempts to execute **Policy1** first on document B because it meets the policy execution rule, the policy conflict set is:

- Executing policy — Policy1
- Conflicting policies — Policy2, Policy3

## Resolve policy conflicts

You can configure ControlPoint to attempt to automatically resolve conflicts, or you can resolve them manually. There are advantages and disadvantages to each approach.

- Resolving conflicts automatically is fast, but may cause some undesirable resolutions
- Resolving conflicts manually ensures that conflicts are resolved the way you want, but is less efficient and more time-consuming

## Automatically resolve conflicts

You can enable a configuration setting to allow ControlPoint to automatically resolve conflicts based on the priorities of the conflicting policies.

- If the policy trying to execute has a higher priority than all other policies, ControlPoint allows it to execute.
- If the policy has a lower priority than the others, ControlPoint prevents it from executing.
- If the conflicting policies have the same priority, the conflict remains unresolved and you must resolve it manually.

### To enable automatic conflict resolution

1. On the **Administration** dashboard, click **Settings**.
2. The Settings page opens.
3. On the **General** tab, click **Details**.
4. In the **Details** section, change the **Autoresolve Conflicts** option to **Yes**.
5. Click **Save**.

## Manually resolve conflicts

You can manually resolve a policy conflict in two ways:

- **Allow** the Executing Policy phase to execute.
- **Prevent** the Executing Policy phase from executing.

Allowing or preventing a policy phase from executing does not impact the additional policies in the policy conflict set. These policies still execute when the policy execution rules are met.

ControlPoint stores the conflict resolution decision (Allow or Prevent) and automatically applies this resolution to any documents that encounter the same Policy Conflict Set in the future.

### To resolve a policy conflict

1. On the Administration dashboard, click **Conflict Management**.  
The Conflict Management page opens.
2. Select the policy conflict to resolve.  
Unresolved policy conflicts show an Action of **Undefined**.
3. In the menu bar, click **Actions**, and then click **Edit**.
4. If necessary, view the details of the **Executing Policy** and the **Additional Policies** by clicking their names in the relevant sections.
5. Select the required **Action** from the list.  
Available actions are:
  - **Allow**. The Executing Policy is always allowed to execute.
  - **Prevent**. The Executing Policy is prevented from executing.
6. (Optional) Update the automatically generated **Name** and add a **Description** for the current policy conflict.
7. (Optional) Click the policy conflict name to view the documents that match the associated policy conflict set to assist with policy conflict resolution decisions.

## Chapter 6: Custom properties

This section describes how to create custom properties, which you can use to sort and filter repositories and policies.

- [Create a custom property](#)
- [Update the internal configuration of custom columns](#)
- [Add property values to repositories and policies](#)

### Create a custom property

ControlPoint administrators can create custom properties to apply to repositories and policies. These properties allow users to sort and filter large repository and policy lists on the respective dashboards.

For example, you can create a *Region* property with three values, *Americas*, *Europe*, and *Asia*, and then apply the property values to your repositories. On the Repositories dashboard, you can then sort or filter the list by region.

You can filter by multiple properties to further refine your repository or policy list. For example, you can filter by *Region*, and then by a second property, such as *Department*, to identify all IT repositories in the Americas region.

#### To create a custom property

1. On the **Administration** dashboard, click the **Settings** panel.  
The Settings page opens.
2. On the **General** tab, click **Properties**.  
The Properties page opens.
3. In the **Details** section, click **Add**.  
The Add Property dialog box appears.
4. Specify the following information.
  - **Name** is the property name.
  - **Values**. Click **Add** to add as many property values as required.
  - **Availability**. Select whether to enable the property for policies, repositories, or both.
  - **Filtering**. Enable or disable the property for repository and policy list filtering.
5. Click **Save**.  
The property appears in the **Details** list.

## Update the internal configuration of custom columns

Whenever you change the attributes of a custom column, for example, the length of the column, you must perform the following steps.

1. Re-run the following script to update the internal configuration of the custom column.

```
USE ControlPointMetaStore
EXEC MetaStore.ConfigureAddDocument
EXEC MetaStore.ConfigureUpdateDocument
EXEC ControlPointMetadata.ConfigureImportDocument
GO
```

2. Restart the ControlPoint MetaStore service.

## Add property values to repositories and policies

After you create custom properties, you can apply property values when you add or edit repositories or policies. For more information:

- [Add a repository](#)
- [Edit repository settings](#)
- [Create a policy template](#)
- [Create a policy](#)
- [Edit a policy](#)

# Chapter 7: ControlPoint connectors

This section provides information on the supported ControlPoint connectors.

**NOTE:** Both Connector and CFS should be run by users with access to the data that needs to be analyzed. Furthermore, all access rights should be given to users running both these services. This is applicable to all connectors.

- [Security mapping considerations for connectors](#)
- [Mapped security using OmniGroupServer \(OGS\)](#)
- [Enforce connector security](#)
- [ControlPoint Content Manager connector](#)
- [ControlPoint Documentum connector](#)
- [ControlPoint Edge Filesystem connector](#)
- [ControlPoint Exchange Web Service connector](#)
- [ControlPoint File System connector](#)
- [ControlPoint Hadoop connector](#)
- [ControlPoint Notes connector](#)
- [ControlPoint SharePoint Remote connector](#)

## Security mapping considerations for connectors

The Securityinfo returned by Community and used by ControlPoint only contains the user account.

If you are working with files where the permission is assigned by group name, it will not work by default. This is because the IDOL index only stores the group names. When ControlPoint uses the Securityinfo, the user name will not match with the group name, so nothing is returned.

The solution is to use the OmniGroupServer (OGS) to retrieve the security groups. OGS needs to be configured to refresh LDAP and combine on a 24 hour cycle.

For example, configure a task for OGS to refresh LDAP and combine on a 24 hours cycle using the following parameters

```
GroupServerRepeatSecs=86400
GroupServerCycles set to -1 (cycles indefinitely).
```

*Example*

```
[Default]
//Default settings - these can also be set per repository
GroupServerStartTime=now
GroupServerCycles=0
GroupServerRepeatSecs=86400
```

```
GroupServerCaseInsensitive=TRUE
GroupServerMaxDataStoreQueue=5000
GroupServerIncremental=TRUE

[Repositories]
JavaClassPath0=.
JavaClassPath1=./*.jar
JavaClassPath2=E:\Install\Program Files\Micro
Focus\ControlPoint\Commons\dfc/*.jar
JavaMaxMemoryMB=256
JVMLibraryPath=E:\Install\Program Files\Micro
Focus\ControlPoint\Commons\jre\bin\server
//Comma separated list of repositories which are queried when the repository
parameter not specified in action
GroupServerDefaultRepositories=Combine,LDAP,SharePoint2010,Documentum
Number=4
0=SharePoint2010
1=LDAP
2=Combine
3=Documentum

[SharePoint2010]
GroupServerJobType=Connector
ConnectorHost=localhost
ConnectorPort=7024
ConnectorTask=GroupTask

[LDAP]
GroupServerLibrary=ogs_ldap.dll
LDAPServer=localhost
LDAPPort=389
LDAPBase=DC=home,DC=david, DC=local
LDAPType=MAD
LDAPBindMethod=NEGOTIATE
GroupServerCycles=-1

[Combine]
GroupServerJobType=Combine
GroupServerSections=SharePoint2010,LDAP
GroupServerStartDelaySecs=10
GroupServerCycles=-1

[Documentum]
GroupServerLibrary=ogs_java
JavaGroupServerClass=com.autonomy.groupserver.documentum.DocumentumGroupServer
Docbase=MyDocBase
Username=UserName
Password=*****

GroupServerAllUserGroups=AUTONOMY_DOCUMENTUM_GROUP
```

```
GroupServerCycles=-1
GroupServerQueryOp0=StartAfter
GroupServerQueryOpApplyTo0=USER
GroupServerQueryOpParam0=0;\
GroupServerShowAlternativeNames=true
UserNameFields=user_login_name
```

**NOTE:** Copy the `dfc.properties` file to the OGS install folder.

## Mapped security using OmniGroupServer (OGS)

This section details the steps to capture the security groups for various ControlPoint connectors using OmniGroupServer (OGS).

You must configure the following components:

1. **IDOL Server.** You configure the IDOL Server to process the security information contained in each document. You must also configure user security so that IDOL sends user and group information to the front-end application when a user logs in. See [Configure IDOL Server, below](#).
2. **Connector (CFS).** You configure the connector to include security information, Access Control Lists (ACLs) in the documents that are indexed into IDOL Server. You must also add a field to each document that identifies each security type. See [Configure the ControlPoint connector, on the next page](#).
3. **OmniGroupServer (OGS).** You configure OGS to retrieve and then combine connector and NT or LDAP group information. OGS retrieves connector information by sending the SynchronizeGroups action to the connector. OGS extracts NT security information directly from Active Directory. See [Configure OmniGroupServer, on page 98](#).

## Configure IDOL Server

To integrate with the OGS, the IDOL Server must update the specific connector with an OGS Repository (LDAP) along with the OGS Server information.

The following is a sample IDOL configuration file where both the SharePoint and NT (file system) sections are updated with the OGS information.

The required settings are indicated by bold font.

### ControlPoint IDOL.cfg:

```
[NT]
GroupServerHost=OGSHost
GroupServerPort=OGSPort
GroupServerRepository=LDAP
```

```
[LDAP]
LDAPServer=LDAPServerHost
LDAPPort=389
```

```
[SharePoint]
GroupServerHost=OGSHost
GroupServerPort=OGSPort
GroupServerRepository=Combine

[Documentum]
DocumentSecurity=TRUE
GroupServerHost=OGS_Server_HOSTName
GroupServerPort=OGS_PORT (default 4057)
SecurityFieldCSVs=username
DocumentSecurityType=Documentum_V4
CaseSensitiveUserNames=FALSE
CaseSensitiveGroupNames=FALSE
GroupServerPrefixDomain=false
GroupServerOpApplyTo=USER
GroupServerOp=Prepend
GroupServerOpParam=QA\
```

**NOTE:** After specifying these configuration settings, restart the IDOL services.

## Configure the ControlPoint connector

OGS imports the security group information from the connectors by triggering a fetch action called SynchronizeGroups. As long as the connector has the OGS information, which includes the hostname, port, and repository, the connector can upload this information into the OGS Server.

The following are several samples of connector configuration files:

### ControlPoint FileSystem Connector.cfg

```
[Ingestion]
IngestActions=META:ENFORCESECURITY=True,META:CPREPOSITORYTYPEID=3,META:SECURITYTYPE=NT

[FetchTasks]
MappedSecurity=True
GroupServerHost=OGSHost
GroupServerPort=OGSPort
GroupServerRepository=NT

[TaskRepoTest]
IngestActions=
META:ENFORCESECURITY=True,Meta:SECURITYTYPE=NT
,META:CPREPOSITORYTYPEID=3,META:CPINDEXINGTYPE=1,META:AUTN_NO_EXTRACT=true,META:AUTN_CATEGORIZE=false,META:AUTN_EDUCTION=false
```

## ControlPoint Documentum Connector.cfg

### [Default]

GroupServerHost=**OGS\_Server\_HOSTName**  
GroupServerPort=**OGS\_PORT**(default 4057)  
GroupServerRepository=**Documentum**

### [FetchTasks]

**EncryptACLEntries=False**  
**MappedSecurity=True**

### [TaskDocumentumFolder3]

IngestActions=**META:CPREPOSITORYTYPEID=17,META:AUTN\_NO\_EXTRACT=true,META:AUTN\_CATEGORIZE=false,META:AUTN\_EDUCATION=false,META:ENFORCESECURITY=true,META:SECURITYTYPE=Documentum**  
**EncryptACLEntries=False**  
docbase=MyTestRepo  
folderCSVs=/MyTestRepo/FolderOne  
ScheduleStartTime=now  
ScheduleCycles=1  
ScheduleRepeatSecs=3600  
IndexDatabase=DocumentumFolder3

**NOTE:** After specifying these configuration settings, restart the Connector services.

## Configure OmniGroupServer

OmniGroupServer (OGS) extracts the security group information based on the configurations defined for its repositories. Each repository has its security groups imported directly from the servers or through the connectors.

Security groups can be merged using the Combine parameter, as shown in the sample configuration file below. The LDAP groups can be merged with the SharePoint groups, which can be used by ControlPoint to apply security at the repository level.

## ControlPoint OGS.cfg

### [Repositories]

**JavaClassPath0=.**  
**JavaClassPath1=./\*.jar**  
**JavaClassPath2=E:\Install\Program Files\Micro Focuss\ControlPoint\Commons\dfc/\*.jar**  
**JavaMaxMemoryMB=256**  
**JVMLibraryPath=E:\Install\Program Files\Micro Focuss\ControlPoint\Commons\jre\bin\server**  
**GroupServerDefaultRepositories=Combine,LDAP,SharePoint2010,Documentum**  
Number=4  
0=Sharepoint2010  
1=LDAP

**2=Combine**  
**3=Documentum**

```
[LDAP]
GroupServerLibrary=ogs_ldap.dll
LDAPServer=LDAPServerHost
LDAPPort=389
LDAPBase=DC
LDAPType=MAD
LDAPBindMethod=NEGOTIATE
GroupServerAllUserGroups=NT AUTHORITY\AUTHENTICATED USERS
GroupServerCycles=-1
UseDomainPrefix=True
DomainPrefix=DOMAINPREFIX
```

```
[Sharepoint2010]
GroupServerLibrary=ogs_text.dll
GroupServerIncremental=TRUE
Textfile=SharePoint2010GS.txt
ConnectorHost=SharePointConnectorHost
ConnectorPort=SharePointConnectorPort
ConnectorTask= Groups_TaskSP2010
```

```
[Combine]
GroupServerJobType=Combine
GroupServerSections=LDAP,Sharepoint2010
GroupServerStartDelaySecs=10
GroupServerCycles=-1
```

```
[Documentum]
GroupServerLibrary=ogs_java
JavaGroupServerClass=com.autonomy.groupserver.documentum.DocumentumGroupServer
Docbase=MyDocBase
Username=UserName
Password=*****
```

```
GroupServerAllUserGroups=AUTONOMY_DOCUMENTUM_GROUP
```

```
GroupServerCycles=-1
GroupServerQueryOp0=StartAfter
GroupServerQueryOpApplyTo0=USER
GroupServerQueryOpParam0=0;\
GroupServerShowAlternativeNames=true
UserNameFields=user_login_name
```

**NOTE:** After specifying these configuration settings, restart the OmniGroupServer services.

## Enforce connector security

By default, all users in ControlPoint are able to view the metadata of all items, regardless of IDOL security permissions.

The `SecureMetaStoreContent` setting in `Dashboard\Web.config` controls the view and download options, depending on the IDOL security.

### To enforce security

1. Navigate to the following location:  
`\Program Files\Micro Focus\ControlPoint\Dashboard\web.config`
2. Locate the `<appSettings>` section.
3. Edit the "SecureMetaStoreContent" value from "false" to "true".

Example

```
<appSettings>  
  <add key="SecureMetaStoreContent" value="true"/>  
</appSettings>
```

4. Save the file.

## ControlPoint Content Manager connector

### Summary

The Content Manager connector can be used to analyze and execute policy on documents and files held in the following repositories:

- Content Manager
- Records Manager
- TRIM

### Prerequisites

For the list of Content Manager connector prerequisites, see the *ControlPoint Support Matrix*, available from the [Micro Focus ControlPoint documentation site](#).

### Supported capability

#### Repository policy types

The following policy types can be executed on content in a repository of type Content Manager:

Apply Lua Script	No
Declare in Place	No
Declare Leave	No
Declare Link Shortcut	No
Declare Remove	No
Dispose	Yes
Hold	Yes
Release Hold	Yes
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes
Tag	Yes
Update	No

## Target location policy types

A Content Manager location can be established as a target location for relevant policy types. The following policy types can utilize target locations of type Content Manager:

Declare in Place	Yes
Declare Leave	Yes
Declare Link Shortcut	Yes
Declare Remove	Yes
Secure Leave	Yes
Secure Link Shortcut	Yes
Secure Remove	Yes

## DeployTool configuration

When selecting an Content Manager Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
-------------------------	--

Group	
Deployment Hosts	<p>The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field:</p> <p>ServerA – all connectors are deployed to this server.</p> <p>ServerA,ServerB – one connector is deployed to ServerA and the remainder to ServerB.</p> <p>ServerA,ServerA,ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</p>

## Content Manager Insert Config Settings

The following three types of Metadata are available for selection:

- [PrimaryContact or Contact](#)
- [Property](#)
- [Field](#)

### PrimaryContact or Contact

It is used to associate people or organization with the record. There can be multiple Contact metadata fields, but only one PrimaryContact metadata field. You can also specify multiple contacts of the same type. For example, multiple authors.

In Insert **Administration->Configuration** page, select **Trim Connector Group** and add the following entries:

- **Source Field.** The field extracted from document by the Connector Framework.
- **Target Name.** Target property name in ContentManager.
- **Metadata Type.** Contact.

For example;

Source Field	Target Name	Metadata Type
AU_DOCUMENT_AUTHOR_STRING	Author	Contact

Save your properties and restart the ControlPoint Engine for these changes to take effect.

**NOTE:** TRIM offers five types of contacts such as Author, Addressee, Representative , Other and Client.

### Property

It is used to set the in-built properties of the record. The list of properties that can be selected are shown below. For other properties, see *TRIM Record Property Guide* included in your Content Manager installation or contact Support.

Multiple Property metadata fields can be applied to set multiple properties.

In Insert **Administration->Configuration** page, select **Trim Connector Group** and add the following entries:

- **Source Field.** The field extracted from document by the Connector Framework.
- **Target Name.** Target property name in ContentManager. If you wish to add other properties you must contact support.
- **Metadata Type.** Property

For example:

Source Field	Target Name	Metadata Type
AU_REPOSITORY_CREATEDDATE_EPOCHSECONDS	recDateCreated	Property
AUTN_IDENTIFIER	recAssignee	Property
AU_CP_FILENAME	recNotes	Property
AU_CP_TITLE	recTitle	Property

Save your properties and restart the ControlPoint Engine for these changes to take effect.

### Field

It is used to set user-defined **Additional Fields** of the record. Multiple Field metadata fields can be applied to set multiple user-defined fields.

In Insert **Administration->Configuration** page, select **Trim Connector Group** and add the following entries:

- **Source Field.** The field extracted from document by the Connector Framework,
- **Target Name.** Target custom property that you defined in ContentManager.
- **Metadata Type.** Field

For example:

Source Field	Target Name	Metadata Type
AU_DOCUMENT_FILESIZE_BYTES	MyCustomProp	Field

Save your properties and restart the ControlPoint Engine for these changes to take effect.

## Configure the Content Manager connector

The following settings can be adjusted manually by editing the connector configuration file. For more information, see the *Content Manager Connector Administration Guide* or access the following URL:

<http://<Connector host>:7300/a=help>

If you need to use a Declare in Place policy, see [Set up a document store for Declare in Place policies, on page 105](#).

Setting	Section	Description
AlternateWorkgroupServer	TaskName or FetchTasks	Set this to specify the name of an alternate Content Manager server. The alternate server is used if the server specified by WorkgroupServer is not available.
AlternateWorkgroupServerPort	TaskName or FetchTasks	Set this to specify the port of an alternate Content Manager server. The alternate server is used if the server specified by WorkgroupServer is not available.
Username	TaskName or FetchTasks	The username to use to log on to the Content Manager server. If not set, the identity that the connector is running under is used.

## Add a new repository of type Content Manager

When adding a new repository of type Content Manager, you must supply the following parameters:

Workgroup Server Name	The host name or IP address of the Content Manager server.
Workgroup Server Port	The port number used by the Content Manager server. The default value is 1137.
Dataset Identifier	The ID of the Content Manager database to analyze or manage.

## Define a target location of type Content Manager

When adding a new target location of type Content Manager, you can provide the following settings:

Workgroup Server Name	The host name or IP address of the Content Manager server.
Workgroup Server Port	The port number used by the Content Manager server. The default value is 1137.
Dataset Identifier	The ID of the Content Manager database to analyze or manage.
Origin Name	<p>The name of an <i>origin</i> of type ControlPoint defined by the target Content Manager system.</p> <p>The origin provides default values to be used when adding content.</p> <p>For more information on creating an origin in Content Manager, see <a href="#">Create a Content Manager origin, on page 107</a>.</p>

**NOTE:** If any of the above parameters are not included in the target location definition, you must provide them in any policy definition that references this target location. This allows a single Content Manager target location to be used by multiple policies, each declaring to different locations in the file plan.

For more information, see [Declare business records into Content Manager, on the next page](#).

## Security considerations

By default, all users in ControlPoint are able to view the metadata of all items in a repository, regardless of IDOL security permissions.

However, when you attempt to view a document in a Content Manager repository, you will only be able to view the content you have permissions to, based on your Content Manager permissions set.

## Enable Secure Shortcut on Content Manager type target locations

### To enable Secure Shortcut on Content Manager type target locations

1. Open the Content Manager client.
2. Select **Administration > System Options > Web Services**.
3. Specify values for the following items:
  - **Content Manager web server URL:** Enter the URL: `http://<CMServer>/contentmanager`  
Where <CMServer> is the name of the server that hosts Content Manager.
  - **URL format.** Select **Content Manager Web Client**.
4. Click **OK**.

To verify your configurations, try opening the shortcut.

## Set up a document store for Declare in Place policies

Declare in Place policies make a copy of an item and insert it into Content Manager.

Next, a Hold is placed on the original item in the source repository, therefore only source repositories that support Holds should be used with this policy. For example, Content Manager and SharePoint.

You must complete the following tasks to configure SharePoint and Content Manager for Declare in Place policies:

1. In SharePoint, activate the Hold and eDiscovery feature by using **Site Settings > Site Actions > Manage site features**. For more information, see your SharePoint documentation.

**NOTE:** You must configure this feature before defining a document store. If you have already

configured the feature in SharePoint, skip to step 2.

2. In Content Manager, define a Document Store to point to the repository on which to place the Hold.
  - a. Click **Home > New > Document Store**.
  - b. Select **Manage In Place**.

**NOTE:** For this option to be available, the Manage in Place feature must also be selected in the System Options Features page. You can access this page from the **Administration** tab in Content Manager.

- c. Enter the following details:
  - i. **Name.** The name of your SharePoint repository within ControlPoint.
  - ii. **AUTN\_GROUP.** The **AUTN\_GROUP** property value for the repository type. For example: SharePointRemote.

**NOTE:** To determine the **AUTN\_GROUP** property value for the repository type:

- Query the list of connectors by browsing to:  
`http://localhost:7000/a=listconnectors` on the Distributed Connector.

The output lists the **AUTN\_GROUP** value for all registered connectors so that you can determine the exact value to use.

- iii. **Config Info.** The server name the SharePoint connector is installed on and its port in the following format:  
*hostname:port*  
For example:  
`http://<SharePointServer>:7800`  
Where:
  - *<SharePointServer>* is the server hosting the SharePoint connector
  - *7800* is the default SharePoint connector port
- d. Click **Test** to ensure that you receive a successful message.
- e. Click **OK**.

## Declare business records into Content Manager

ControlPoint has specialized capabilities that enable business records to be identified automatically within an organization's content and declared intelligently into an Content Manager repository. Business record identification and filing continues after the initial indexing through Assignment using Category and Policy Execution. This ensures that new content that enters an organization and that matches the record identification rules is also captured automatically as a business record.

- [Introduction](#)
- [Create a Content Manager origin](#)
- [Create a target location](#)

## Introduction

Content Manager is an integrated Enterprise Content Management (ECM) system capable of managing the full range of corporate information.

To identify business records automatically and declare them into Content Manager, perform the following tasks:

### In the Content Manager desktop client

1. Create an Origin of the ControlPoint type. See [Create a Content Manager origin, below](#).

### In ControlPoint Console

1. Create an IDOL category trained to recognize business records. See [Define a category](#)
2. Create a ControlPoint target location for the Content Manager server. See [Add a target location, on page 135](#).
3. Create a ControlPoint policy. See [Create a policy, on page 72](#).

## Create a Content Manager origin

An *origin* is a way to define settings to use when ControlPoint files its records to the Content Manager records repository. The origin specified for record insertion delivers information such as Record Type, Classification, Home, Owner, and the Retention Schedule to use.

You create an Content Manager Origin of type ControlPoint with the Content Manager desktop Client.

### To create an Content Manager Origin of type ControlPoint

1. Open the Content Manager desktop client.
2. On the **Tools > Record** menu, click **Origins**.  
The **Origins - all** dialog box appears.
3. Right click and select **New > ControlPoint**.  
The Origin dialog box appears.
4. Enter or specify the appropriate information on the following tabs of the Origin dialog box.
  - On the **General** tab, enter a name for the origin in the **Name** box.
  - On the **Defaults** tab, specify the following information:
    - **Record Type**. Required.  
Every record in Content Manager has a Record Type.

- **Classification.** Indicates the place in the file plan in which to file the records.
- **Home.** The record Home location.
- **Owner.** The record Owner location.
- **Creator.** The record Creator location.
- **Author.** The record Author location.
- **Retention Schedule.** The retention schedule to use for filed records.
- **Location Match Type.** The action for Content Manager to perform if it finds a location in the insert package.
- On the **Containers** tab, to use containers when inserting documents into Content Manager, select **Create containers when importing documents**, and configure the following:
  - **Record Type for container.** Specifies the container Content Manager uses for the inserted records.
  - **Limit container sizes.** Configures Content Manager to fill a container with a specified number of items and then automatically create a new container.

If selected, set **Maximum contents** to the largest number of documents Content Manager puts in a container before creating a new one.
  - **Create containers for different date created ranges.** Configures Content Manager to create containers for inserted items whose Date Created is within a specific range.

If selected, set **Create new date range container for every** with the date range for new containers.
  - **Create containers for each different owner location.** Configures Content Manager to create containers for each distinct owner location.
  - **Create containers for each custom property value.** Configures Content Manager to create containers based on the distinct values of a custom property.

If selected, set **Custom Property name** to the name of the property for which Content Manager creates a container for each of its distinct values.

**NOTE:** For Content Manager to insert records successfully, ensure that the custom property you specify is added to the Record Type specified by the **Record Type for the container** setting.

- On the **Notes** tab:
  - Optional notes that describe when to select this Origin.

5. Click **OK**.

The new origin is created.

## Create a target location

A target location provides information on how to connect to the required Content Manager workgroup server. Target locations can be used across multiple policies.

You can create a Target Location through the Administration dashboard. For more information, see [Add a target location, on page 135](#).

### Target location for the Content Manager repository

Filing records into Content Manager requires a target location of type Content Manager.

In the ControlPoint Administration dashboard, create a Target Location of type Content Manager by selecting **Content Manager** from the **Connector Group** list. For more information about creating target locations, see [Add a target location, on page 135](#).

Provide the following information for a Target Location of type Content Manager.

Connector Config Section	Relates to the FetchTask in the Content Manager connector. The default FetchTask name is MyTask1.
Workgroup Server Name	The host name or IP address of the Content Manager server.
Workgroup Server Port	The port number used by the Content Manager server. The default value is 1137.
Dataset Identifier	The ID of the Content Manager database to analyze or manage.
Origin Name	The name of an <i>origin</i> of type ControlPoint defined by the target Content Manager system.  The origin provides default values to be used when adding content.  This can be blank to force it to be identified in each ControlPoint policy that files records to this target location.

For more information on the Content Manager connector, see [ControlPoint Content Manager connector, on page 100](#).

### Create and train a ControlPoint filing policy

Records are generally subdivided by record type or by record class. Typically, each record type is associated with an individual ControlPoint Filing Policy that controls how to file the records. The policy is trained using an IDOL category that was trained using appropriate documents, such as existing records that were filed manually by end users.

For example, to file business records, you create a ControlPoint Filing Policy and associate it with an IDOL category to identify business records within your organization's content. You train the category using filed examples of these records.

Two methods can create a trained policy for filing records into TRIM:

- Select training documents from the Content Manager repository
- Select training documents through Content Manager origin

## Select training documents from the Content Manager repository

You can configure an Content Manager repository that indexes content into ControlPoint's IDOL server as a repository in ControlPoint. After configuration, all ControlPoint features available for repositories are enabled, including the ability to browse the Content Manager records repository.

### *To select training documents from Content Manager repository*

1. Browse the Content Manager repository to identify appropriate training documents.  
The top-level nodes, Classification and Origins (only those of type ControlPoint), are visible in the Content Manager repository.
2. Select the training documents.
3. Select **Train New** from the **Actions** menu.
4. Select **Policy**, or select the desired Policy template under **Policy Using Template**.  
The new policy screen opens.

You created a new IDOL category, trained it using the selected documents, and associated it with the new policy. You can make further refinements to the IDOL category by clicking the **Training** link in the Policy Training section.

**NOTE:** You must assign a name to the policy before you can refine the category. The category is automatically assigned the same name as the policy.

## Select training documents through Content Manager origin

You can also create and train a policy through Content Manager origin.

### *To select training documents through Content Manager origin*

1. On the Policies dashboard, click **+**.
2. In the Assign To section, click **Add Category**.
3. Select the **Training** tab, and then click **Identify Training Documents**.  
The Training Selection dialog box opens. If the policy files to Content Manager using a Content Manager origin, the dialog box displays the content currently filed to the classification defined in the origin.
4. Select the training documents.

## ControlPoint Documentum connector

### Summary

The Documentum connector can be used to analyze and execute policy on documents and files in Documentum sites.

## Supported capability

### Repository policy types

The following policy types can be executed on content in a repository of type Documentum:

Apply Lua Script	No
Declare in Place	Yes
Declare Leave	Yes
Declare Link Shortcut	No
Declare Remove	Yes
Dispose	Yes
Hold	Yes
Release Hold	Yes
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes
Tag	Yes
Update	No

### Target location policy types

Currently ControlPoint does not support Documentum Server as a target for policies.

## DeployTool configuration

When selecting a Documentum Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field:

	<p>ServerA – all connectors are deployed to this server.</p> <p>ServerA, ServerB – one connector is deployed to ServerA and the remainder to ServerB.</p> <p>ServerA, ServerA, ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</p>
Documentum Host	The Server host where the Documentum content server is installed.
Documentum Port	The port number on the Documentum Host that the connector uses to access the Documentum content server.
Documentum Credentials Username	The username required to login to the Documentum content server on the Documentum Host.
Documentum Credentials Password	Password for the username.

## Configure Documentum connector

The following settings can be adjusted manually by editing the connector configuration file. For more information, see the Connector Guide or access the following URL:

`http://<Connector host>:XXXX/a=help`

Where XXXX is the ACI Server port number for the Documentum connector.

## Adding a new repository of type Documentum

When adding a new repository of type Documentum, you must supply the following parameters:

Documentum Docbase	The DocBase corresponds to an existing docbase on the Documentum content server. This string is case sensitive.
DocBase Folder	The DocBase Folder is a string that represents a specific folder to use as the starting scan location. Precede the string with the slash character (/).

## ControlPoint Edge Filesystem connector

### Summary

The Edge Filesystem connector is used to run Archive policies on documents and files held in Windows and Linux file shares.

### Supported capability

Adding an Edge Filesystem repository allows you to select **No Analysis** as the Analysis type. This option is only available for Edge Filesystem repositories and is not supported for other File System repositories. For more information, see [Add a repository, on page 25](#).

Edge Filesystem repositories do not support applying policies to archived content.

**NOTE:** In the Linux Edge Connector Archiving service, `soa` is a service account that needs administrative account privileges to work. The Archiving feature does not work without this privilege.

### Edge Filesystem Connector configuration file

The Edge Filesystem Connector configuration file for Windows and Linux has a new config section "EnableSSL", which is disabled by default.

```
[EnableSSL]
```

```
SSLEnabled=false
```

If IDOL on the ControlPoint server is already using HTTPS, the Edge Filesystem Connector should also use HTTPS in order to be listed on the connection list on the Repository page in the ControlPoint Dashboard.

All other HTTPS configurations to run the Edge Filesystem Connector on HTTPS are similar to the configuration on a regular Filesystem connector.

**NOTE:** After specifying these configuration settings, restart the OmniGroupServer services.

### Policy summary screen status

For Edge Filesystem Connectors using Archive stub policies and the **Direct Policy Execution** setting, the Policy summary screen in the Console does not display policy status.

For policy status, check the Edge Filesystem Connector logs.

### Define a direct target location

To define a Direct Target Location for Edge Filesystem repositories, you can archive to a path.

Path	The path of the disk location to be used for documents secured to this target location.  For Windows, the path is the UNC path.
------	---

## ControlPoint Exchange Web Service connector

### Summary

The Exchange Web Service (WS) connector can be used to analyze and execute policy on messages, appointments, contacts, and other items from an Exchange server.

### Prerequisites

For the list of Exchange connector prerequisites, see the *ControlPoint Support Matrix*, available from the [Micro Focus ControlPoint documentation site](#).

### Supported capability

#### Repository policy types

The following policy types can be executed on content in an Exchange repository:

Apply Lua Script	Yes
Declare in Place	No
Declare Leave	Yes
Declare Link Shortcut	No
Declare Remove	Yes
Dispose	Yes
Hold	No
Release Hold	No
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes
Tag	Yes
Update	No

## Target location policy types

It is not possible to use an Exchange location as a target location.

## DeployTool configuration

When selecting an Exchange Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field: <ul style="list-style-type: none"><li>• ServerA – all connectors are deployed to this server.</li><li>• ServerA,ServerB – one connector is deployed to ServerA and the remainder to ServerB.</li><li>• ServerA,ServerA,ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</li></ul>
LDAP and Exchange Web Service User Domain	Domain for account to be used when accessing Active Directory and Exchange web services.
LDAP and Exchange Web Service User Username	Account to be used when accessing Active Directory and Exchange web services.
LDAP and Exchange Web Service User Password	Password for account to be used when accessing Active Directory and Exchange web services.

## Configure Exchange WS Connector post deployment

When configuring an Exchange connector in ControlPoint DeployTool, you must enter a user, domain, and password. This account is used by default to access both Active Directory and the Exchange web services. It is possible to configure different accounts manually by setting the following parameters in the connector configuration file:

LDAPUsername and LDAPPassword to specify the account to be used to access Active Directory.

WSUsername, WSPassword, and WSDomain to specify the account to be used to access Exchange web services.

Consider the following for the account used to access Exchange web services:

1. The account must have its own mailbox.
2. The account must have permission to retrieve information from other user's mailboxes using one of the following methods:
  - Enable impersonation rights. You must grant the user the permission to impersonate other users. In addition, you must set `ImpersonateMailboxOwner` to true in the connector configuration file.
  - Grant the user full access permission to each mailbox to be managed or analyzed. You must set `ImpersonateMailboxOwner` to false in the connector configuration file.
  - Grant the user "Full Details" read access to each folder in each mailbox to be managed or analyzed, including all folders below the root of the mailbox. You must set `ImpersonateMailboxOwner` to true in the connector configuration file.

Consider the following script as an example of how to change permissions and what permissions might be needed:

```
## save and run as createuser.ps1

## Read input from shell

$newusername = Read-Host "Enter New User Name"
$newemail = Read-Host "Enter New User Email Address"
$password = Read-Host "Enter Password For New User" -AsSecureString

## Create User and Mailbox

# Password can expire, change to not expire in user settings if corporate policy
allows

New-Mailbox -Name $newusername -Alias $newusername -UserPrincipalName $newemail
-SamAccountName $newusername -Password $password -DisplayName $newusername -
ResetPasswordOnNextLogon $false

## Add to groups (Some errors are expected for alternate version)
# Exchange 2010/2013 - add user to groups

Add-RoleGroupMember "Organization Management" -Member $newusername
Add-RoleGroupMember "Public Folder Management" -Member $newusername

#Exchange 2007 - add user to groups

Add-ExchangeAdministrator -identity $newusername -Role orgadmin
Add-ExchangeAdministrator -identity $newusername -Role publicfolderadmin

## Grant permissions and revoke denies if present

Get-ExchangeServer | Add-ADPermission -User $newusername -accessrights GenericRead,
GenericWrite -extendedrights Send-As, Receive-As, ms-Exch-Store-Admin -
Confirm:$False
Get-ExchangeServer | Remove-ADPermission -User $newusername -Deny -ExtendedRights
Receive-As -Confirm:$False
```

```
Get-MailboxDatabase | Add-ADPermission -User $newusername -AccessRights
ExtendedRight -ExtendedRights Receive-As, ms-Exch-Store-Admin -Confirm:$False
```

```
## For Forms registration
```

```
Get-PublicFolder -recurse | Add-PublicFolderClientPermission -User $newusername -
AccessRights Owner -Confirm:$False
```

```
## Some environments require additional security (Uncomment if needed)
```

```
# Get-Mailbox | Add-MailboxPermission -user $newusername -AccessRights FullAccess
```

The script may generate some errors, displayed in red or yellow text. Some errors are expected. The Mailbox Management user account is created using Exchange Management Shell.

The following settings can be adjusted manually by editing the connector configuration file. More information is provided in the IDOL *Exchange Connector (CFS) Administration Guide* or by accessing the following URL:

<http://<Connector host>:7600/a=help>

Setting	Section	Description
DeleteMode	Default	Set to 2 if you want items removed by a Dispose policy to be moved to the user's Deleted Items folder. By default, items are permanently deleted.
ExchangeVersion	TaskName, FetchTasks or Default	Set to one of the following: <ul style="list-style-type: none"> <li>Exchange2013_SP1</li> <li>Exchange2013</li> <li>Exchange2010</li> <li>Exchange2010_SP2</li> <li>Exchange2010_SP1</li> </ul> The default setting is Exchange2010_SP2.
ImpersonateMailboxOwner	TaskName, FetchTasks or Default	Set to true if you are configuring the account used to access Exchange web services to have impersonation rights. Otherwise, do not set, or set to false (default).
LDAPPassword LDAPUsername	TaskName or FetchTasks	By default, the user specified by the Username setting (or the identity that the connector is running under when not set) is used when running LDAP queries against active directory. Set these parameters when a different user must be used for AD access.  The password field can be encrypted.
Username, Password, Domain	TaskName, FetchTasks	Specifies the user to be used to access both Exchange web services and Active Directory. Can be overridden

Setting	Section	Description
	or Default	by LDAPUsername or WSUsername. If no user is defined, the identity that the connector is running under is used.
WSDomain WSPassword WSUsername	TaskName, FetchTasks or Default	By default, the user specified by the Username setting (or the identity that the connector is running under when not set) is used when authenticating against the Exchange web service. Set these parameters when a different user must be used for authentication.  The password field can be encrypted.

## Add a new repository of type Exchange

When adding a new repository of type Exchange, the following parameters must be supplied:

Webservice URL	The URL of the Exchange web service
LDAP Path	The LDAP path to search for users with mailboxes to analyze

If Default Authentication is set to NO, the following additional parameters must be supplied. The credentials specified here are used for this repository in place of the details entered when the connector was configured in DeployTool.

Domain	The domain of the user specified by Username
Username	The user name to use to connect to LDAP and Exchange web services
Password	The password to use to connect to LDAP and Exchange web services

## ControlPoint File System connector

### Summary

The file system connector can be used to analyze and execute policy on documents and files held in Windows file shares.

File share type for indexing	Notes
NetApp volumes on the following shares: <ul style="list-style-type: none"> <li>CIFS</li> </ul>	Configure the File System Connector to run with the domain accounts that have complete access to the NetApp volume for scanning documents.

File share type for indexing	Notes
<ul style="list-style-type: none"> <li>NFS</li> </ul>	<p><b>NOTE:</b> The File System Connector CIFS mapping for UNIX shares on NetApp storage only captures the Windows-based permissions.</p>
NTFS	

## Supported capability

### Repository policy types

The following policy types can be executed on content in a repository of type File System:

Apply Lua Script	Yes
Declare in Place	No
Declare Leave	Yes
Declare Link Shortcut	Yes
Declare Remove	Yes
Dispose	Yes
Hold	No
Release Hold	No
Secure Leave	Yes
Secure Link Shortcut	Yes
Secure Remove	Yes
Tag	Yes
Update	Yes

### Target location policy types

A file system location can be established as a target location for relevant policy types. The following policy types can utilize target locations of type File System:

Declare in Place	No
Declare Leave	No
Declare Link Shortcut	No

Declare Remove	No
Secure Leave	Yes
Secure Link Shortcut	Yes
Secure Remove	Yes

## DeployTool configuration

When selecting a File System Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field:  ServerA – all connectors are deployed to this server.  ServerA,ServerB – one connector is deployed to ServerA and the remainder to ServerB.  ServerA,ServerA,ServerB – two connectors are deployed to ServerA and the remainder to ServerB.

## Configure File System connector

The following settings can be adjusted manually by editing the connector configuration file. More information is provided in the *Micro Focus File System Connector (CFS) Administration Guide*. or by accessing the following URL:

<http://<Connector host>:7200/a=help>

Setting	Section	Description
ForceDelete	<i>TaskName</i> or <i>FetchTasks</i>	Set to False to prevent deletion of read-only files.
IngestIfLastAccessChanged	<i>TaskName</i> or <i>FetchTasks</i>	Set to True to ensure that last access time is kept up-to-date in the IDOL Analysis.

## Add new repository of type File System

When adding a new repository of type File System, you must supply the following parameters:

UNC Path	The UNC path of the file share to be registered and managed or analyzed.
----------	--

## Define a target Location of type File System

When adding a new target location of type File System, you must provide the following settings:

UNC Target Folder	The UNC path of the disk location to be used for documents secured to this target location.
-------------------	---

## Last access dates

**NOTE:** Recording updates to last access dates is typically disabled in Windows Server through the Windows registry for performance reasons. This can be changed using the `fsutil` utility.

### To ensure last access time updates are recorded

Run the following from the command line:

```
fsutil behavior set disablelastaccess 0
```

### To turn off last access time updates

Run the following from the command line:

```
fsutil behavior set disablelastaccess 1
```

A reboot must be performed for any changes to take effect.

**NOTE:** See Windows documentation for your specific version of Windows before making changes to the last access date behavior.

## Enforce File System connector security

By default, security is off for content from the File System connector.

To enforce the File System connector security, edit the `Dashboard\Web.config` setting as follows:

```
<appSettings>  
  <add key="SecureMetaStoreContent" value="true"/>  
</appSettings>
```

## Enable IDOL security

By default, IDOL security is off for Content that is imported into IDOL through the ControlPoint File System connector.

For Repository browsing, IDOL document security is used when the user is a Repository User or Repository Viewer. For any higher permissions, such as Repository administrator, IDOL security is not used; the user can browse all items.

If a user does not have sufficient IDOL security permissions, they will still be able to view the Metadata, but not be able to view the Content of a file.

For example, a user with the correct IDOL security permissions will have the **View** and **Download** buttons available when browsing a document.

### To enable the IDOL security for file system content on a per-repository basis

1. Set the following in the IngestActions setting of the task section in the ControlPoint FileSystem Connector.cfg file or the repository:

MappedNTSecurity	Default is false. Set to true to enable IDOL security.
ENFORCESECURITY	Default is false. Set to true to enable IDOL security.

For example:

```
[TaskSecureAccessTests]
DirectoryRecursive=True
ExtractOwner=True
MappedNTSecurity=True
PathRegex=. *
PathRegexCaseInsensitive=True
IngestActions=META:ENFORCESECURITY=true,META:CPREPOSITORYTYPEID=3,META:AUTN_NO_FILTER=true,META:SECURITYTYPE=NT,META:AUTN_NO_EXTRACT=true
DirectoryPathCSVs=\myHost\share\NotMyDocs
ScheduleStartTime=now
ScheduleCycles=-1
ScheduleRepeatSecs=86400
IndexDatabase=SecureAccessTests
```

**NOTE:** Ensure that you set ENFORCESECURITY=true in all task sections for each repository you wish to have mapped security on. You must also set MappedNTSecurity to True in all task sections for each repository you wish to have mapped security.

2. In the ControlPoint IDOL.cfg file, ensure that NT is added to the UserSecurity section.

For example:

In \Program Files\Micro Focus\ControlPoint\Indexer\IDOL\ControlPoint IDOL.cfg:

```
[UserSecurity]
DefaultSecurityType=0
DocumentSecurity=TRUE
SecurityUsernameDefaultToLoginUsername=FALSE
SecurityTokenLifetime=48hours
0=Autonomy
1=Notes
```

```
2=LDAP
3=Documentum
4=Exchange
5=Netware
6=Trim
7=SharePoint
8=WorkSite
9=NT
...
[NT]
CaseSensitiveUserNames=FALSE
CaseSensitiveGroupNames=FALSE
Library=../modules/user_ntsecurity
EnableLogging=FALSE
DocumentSecurity=TRUE
V4=TRUE
GroupServerHost= GroupServerHost
GroupServerPort=4057
SecurityFieldCSVs=username, domain
Domain=DOMAIN
DocumentSecurityType=NT_V4
```

3. Restart the File System connector and ControlPoint IDOL services.
4. In the ControlPoint Dashboard, ensure that the option to **Capture Permissions** is set to **Yes**.
5. Perform a full scan of the repository for the first time only after the connector configuration has been set in step 1.

## Retrieving security group information for the File System connector

See [Security mapping considerations for connectors, on page 94](#).

For detailed steps and examples of configuring OmniGroupServer to retrieve security group information, see *Micro Focus File System Connector (CFS) Administration Guide*, available from the [Micro Focus IDOL documentation site](#).

## ControlPoint Hadoop connector

### Summary

The Hadoop connector can be used to analyze and execute policy on documents and files held in a Hadoop Distributed File System (HDFS).

## Supported capability

### Repository policy types

The following policy types can be executed on content in a repository of type Hadoop:

Apply Lua Script	No
Declare in Place	No
Declare Leave	Yes
Declare Link Shortcut	No
Declare Remove	Yes
Dispose	Yes
Hold	No
Release Hold	No
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes
Tag	Yes
Update	No

### Target location policy types

A Hadoop location can be established as a target location for relevant policy types. The following policy types can utilize target locations of type Hadoop:

Declare in Place	No
Declare Leave	No
Declare Link Shortcut	No
Declare Remove	No
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes

## DeployTool configuration

When selecting a Hadoop Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field: <ul style="list-style-type: none"> <li>• ServerA – all connectors are deployed to this server.</li> <li>• ServerA,ServerB – one connector is deployed to ServerA and the remainder to ServerB.</li> <li>• ServerA,ServerA,ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</li> </ul>
Hadoop Root Uri	Enter the root URI of the Hadoop file system to connect to when securing documents to a target location of type Hadoop.
Hadoop Path	Enter the location in the file system to be used by default when securing documents to a target location of type Hadoop.

## Configure Hadoop connector

The following settings can be adjusted manually by editing the connector configuration file. For more information, see the Connector Guide or access the following URL:

<http://<Connector host>:13200/a=help>

Setting	Section	Description
FileSystemPath	TaskName, FetchTasks or Default	The location in the file system where the connector starts looking for files. The connector retrieves files from the specified folder and all of its subfolders. The path you specify must begin with a forward slash (/). To retrieve files from more than one folder tree, you can specify a comma-separated list of paths.
FileSystemRootUri	TaskName, FetchTasks or Default	The root URI of the Hadoop file system to connect to.

## Adding new repository of type Hadoop

When adding a new repository of type Hadoop, you must supply the following parameters:

Filesystem Root URI	Enter the root URI of the Hadoop file system to connect to.
Filesystem Path	Enter the location in the file system where the connector starts looking for files. The connector retrieves files from the specified folder and all of its subfolders. The path you specify must begin with a forward slash (/). To retrieve files from more than one folder tree, you can specify a comma-separated list of paths.

## Defining a Target Location of Type Hadoop

When adding a new target location of type Hadoop, you must provide the following settings:

Connector Config Section	The configuration setting in the connector configuration file that contains details needed to secure documents to the Hadoop target location.  The default value for the section name is DefaultTargetLocationConfig. This section contains the details entered in ControlPoint DeployTool.
Hadoop Target Folder	A target folder to be used for documents secured to this target location. The value supplied must start with hdfs:// or hd-fs:// and cannot end with a / character.

## ControlPoint Notes connector

### Summary

The Notes connector can be used to analyze and execute policy on messages, appointments, contacts and other items from a Notes server.

### Supported capability

#### Repository policy types

The following policy types can be executed on content in a repository of type Notes:

Apply Lua Script	No
Declare in Place	No
Declare Leave	Yes
Declare Link Shortcut	No
Declare Remove	Yes
Dispose	Yes

Hold	No
Release Hold	No
Secure Leave	Yes
Secure Link Shortcut	No
Secure Remove	Yes
Tag	Yes
Update	No

## Target location policy types

It is not possible to use a Notes location as a target location.

## DeployTool configuration

When selecting a Notes Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	<p>The host(s) on which to deploy the connector (s). When more than one connector has been specified the following are examples of valid entries for this field:</p> <ul style="list-style-type: none"> <li>• ServerA – all connectors are deployed to this server.</li> <li>• ServerA,ServerB – one connector is deployed to ServerA and the remainder to ServerB.</li> <li>• ServerA,ServerA,ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</li> </ul>

## Configure Notes connector

Some settings can be adjusted manually by editing the connector configuration file. For more information, see the Connector Guide or access the following URL:

<http://<Connector host>:13300/a=help>

## Adding a new repository of type Notes

When adding a new repository of type Notes, you must supply the following parameters:

Notes Server	The name of the Notes server containing the repository.
Notes Database Directory	The folder that contains the database to be managed or analyzed.
Notes Database	The name of the Notes database that is to be managed or analyzed.
Notes User ID File Name	The Notes user ID file to be used to identify the user for connecting to the Notes server.
Notes User ID Password	The password for the user to be used to connect to the Notes server. The password can be encrypted for secure storage.

## ControlPoint SharePoint Remote connector

### Summary

The SharePoint Remote connector can be used to analyze and execute policy on documents. This connector also offers limited capability for documents and files in SharePoint Online.

**NOTE:** The Sharepoint Remote Connector does not work if Office 365 is configured with its **Apps that don't use modern authentication** option set to block access. To resolve this issue, either:

- Set the **Apps that don't use modern authentication** option to allow access.
- Use the latest version of the SharePoint OData Connector instead of the SharePoint Remote Connector.

### Prerequisites

For the list of SharePoint Remote connector prerequisites, see the *ControlPoint Support Matrix*, available from the [Micro Focus ControlPoint documentation site](#).

### Supported capability

#### Repository policy types

The following policy types can be executed on content in a repository using the SharePoint Remote connector:

Policy type	Repository support	
	SharePoint On-Premises	SharePoint Online
Apply Lua Script	Yes	No
Declare in Place	Yes <sup>1</sup>	No
Declare Leave	Yes	Yes
Declare Link Shortcut	No	No
Declare Remove	Yes	Yes
Dispose	Yes	Yes
Hold	Yes <sup>2</sup>	No
Release Hold	Yes <sup>2</sup>	No
Secure Leave	Yes	Yes
Secure Link Shortcut	No	No
Secure Remove	Yes	Yes
Tag	Yes	Yes
Update	Yes	Yes

<sup>1</sup>Declare in Place policies only apply to Content Only type repositories.

<sup>2</sup>Requires an additional web service to be installed for SharePoint Server. Not available for SharePoint Online.

## Target location policy types

A SharePoint location can be established as a target location for relevant policy types.

Policy type	Repository support	
	SharePoint On-Premises	SharePoint Online
Declare in Place	No	No
Declare Leave	Yes	Yes
Declare Link Shortcut	No	No
Declare Remove	Yes	Yes
Secure Leave	Yes <sup>3</sup>	Yes

Policy type	Repository support	
	SharePoint On-Premises	SharePoint Online
Secure Link Shortcut	No	No
Secure Remove	Yes <sup>3</sup>	Yes

<sup>3</sup>SharePoint 2010 limits the size of files that you can upload to 3 MB. However, you can change this limit, for example, by running Powershell commands on the SharePoint Server:

```
$ws = [Microsoft.SharePoint.Administration.SPWebService]::ContentService  
$ws.ClientRequestServiceSettings.MaxReceivedMessageSize = 104857600 #100MB
```

## Install Holds Web Service

To execute policies that hold and release documents, you must install an Autonomy web service on the SharePoint server. This is because the API used to hold and release documents only accepts instructions from applications that are deployed on the SharePoint server. When you install the SharePoint Remote Connector, the web service is copied to a folder called HoldsWebService, under the connector's installation directory.

### To install the web service

1. On the SharePoint server, open Control Panel's Services item, start the **Sharepoint Administration** service, and then configure its **Startup Type** to Automatic.
2. Copy the correct version of AutonomySharePointRemoteHolds.wsp to the SharePoint server.
3. Open the SharePoint Management Shell and run the following commands, replacing the path in the first command with the correct path for your environment:

```
Add-SPSolution c:\path\to\AutonomySharePointRemoteHolds.wsp  
Install-SPSolution -Identity AutonomySharePointRemoteHolds.wsp -GACDeployment
```

**TIP:** It might take a few minutes for the service to deploy. To determine if it has completed, run the Get-SPSolution command and check whether the resulting list of installed SharePoint solutions includes the AutonomySharePointRemoteHolds service.

### To activate Holds for a SharePoint site

1. On the site's SharePoint Site Settings page, under **Site Collection Administration**, click **Site collection features**.
2. Locate the **In Place Records Management** option and click **Activate**.
3. Return to the Site Settings page, and under **Site Actions**, click **Manage Site Features**.
4. Locate the **Hold and eDiscovery** option and click **Activate**.

5. Repeat these steps for each site in which you plan to apply holds.
6. Update the SharePoint Remote Connector configuration file, as follows:
  - a. Open `\Indexer\Sharepoint Remote Connector\ControlPoint Sharepoint Remote Connector.cfg` in a text editor.
  - b. Locate the `[FetchTasks]` section and note the user specified by the `Username` parameter.  
 In a later step, you will ensure this user has appropriate access rights.
  - c. In the `[FetchTasks]` section, add the following line:
 

```
HoldName=<hold>
```

 Where `<hold>` is the name of the hold to which items are added. For example:  
`MySharePointRemoteConnector`
  - d. Save the file.
  - e. Restart the SharePoint Remote Connector.
7. Open the SharePoint Center Administration site, click **Security**.
8. On the Security page, under **Users**, click **Specify web application user policy**.
9. Locate the entry for the user specified in the `[FetchTasks]` section of the SharePoint Remote Connector configuration file, and ensure that permissions are set to **Full Control**.  
 If the user does not exist, add it and configure its permissions to **Full Control**. For information about adding a user, see the SharePoint help.

**To remove the web service**

1. Open the SharePoint Management Shell.
2. Run the following commands:
 

```
Uninstall-SPSolution -Identity AutonomySharePointRemoteHolds.wsp
Remove-SPSolution -Identity AutonomySharePointRemoteHolds.wsp
```

**DeployTool configuration**

When selecting a SharePoint Remote Connector for inclusion in the deployment package, you must enter the following parameters:

Number of connectors in Group	The number of connectors to include in the deployment package. Each connector is configured to be in the same connector group.
Deployment Host(s)	The host(s) on which to deploy the connector(s). When more than one connector has been specified, the following are examples of valid entries for this field:  ServerA – all connectors are deployed to this

	<p>server.</p> <p>ServerA, ServerB – one connector is deployed to ServerA and the remainder to ServerB.</p> <p>ServerA, ServerA, ServerB – two connectors are deployed to ServerA and the remainder to ServerB.</p>
SharePoint Credentials Username	The user name for connecting to the SharePoint web service.
SharePoint Credentials Password	The password for the specified credentials. The password entered will be encrypted before addition to the configuration file.
SharePoint Credentials Domain	The domain name for the credentials to connect to the SharePoint web service.

## Configure SharePoint Remote connector

The settings can be adjusted manually by editing the connector configuration file. For more information, see the Connector Guide or access the following URL:

<http://<Connector host>:7800/a=help>

## Adding a new repository of type SharePoint Remote

When adding a new repository of type SharePoint Remote, you must supply the following parameters:

SharePoint URL	The URL of the SharePoint location to be registered for analysis or management.
----------------	---

## Defining a target location of type SharePoint Remote

When adding a new target location of type SharePoint Remote, you must provide the following settings:

Site URL	<p>The URL of the SharePoint location to be used when securing documents to the target location.</p> <p>For example:</p> <p><a href="http://sharepoint/SiteCollection/Site">http://sharepoint/SiteCollection/Site</a></p>
Library or List Name	<p>The name of the library or list to which you want to add the file.</p> <p>For example: Documents</p>
Folder Path (Optional)	The folder path to insert into.

For example: <i>folder/subfolder</i>
--------------------------------------

If you want to insert into a SharePoint Online target location using a Secure policy, perform the following steps:

1. Open `\Indexer\Sharepoint Remote Connector\ControlPoint Sharepoint Remote Connector.cfg` in a text editor.

2. Add the following lines to the end of the `[FetchTasks]` section:

```
SharepointOnline=True  
SharepointUrlType=SiteCollection
```

3. In the `[DefaultTargetLocationConfig]` section, set the value of the `SharepointUrl` parameter to the SharePoint Online tenant URL.

For example:

```
SharepointUrl=https://mysharepoint-sites.sharepoint.com
```

4. Save the file.
5. Restart the ControlPoint SharePoint Remote Connector service.

# Chapter 8: Target locations

You can create target locations to allow you to create policies that move, copy, or declare documents to the following locations.

- [Overview](#)
- [Add a target location](#)
- [Edit a target location](#)
- [Define file naming conventions](#)
- [Remove a target location](#)

## Overview

Target locations are repositories to which policies declare, copy, or move documents. When you create a policy to do so, you must specify the name of the target location. You can specify only defined target locations. ControlPoint supports only some repository types as a target location for policies.

**NOTE:** ControlPoint uses direct target locations for archiving and stubbing files with the Edge Filesystem connector. Archived files are stored on a shared directory specified by the UNC path.

The documents in a target location repository are not necessarily imported into IDOL server, although in some cases you may want to scan them. For example, ControlPoint may copy documents into a file system target location, and then apply disposal schedules to them in that location.

The **Manage Target Locations** on the Target Locations page is accessible through the Administration dashboard.

Different target locations support different types of policies. For information on policy phase actions, see [Policy phases, on page 59](#). For information on policy phases by repository, see [Repository overview, on page 17](#). The following table identifies the supported policy phases by target location.

### Supported policy phases by target location

Policy phase	Connector							
	Content Manager	Documentum	Exchange	File System	Hadoop	Notes	SharePoint Remote	
							SharePoint On-Premises	SharePoint Online
Declare in Place	x							
Declare Leave	x						x	x
Declare Link Shortcut	x							

### Supported policy phases by target location, continued

Policy phase	Connector							
	Content Manager	Documentum	Exchange	File System	Hadoop	Notes	SharePoint Remote	
							SharePoint On-Premises	SharePoint Online
Declare Remove	x						x	x
Secure Leave	x			x	x		x	x
Secure Link Shortcut				x				
Secure Remove	x			x	x		x	x

## Add a target location

Use the following procedure to add a target location to your ControlPoint system.

### To add a target location

1. On the **Administration** dashboard, click **Target Locations**.  
The Target Locations page opens.
2. Click **+**.  
The Add New Target Location page opens.
3. In the **Details** section, specify the following information.

**NOTE:** Some options vary based on the type selected.

<b>Name</b>	Name of the target location.
<b>Description</b>	Description of the target location.
<b>Connector Group</b>	to use when sending work to the target location
<b>Type</b>	<b>Select the type of target location.</b>
<b>via Connector</b>	Select <b>via Connector</b> for a location that must be accessed by a ControlPoint connector.  Required for all policies that execute centrally.

<b>Direct</b>	Select <b>Direct</b> for a location that is accessed directly by the source repository connector.  Required for Archive policies that execute on the source repository.
<b>Direct Type</b>	<b>Select the Direct Target Location type.</b>
<b>Path</b>	Select to archive using the Edge File System Connector.
<b>Insert Configuration Settings</b>	Predefined settings to use when sending items to the specified target location. Administrators must create Insert Configurations.

- In the **Settings** section, specify the repository-specific target location values.

**NOTE:** Settings are not required in full for the target location. Any required parameters that are not supplied in the target location definition must be specified when a policy is created that references this target location.

- Click **Save**.

## Edit a target location

You can alter the settings for a target location from the Target Locations page.

### To edit a target location

- On the Administration dashboard, click **Target Locations**.  
The Target Locations page opens.
- On a target location panel, click the menu icon (☰), and then select **Edit**.  
The Edit Target Location page opens.
- In the Details section, edit the following information as required.

<b>Name</b>	of the target location
<b>Description</b>	of the target location
<b>Connector Group</b>	name of the connector group that the required IDOL connector registers with the distributed connector
<b>Insert Configuration Settings</b>	<i>(Optional)</i> Predefined settings to use when sending items to the specified target location. Administrators must create Insert Configurations.  <b>NOTE:</b> Insert configuration settings are not required in full for the target location. Any required parameters that are not supplied in the target location definition must be specified when a policy is created that references this target location.

4. In the Settings section, edit the repository-specific target location value as required.
  - **File System.** Specify the UNC Target Folder.
  - **SharePoint Remote.** Enter the Target URL.
  - **Content Manager.** Enter the name of the Connector Config Section, Workgroup Server name, Workgroup Server port, Database Identifier, and Origin Name.
5. Click **Save**, and then click **OK**.

## Define file naming conventions

To organize data in target locations effectively, you can use naming conventions to ensure uniqueness and consistency in stored data. You can define a file naming convention in ControlPoint to use when copying, moving, or declaring documents to target locations.

The ControlPoint naming convention consists of a series of field names or text. The default naming convention is the field AU\_CP\_TITLE, underscore text, and a UUID (universal unique identifier) field. Target location files receive names in the following format by default.

AU\_CP\_TITLE\_UUID

**TIP:** Micro Focus recommends that you use a unique identifier in your naming conventions to ensure that there are no duplicate file names.

### To define a naming convention

1. On the Administration dashboard, click **Insert Configurations**.  
The Insert Configurations page opens.
2. Select the **Connector Group**.  
The available options depend on which connectors are active.
3. Select the **Insert Configuration** file to customize.  
You can modify the default file, create a new one, or duplicate a configuration file.
4. Open the Name Mapping section.  
Each box in the name mapping section indicates a single field name or text string. Text boxes are marked with a **T**.  
You can add or remove fields and text.  
Click  to add field or text boxes, or click  to remove field or text boxes.
5. Define the naming convention as required.
  - In field boxes, enter a part of a field name. As you type, a list of matching fields is displayed. Select a field from the list.
  - In text boxes, enter the desired text string. You can only use characters that are allowed in

Windows file names.

- (Optional) Click  to the right of any field or text box to select a **Preprocessing** option.

Preprocessing options modify the final output. For example, you can map the date field and, by selecting one of the date options, change the date format from Epoch time to M/D/Y format. If you select an option, the icon darkens.

6. Click **Save**.

The naming convention updates and applies to any future documents that are copied, moved, or declared to target locations.

## Remove a target location

When you no longer require a target location, you can remove it from ControlPoint.

**NOTE:** The target location that you are trying to remove must not exist as the target location for any current policy. Before you remove the target location, you must amend all policies that reference it to point to a different target location.

### To remove a target location

1. On the Administration dashboard, click **Target Locations**.

The Target Locations page opens.

2. On a target location panel, click the menu icon (☰).

3. Click **Delete**

A confirmation message opens.

4. Click **Delete**.

The target location is removed.

# Chapter 9: Insert configurations

Insert configurations are predefined settings used to map custom fields to a specified target location connector.

**NOTE:** Only Administrators can create Insert configurations.

## Before you begin

To enable insert configurations for use, ensure that the `InsertConfigEnabled` parameter in the `<AppSettings>` in `ControlPointTimer.config` is set to true. For more information, see [InsertConfigEnabled, on page 141](#) or the *ControlPoint Best Practices Guide*.

## To create an insert configuration

1. On the Administration dashboard, click **Insert Configuration**.

The Insert Configuration page opens.

2. Select the **Connector Group**.

The available options depend on the connectors that are active.

3. Select the **Insert Configuration** file to customize.

You can modify the default file, duplicate a configuration file, or create a new one.

4. In the Field Mapping section, enter a part of the field name in the **Source Field** box.

As you type, a list of matching fields is displayed. Select the field from the list.

5. (Optional) Click  to select a **Preprocessing** option.

Any pre-processing options modify the final output.

### Example

You can map the date field and, by selecting one of the date options, change the date format from **Epoch** time to **ConvertEpochToLocal** time format.

The resulting date has a date format with the local time zone offset.

```
2017-04-11T09.07.05-04:00
```

**NOTE:** Some date fields, such as **ConvertEpochToUTC** and **ConvertEpochToLocal**, do not apply to Content Manager.

When you select a pre-processing option, the  icon darkens.

6. In the **Target Name** box, enter the target metadata field name.
7. (Optional) Repeat steps 4 to 6 to add as many custom mappings as required.

8. In the Name Mapping section, define the format for inserted item names.
  - Select **Add Field** to add a new field mapping.
  - Select **Add Text** to add a new text mapping.
9. Click **Save**.

**NOTE:** If you add custom field mappings in Insert Configuration, you must restart the ControlPoint Engine so that ControlPoint picks up the new custom fields.

## AppSettings in ControlPointTimer.config

The following table provides reference information for the <AppSettings> section of the ControlPointTimer.config file.

Setting	Usage
NumberOfTimerThreads	Number of Threads for the timer engine.
ExceptionWaitTime	The amount of time to wait when 5 exceptions have been thrown in a row.
ClientSettingsProvider.ServiceUri	
SleepSeconds	Thread sleep seconds for ingestion.
MaxExecutionFrequencySeconds	Used in Phase execution.
CallbackProcessor.MaxInstancesRunning	Used in collect cleanup.
CacheExpirationSettingsCSV	CSV for long expiry seconds, short expiry seconds used during ControlpointFrameworkRegistration and PolicyExecutionRegistration.
LoadBalancingSettingsCSV	CSV for maxLatestNoWorkCount, maxPhaseIgnoreSeconds, slidingIgnoreSecondsIncrease.
ClearLocksAtStartup	<p>Boolean value.</p> <p>Set this value to true to clear locks in the ExecutionLog table during ControlPoint Scheduler startup.</p> <div style="background-color: #f0f0f0; padding: 5px;"> <p><b>NOTE:</b> Set this to true only when ControlPoint has only one Scheduler instance deployed.</p> </div> <p>Engine crashes or unexpected restarts can leave locks on the execution items. Enabling this option clears the locks upon Scheduler start and therefore avoids putting policy executions on hold for a long period of time.</p>

Setting	Usage
InsertConfigEnabled	<p>Boolean value.</p> <p>Default value is 'false'.</p> <p>Set this value to true to enable querying IDOL and MetaStore for insert configurations.</p> <p>Setting this value to false allows the engine to skip querying MetaStore and IDOL for the insert configuration values, thus improving the execution performance for insert actions to target locations.</p> <p>If you need to use declare in place policy phase (for Content Manager target locations only) or custom insert configurations, enable this option.</p> <p>If you do not use insert configurations, setting this option to false will improve performance for policy executions.</p>

The following parameters are needed to enable secure connections with IDOL and Connectors

Settings	Usage
SecurePorts	Boolean value, used to determine if the specified metastore port must be added to the MetaStore port list.
MetaStorePort	Port number.
LDAPServer	
LDAPBaseObject	
LDAPUseSSL	Boolean to use SSL.
LDAPMaxResults	Maximum number of results to retrieve.
XMLGroupMembershipFile	Filename containing group information.

# Chapter 10: Metadata ingestion

This section provides an overview of the steps necessary to configure ControlPointMetaStore to capture additional data during document ingestion. A set of examples will be used to show where and how this data can be captured.

- [Data mapping](#)
- [Additional data capture](#)
- [Examples](#)
  - [Example 1: Single value for the same document](#)
  - [Example 2: Single value hash for the same document](#)
  - [Example 3: Multiple values for the same document](#)
  - [Example 4: Multiple values hashed for the same document](#)
- [Existing data and re-ingestion](#)
- [Field text and advanced properties](#)

## Data mapping

Document metadata is captured by a list of instructions dynamically generated based on information held in the **MetaStore.MapTable** and **MetaStore.MapColumn** tables.

A stored procedure named **MetaStore.MapField** handles the complexity of these mapping tables. Run this stored procedure to register data mappings for any additional document metadata to be captured into ControlPoint MetaStore.

## MetaStore.MapColumn

Field	Description
GroupNumber	Used when a source field is mapped to multiple times the same target table.  For example, use GroupNumber for a complex field such as "ADDRESS" with a value {CITY="Boston", NUMBER=10, STREET="Main"}. The inclusion of the same GroupNumber for the separate address parts keeps the information together within the one row in the target table.  Default: 1
SourceName	The field to be extracted from the source document.
ExtractPath	The value of this field is typically null, except when a value is to

Field	Description
	be parsed from the source field.
TargetColumn	The name of the column where the captured value is to be stored.
TargetTransform	The type of transformation to be used before storing the captured value.
TargetTransformParams	When a transformation requires additional configuration, the configuration can be placed in the TargetTransformParams field.  The value of this field is typically null.
SupportingTable	The name of the target hash table, if any.  This field should be populated when the extracted data is to be hashed into a separate hash table.
CanUpdate	Indicates whether the information captured to the target column can be modified after creation.
Inherit	Indicates whether the information captured to the target column, when modified, should be captured to child documents.  Examples of such inheritance would be security.
AlternativeFieldSource	The alternate field to be extracted from the source document when SourceName cannot be extracted.
AlternativeFieldSourceTransform	The alternate transform to be used when AlternativeFieldSource is specified.

## MetaStore.MapTable

Field	Description
GroupNumber	See <a href="#">GroupNumber</a>
SourceName	See <a href="#">SourceName</a>
TargetType	The TargetType values are as follows: <ul style="list-style-type: none"> <li>“MVF” if the table can capture multiple values for the same document. For example, more than one row can exist for a given document.</li> <li>“SVF” if the table can capture single values for the same document. For example, a maximum of one row can exist per document.</li> </ul>

Field	Description
TargetTable	The name of the table to populate.
TargetMVPSuffix	<p>Supports the extraction of a suffix from the source field name to further populate a column in the target table.</p> <p>For example, assuming data exists in the source document like:</p> <pre>CPPATH1=\\c\ CPPATH2=\\c\test\ CPPATH3=\\c\test\folder\</pre> <p>Then it is possible to map CPPATH* as the SourceName and indicate that the value extract from * should be placed in the field configured by TargetMVPSuffix, for example "Level".</p>
TargetMVPSuffixTransform	Specifies the transform to use when extracting a suffix. See <a href="#">TargetMVPSuffix</a> .

## MetaStore.MapField

The stored procedure **MetaStore.MapField** handles the complexity of the mapping tables by defaulting a number of optional parameters to typical values.

Parameter Name	Required	Default Value
@GroupNumber	No	(1), defaults to a single field mapping
@SourceName	Yes	
@TargetType	No	('SVF') , defaulting Single-valued Field(SVF)
@TargetTable	Yes	
@TargetMVPSuffix	No	(NULL), defaults to not specified
@TargetMVPSuffixTransform	No	(NULL), defaults to not specified
@ExtractPath	No	(NULL), defaults to not specified
@TargetColumn	Yes	
@TargetTransform	Yes	
@TargetTransformParams	No	(NULL), defaults to not specified
@SupportingTable	No	(NULL), defaults to not specified
@CanUpdate	No	(1) , defaults to TRUE
@Inherit	No	(0), defaults to FALSE

Parameter Name	Required	Default Value
@AlternativeFieldSource	No	(NULL), defaults to not specified
@AlternativeFieldSourceTransform	No	(NULL), defaulting to not specified

## Additional data capture

ControlPoint MetaStore includes the database schemas, **Metadata** and **ControlPointMetadata**.

**Metadata** and the corresponding tables (for example, **Metadata.Document**) are used for the default set of captured properties only. Extensions to this default set must be captured into the **ControlPointMetadata** schema instead.

- If the additional data to be captured is a single value field (SVF), then it must be captured in the **ControlPointMetadata.Additional** table.
- If the additional data to be captured is a multivalued field (MVF) instead, then a new table must be created within the **ControlPointMetadata** schema to accommodate the multiple values for each document.

All multivalued tables should also include a repository identifier and a MD5 hash of the document DREREFERENCE. **ControlPointMetadata** also comprise of hash table types. These tables are utilized to reduce the storage footprint for information that is readily repeated. Each hash table has the same basic format comprising a repository identifier, a raw value and a MD5 hash of the raw value.

## Examples

This section documents the steps required to capture additional metadata into ControlPoint MetaStore. It uses a number of examples to do so and includes corresponding SQL statements that need to be loaded and executed.

The examples make use of metadata fields `AU_DOCUMENT_EDITOR_STRING` and `AU_DOCUMENT_AUTHOR_STRING` to illustrate the differences between SVF and MVF table setup.

For any new field that is added to metadata, it needs to be added to the appropriate field type in `FieldTypeInfo`.

**NOTE:** `AU_DOCUMENT_AUTHOR_STRING` is already captured in ControlPoint MetaStore by default.

### Example 1: Single value for the same document

Documents comprise a single `AU_DOCUMENT_EDITOR_STRING` value.

This will be recorded in the **ControlPointMetadata.Additional** table in a new field named **LastEditedBy**. Data mappings must be configured to instruct the MetaStore service on how to capture and record this field value during document ingestion.

## To map data

1. In SQL Server, add a new column to the **ControlPointMetadata.Additional** table to support the capture of the AU\_DOCUMENT\_EDITOR\_STRING string value:

```
USE ControlPointMetaStore
GO
ALTER TABLE ControlPointMetadata.Additional
ADD LastEditedBy NVARCHAR(255) NULL
GO
```

2. Configure AU\_DOCUMENT\_EDITOR\_STRING data mapping using the MetaStore.MapField stored procedure:

```
USE ControlPointMetaStore
GO
EXEC MetaStore.MapField
@SourceName          = 'AU_DOCUMENT_EDITOR_STRING',
@TargetTable         = 'ControlPointMetadata.Additional',
@TargetColumn        = 'LastEditedBy',
@TargetTransform     = 'ToString'
GO
```

3. Refresh document ingest, import and update sequences to support the newly captured AU\_DOCUMENT\_EDITOR\_STRING field in MetaStore.

```
USE ControlPointMetaStore
GO
EXEC MetaStore.ConfigureAddDocument
EXEC MetaStore.ConfigureUpdateDocument
EXEC ControlPointMetadata.ConfigureImportDocument
GO
```

4. Restart the ControlPoint MetaStore service to utilize the refreshed sequences.
5. If you add custom fields in Insert Configuration, you must restart the ControlPoint Engine.

## Example 2: Single value hash for the same document

Documents comprise a single AU\_DOCUMENT\_EDITOR\_STRING value. This example assumes that this string value is readily repeated throughout.

A new hash table, **ControlPointMetadata.EditorHash**, will be created to help reduce storage footprint.

A MD5 hash of AU\_DOCUMENT\_EDITOR\_STRING will be recorded in the **ControlPointMetadata.Additional** table in a new field named **LastEditedByHash**. Data mappings must be configured to instruct the MetaStore service on how to capture and record this field value during document ingestion

## To map data

1. Create a new hash table, **ControlPointMetadata.EditorHash**, to support the AU\_DOCUMENT\_EDITOR\_STRING string value and MD5 hash value mappings.

```
USE ControlPointMetaStore
GO
IF OBJECT_ID(N'ControlPointMetadata.EditorHash', N'U') IS NULL
BEGIN
CREATE TABLE ControlPointMetadata.EditorHash
(
    RepositoryId  INTEGER          NOT NULL,
    HashKey       BINARY(8)        NOT NULL,
    Value         NVARCHAR(255)    NOT NULL,
    CONSTRAINT ControlPointMetadata_EditorHash_PK
    PRIMARY KEY NONCLUSTERED(RepositoryId, HashKey) WITH FILLFACTOR = 80
)
END
GO
```

2. Add a new column to the **ControlPointMetadata.Additional** table to support the MD5 hash of the AU\_DOCUMENT\_EDITOR\_STRING string value.

```
USE ControlPointMetaStore
GO
ALTER TABLE ControlPointMetadata.Additional
ADD LastEditedByHash BINARY(8) NULL
GO
```

3. Create a foreign key relationship from the source table to the corresponding hash table.

```
USE ControlPointMetaStore
GO
ALTER TABLE ControlPointMetadata.Additional
ADD CONSTRAINT ControlPointMetadata_Additional_FK_LastEditedByHash
FOREIGN KEY (RepositoryId, LastEditedByHash)
REFERENCES ControlPointMetadata.EditorHash(RepositoryId, HashKey)
GO
```

4. Configure AU\_DOCUMENT\_EDITOR\_STRING data mapping using the MetaStore.MapField stored procedure.

```
USE ControlPointMetaStore
GO
EXEC MetaStore.MapField
@SourceName          = 'AU_DOCUMENT_EDITOR_STRING',
@TargetTable         = 'ControlPointMetadata.Additional',
@TargetType          = 'SVF',
@TargetColumn        = 'LastEditedByHash',
@TargetTransform     = 'HashValue',
@SupportingTable     = 'ControlPointMetadata.EditorHash'
GO
```

5. Refresh document ingest, import and update sequences to support the newly captured AU\_DOCUMENT\_EDITOR\_STRING field in ControlPoint MetaStore.

```
USE ControlPointMetaStore
GO
EXEC MetaStore.ConfigureAddDocument
EXEC MetaStore.ConfigureUpdateDocument
EXEC ControlPointMetadata.ConfigureImportDocument
GO
```

6. Restart the ControlPoint MetaStore service to utilize the refreshed sequences.
7. If you add custom fields in Insert Configuration, you must restart the ControlPoint Engine.

### Example 3: Multiple values for the same document

Documents can comprise multiple AU\_DOCUMENT\_AUTHOR\_STRING values. These will be recorded in the **ControlPointMetadata.Author** table. Data mappings must be configured to instruct the MetaStore service on how to capture and record these field values during document ingestion.

#### To map data

1. Create a table, **ControlPointMetadata.Author** to record all AU\_DOCUMENT\_AUTHOR\_STRING values for each document.

```
USE ControlPointMetaStore
GO
IF OBJECT_ID(N'ControlPointMetadata.Author', N'U') IS NULL
BEGIN
CREATE TABLE ControlPointMetadata.Author
(
    RepositoryId          INTEGER          NOT NULL,
    DocKey                BINARY(8)       NOT NULL,
    Author                NVARCHAR(255)   NOT NULL
CONSTRAINT ControlPointMetadata_Author_PK
PRIMARY KEY CLUSTERED(RepositoryId, DocKey, Author)
WITH FILLFACTOR = 80
)
END
GO
```

2. Configure AU\_DOCUMENT\_AUTHOR\_STRING data mapping using the MetaStore.MapField stored procedure.

```
USE ControlPointMetaStore
GO
EXEC MetaStore.MapField
    @SourceName          = 'AU_DOCUMENT_AUTHOR_STRING',
    @TargetTable         = 'ControlPointMetadata.Author',
    @TargetType          = 'MVF',
    @TargetColumn        = 'Author',
```

```
@TargetTransform          = 'ToString'  
GO
```

3. Refresh document ingest, import and update sequences to support the newly captured AU\_DOCUMENT\_AUTHOR\_STRING field in MetaStore.

```
USE ControlPointMetaStore  
GO  
EXEC MetaStore.ConfigureAddDocument  
EXEC MetaStore.ConfigureUpdateDocument  
EXEC ControlPointMetadata.ConfigureImportDocument  
GO
```

4. Restart the ControlPoint MetaStore service to utilize the refreshed sequences.
5. If you add custom fields in Insert Configuration, you must restart the ControlPoint Engine.

## Example 4: Multiple values hashed for the same document

Documents can comprise multiple AU\_DOCUMENT\_AUTHOR\_STRING values. This example assumes that these string values are readily repeated throughout.

A new hash table, **ControlPointMetadata.AuthorHash**, will be created to help reduce storage footprint. Hashed AU\_DOCUMENT\_AUTHOR\_STRING values for each document will be stored in **ControlPointMetadata.Author**. Data mappings need configured to instruct the MetaStore service on how to capture and record these field values during document ingestion.

### To map data

1. Create a new hash table, **ControlPointMetadata.AuthorHash**, to support the AU\_DOCUMENT\_AUTHOR\_STRING string value and MD5 hash value mappings.

```
USE ControlPointMetaStore  
GO  
IF OBJECT_ID(N'ControlPointMetadata.AuthorHash', N'U') IS NULL  
BEGIN  
CREATE TABLE ControlPointMetadata.AuthorHash  
(  
    RepositoryId    INTEGER          NOT NULL,  
    HashKey         BINARY(8)        NOT NULL,  
    Value           NVARCHAR(255)    NOT NULL,  
    CONSTRAINT ControlPointMetadata_AuthorHash_PK  
    PRIMARY KEY NONCLUSTERED(RepositoryId, HashKey) WITH FILLFACTOR = 80  
)  
END  
GO
```

2. Create a table, **ControlPointMetadata.Author** to record all MD5 hashes for AU\_DOCUMENT\_AUTHOR\_STRING values for each document.

```
USE ControlPointMetaStore  
GO
```

```
IF OBJECT_ID(N'ControlPointMetadata.Author', N'U') IS NULL
BEGIN
CREATE TABLE ControlPointMetadata.Author
(
    RepositoryId    INTEGER          NOT NULL,
    DocKey          BINARY(8)        NOT NULL,
    AuthorHash     BINARY(8)        NOT NULL
CONSTRAINT ControlPointMetadata_Author_PK
PRIMARY KEY CLUSTERED(RepositoryId, DocKey, AuthorHash)
WITH FILLFACTOR = 80,
CONSTRAINT ControlPointMetadata_Author_FK_AuthorHash
FOREIGN KEY (RepositoryId, AuthorHash)
REFERENCES ControlPointMetadata.AuthorHash(RepositoryId, HashKey)
)
END
GO
```

3. Configure AU\_DOCUMENT\_AUTHOR\_STRING data mapping using the MetaStore.MapField stored procedure.

```
USE ControlPointMetaStore
GO
EXEC MetaStore.MapField
    @SourceName          = 'AU_DOCUMENT_AUTHOR_STRING',
    @TargetTable         = 'ControlPointMetadata.Author',
    @TargetType          = 'MVF',
    @TargetColumn        = 'AuthorHash',
    @TargetTransform     = 'HashValue',
    @SupportingTable     = 'ControlPointMetadata.AuthorHash'
GO
```

4. Refresh document ingest, import and update sequences to support the newly captured AU\_DOCUMENT\_AUTHOR\_STRING field in MetaStore.
5. Restart the ControlPoint MetaStore service to utilize the refreshed sequences.
6. If you add custom fields in Insert Configuration, you must restart the ControlPoint Engine.

## Existing data and re-ingestion

The steps outlined in the examples ensure that the new field, AU\_DOCUMENT\_EDITOR\_STRING, is captured for new document files being ingested.

Existing data will need to be re-ingested in order to capture values for this new metadata field.

**NOTE:** If you add custom fields in Insert Configuration, you must restart the ControlPoint Engine so that ControlPoint picks up the new custom fields.

### To re-ingest data

- Select **Re-Index Repository** on the Repositories dashboard.
- Remove the connector database file from the connector installation directory, followed by a connector service restart.

## Field text and advanced properties

The new metadata has been captured into ControlPoint MetaStore through document ingestion. In order to make use of this new data for field text purposes and to return as part of the Properties/Advanced Properties within the ControlPoint Dashboard, a number of further changes are required.

### Field text

In order to make the new field available within the category field text builder, a new Rule Builder Fields mapping must be configured within the ControlPoint Administration Dashboard.

To support this, a database view modification must be made to ensure the new field is available from the list of rule builder available fields in the ControlPoint UI.

### To add a new field within the category field text builder

1. Open SQL Management Studio and expand **Databases > ControlPointMetaStore > Views**.
  - a. Select **MetaStorePro.FieldTypeInfo**, right click and click **Script View as > Alter To > New Query Editor Window**.

**NOTE:** For any new field that is added, it needs to be added to the appropriate field type in FieldTypeInfo.

#### Examples:

- A new field, AU\_DOCUMENT\_EDITOR\_STRING, must be appended to both 'Match' and 'RulesBuilderInc' FieldType list of supported fields and then executed.
  - A new date field must be appended to both the 'NumericDate' and 'RulesBuilderInc' FieldType list of supported fields and then executed.
2. On the ControlPoint Administration dashboard, click **Settings**.

The Settings page opens.

    - a. On the General tab, select **Fields**. In the Rule Builder section, add a new field by clicking **Add (+)**.

The Add New Field page opens.
    - b. Enter a name for the new field in the **Display Name** box.
    - c. Select the new metadata field from the **Fields** list.

- d. Click **Add**.

After the new field mapping is added, the new metadata captured into MetaStore can be used for category training purposes.

## Properties and advanced properties

The new field is available within the ControlPoint UI in the Advanced Properties list after you restart Internet Information Service (IIS).

### To configure a new property mapping

1. On the ControlPoint Administration dashboard, click **Settings**.  
The Settings page opens.
2. On the General tab, select **Fields**. In the Item Properties section, add a new item property by clicking **Add (+)**.  
The Add Property page opens.
3. Enter a name for the new property in the **Display Name** box.
4. Select the type from the **Type** list.
5. Select the new metadata field from the **Fields** list.
6. Click **Add**.

# Chapter 11: Legacy data management

This section describes how to manage legacy data in analyzed repositories.

- [Overview](#)
- [View repository data](#)
- [Clean up legacy data](#)
- [Configure potential ROT rule sets](#)
- [Configure a file group](#)
- [Identify potentially sensitive content](#)
- [Re-analyze a repository](#)
- [Create and modify tags](#)
- [Modify analysis details](#)
- [Select a connector for manual scan](#)

## Overview

When ControlPoint analyzes a repository, it automatically identifies data appropriate for cleanup. You can then further refine the results by reviewing data in a number of ways. You can:

- View duplicates of master locations
- Sort data by age, type, size, and other characteristics
- View data by tags that you have applied
- Visualize data as cluster maps, which group similar content together
- Browse information in file lists

By reviewing legacy data, you can identify redundant, obsolete, or trivial information, or items containing sensitive content, and deal with it appropriately.

## View repository data

There are several ways to view analyzed repository data.

- You can view repository lists by status on the Repositories dashboard. Click repositories to view more detailed information.
- For analyzed repositories, click items on the summary page, which redirect you to the appropriate tab.
- You can also browse repository contents or view cluster maps and spectrographs, which display groups of conceptually related content.

By viewing content from different perspectives, you can identify which documents you want to clean up and how.

## View a summary of repository data

The summary page of the repository details page displays statistical information about the data in Analyzed repositories.

### *To view the repository summary*

- On the **Repositories** dashboard, click the **repository** under the **Analyzed** tab whose data you want to view.

The summary page displays the following statistical information. You can click shaded or colored areas in the various charts to drill down to another tab where you see a list of the selected files.

- Basic repository information: name, location, type (file system, Exchange, and so on), registration date, the total number of documents, and disk space appear in the menu bar.
- **ROT** (redundant, obsolete, or trivial) data, which shows potential and tagged redundant, obsolete, and trivial data, as well as the amount of disk space used by each and the total potential disk space savings. Potential ROT data appears as blue chart segments; tagged data is black.

ControlPoint automatically detects potential ROT data according to a default rule set. For example, it marks image files as trivial and duplicate information as redundant. You can also tag files as you review repository content. You can configure multiple rule sets to determine what ControlPoint identifies as ROT data. See [Configure potential ROT rule sets, on page 166](#).

- **Of Interest** displays documents according to IDOL category matching. This provides a preview of potential categories these documents may belong to, when the category training is extended to include this repository. From this display you can gain insight into what documents can be automatically identified and managed with existing categories and policies. The information displayed depends on how the ControlPoint administrator configured the category training.

For example, it may list documents that contain Personally Identifiable Information (PII) such as social security numbers, email addresses, match training text, Boolean training, conceptual analysis from training documents and so on.

Administrators select the category used to assess documents from the Administration dashboard, under **Settings > Analysis > Details > Summary Category**. At least one category must be defined in the **Settings > Analysis > Details > Categories** section before the Summary Category can appear for a selection.

**TIP:** Arranging your categories hierarchically when defining them allows you to select the parent level category as the summary category and have all the child categories included for the summary as well. Ensure that you select **Include Complete Hierarchy under Selected Category** when selecting your summary category.

**NOTE:** Items will not be populated in the analysis section for parent level categories which have no child categories.

- The **Addition Rate (Items)** and **Addition Rate (Disk Space)** display the amount of data added to the repository in each of the past ten years. This information gives you an idea of how quickly the repository is growing and how old the data is.
- **File Types** displays repository content by document type, such as text, video, audio, database files, spreadsheets, and so on. Depending on your repository and your organization's practices, you can use data type information to quickly identify documents for certain types of cleanup actions. For example, if you know that audio and video files are not relevant to your business needs, you can easily identify them for disposal.
- **Potentially Sensitive Items** displays the number of documents that may contain sensitive data. You can configure rules to determine the kind of sensitive information to look for. See [Identify potentially sensitive content, on page 168](#).
- **Potential Risk Items** shows the number of documents considered to potentially represent risk since they could not be accessed during analysis. This can occur when documents are password protected, encrypted, or cannot be opened as the identity that the connector is running as cannot access it. The connector runs as a user on the NT/Network Service machine. That user may not have permission to open the file and inspect the contents.

## View data details

You can view subsets of repository data by clicking segments on the Summary tab or by clicking different tabs. The Duplicates, Analysis, Tags, Visualization, and Contents tabs display file lists that you can further refine by searching, filtering, or sampling. See [Common file list operations](#) for more details.

When you identify data that requires a cleanup action, you can tag it appropriately. See [Clean up legacy data](#).

## View duplicated data

Legacy repositories may contain multiple copies of the same data. *Master locations* contain *master documents*, or master copies of company records or other important items, however, there may be duplicates in other locations in the same repository.

It is rarely necessary to maintain duplicated data. It is likely that you will dispose of it during cleanup. ControlPoint includes deduplication technology that detects duplicates of documents in master locations, as well as duplicates within individual repositories.

## To view duplicate data

1. On the repository **Summary** page, perform one of the following actions:
  - Click the **Duplicates** tab, and then select how you want to view duplicate data.
    - **By Location**. The duplicate files appear on the right of the page. On the left, charts display the duplicate document count by master repository and within the repository (Internal), as well as the storage space used.
    - **By Duplicate Set**. The sets of duplicate documents are listed on the left of the page. When you select a duplicate data set, a list of all duplicate files in the set appears on the right. The oldest file in the set is marked with a red star, which indicates the master copy.
  - On the **Summary** page, click the **Potential** or **Tagged** shaded areas in the **Redundant** data chart, or the numerical total in the center of the chart. The tab displays the Potential or Tagged duplicates respectively.

The duplicate files appear on the right of the page. On the left, charts display the number of duplicate files and the storage space used.
2. Refine the file list as required. See [Common file list operations](#).
3. When you identify the duplicate data you want to clean up, take the appropriate cleanup action. See [Clean up legacy data](#).

## View data by statistical analysis

You can view data by a number of statistical analysis methods. Use the various options to isolate data by user, age, type, and so on.

### To analyze data

1. On the repository **Summary** page, click the **Analysis** tab, and then select the statistic by which to analyze the data.
  - **by Age**
  - **by Category** (IDOL category associated with the repository content)
  - **by Custom Field** (if applicable)
  - **by Risk**. See [View a summary of repository data, on page 154](#).
  - **by Sensitive Group**. See [View data by sensitive group, on the next page](#).
  - **by Size**
  - **by Type**. See [View data by file type, on the next page](#).
  - **by User**

On the left side, charts display the number of files and the storage space used. The charts in the Count and Space Used display information relevant to your selection. For example, analyzing by User displays a graph that displays the number of documents by user name. Click the desired bar from the Count or Space Used graph to view the files.

2. Refine the file list as required. See [Common file list operations](#).
3. When you identify the data to clean up, take the appropriate cleanup action. See [Clean up legacy data](#).

## View data by sensitive group

You can view repository items that contain potentially sensitive information such as Social Security numbers, credit card numbers, potentially identifiable information (such as bank account number), and so on.

Additionally, ControlPoint displays which Active Directory groups have access to the information. This allows you to evaluate potential security issues: a large number of potentially sensitive items accessible only by administrators may be less of a concern than a small number of items open to many Active Directory groups.

To view potentially sensitive items, you must first configure rules to identify them. See [Identify potentially sensitive content](#).

### To view sensitive group details

1. On the repository summary page, do one of the following actions.
  - Click **Analysis > By Sensitive Group**.
  - In the Potentially Sensitive Items chart, click the bar under the sensitive item type to view.

The Analysis tab opens. On the left, the chart displays the number of potentially sensitive items and the used storage space. The chart displays one segment for each active directory security group that has access to the items.

Click the sensitive group drop-down list to switch between individual sensitive groups or to select **All** sensitive items.

2. Click a column in the Count chart to view the sensitive items accessible to the selected Active Directory group.
3. When you identify the data to clean up, take the appropriate cleanup action. See [Clean up legacy data](#).

## View data by file type

You can view repository data by general file type, and view all of the different file extensions that are included in the type. For example, you can view all files of the *Document* type, and then look within that type to view the types of document, such as .DOC, .ODM, .PDF, and so on.

The *Other* file type includes all unknown extensions.

### To view file type details

1. On the repository details page, click **Analysis > By Type**.

On the left, charts display the number of files and the used storage space. By default, the analysis type is set to **All**, which displays information for general groups of data, such as *Document*, *Email*, *Image*, and so on.

2. Click **All**, and then select the data type to view.

The Count and Space Used charts update and display totals by file extension.

### View tagged data

If you have tagged files (see [Clean up legacy data, on page 165](#) for more information on tagging), you can view a list of items divided by tag. Reviewers can easily identify items tagged for review by viewing tagged data.

### To view tagged data

1. On the repository summary page, perform one of the following actions.

- Click the **Tags** tab.

The tab displays all tagged data in the repository.

The tagged files appear on the right of the tab. On the left, a chart displays the number of files.

- On the **Summary** tab, click the **Potential** or **Tagged** indicators in the **Redundant** data graphic.

The tab displays the Potential or Tagged duplicates respectively.

On the left, charts display the number of tagged files and the used storage space. Click the desired bar from the Count or Space Used graph to view the files.

2. Refine the file list as required. See [Common file list operations, on the next page](#).
3. When you identify the data to clean up, take the appropriate cleanup action. See [Clean up legacy data, on page 165](#).

### Browse data

To get a general idea of content in a repository or in a folder in the repository, you can browse the repository contents. You can browse repositories in any state: Registered, Managed, or Analyzed.

### To browse repository data

1. Click the **Contents** tab.

The tab displays a list of all files in the repository, as well as a collapsible Location box on the left side of the page that displays a tree structure of the repository. When you select a node in the

tree, the file list displays only the contents of that node. You can select the **Including Subfolders** option to show contents of nodes below the current level.

2. Refine the file list as required. See [Common file list operations, below](#).
3. When you identify the data to clean up, take the appropriate cleanup action. See [Clean up legacy data, on page 165](#).

## View cluster maps and spectrographs

Cluster maps and spectrographs are two-dimensional representations of the concepts contained in the repository data. Each cluster represents a concept area that contains a set of items that share common properties. You can use clusters to identify certain types of information, which may help you to identify data that is important to preserve.

**NOTE:** A ControlPoint administrator must enable visualization for the repository before you can view cluster maps.

### To view cluster maps

1. On the repository details page, click the Visualizations tab.  
The Content Visualization page opens. A Cluster Map appears on the left side of the page.
  - To view spectrographs, select one of the spectrograph options from the Viewing list above the Cluster Map.
2. Hover the mouse cursor over the various clusters to see the most common concepts in the repository data.
3. Click a location on the cluster map or spectrograph to view the contents on the right side of the page.
4. Refine the file list as required. See [Common file list operations, below](#).
5. When you identify the data to clean up, take the appropriate cleanup action. See [Clean up legacy data, on page 165](#).

## Common file list operations

A number of tasks common to all file lists in ControlPoint allow you to refine your lists to identify data for cleanup. Refining a file list allows you to sort data by multiple criteria.

For example, you can view a list of text files, and then filter the list by date to identify text files created by a certain user or that contain certain keywords.

### Search for files

You can search within a file list or across all repositories to identify documents that contain specific words. Search returns results only in Content Analyzed (IDOL) repositories.

### **To search within a file list**

1. To the right of the file list, click the search icon ( 🔍 ).  
The Title filter dialog box opens.
2. Enter the search text in the text box.  
To search document contents as well as in titles, select the **Contents** box. To search titles only, clear the box.
3. Click **Filter**.  
The file list displays the filtered search results.

### **To search across all repositories**

1. In the navigation bar, click .  
The navigation bar changes to a search bar.
2. Enter the search text into the Search bar, and then press **Enter**.  
The search results open in a results dialog box.

## **Filter lists**

Several standard filters are available that you can apply singly or in combination to refine a file list.

### **To filter a file list**

1. Click one of the filter icons to the right of the file list.

When you click an icon, a dialog box opens where you can specify the filter criteria. You can filter by:

- **Title**
- **Age**, by date of creation, last access, or last modification. You can combine multiple selections to identify date ranges as required.
- **File Size**
- **File Type**
- **Users**
- **Group** allows you to filter by Active Directory group to see what documents are available to different groups
- **Tags** (Analyzed repositories) Select a tag, and then click **+** to include documents with the selected tag in the list, or click **-** to exclude documents with the selected tag from the list.
- **Custom Property** is only available if a ControlPoint administrator configured any
- **Policies**
- **Potential** (Analyzed repositories) One or more of Redundant, Obsolete, and Trivial. You can

select subsets of the Obsolete and Trivial criteria. For Redundant information, you can show all duplicates or only duplicates of specific repositories.

2. Click **Filter**.

The filter applies and the file list refreshes. You can apply multiple filters to a file list as required.

To clear all filters, click **X** above the filter icons.

## Sample lists

If a repository file list is very long, you can take a sample percentage or a number of the total, which may make your analysis easier although some desired information may be excluded from the sample.

### To sample a file list

1. Click the sample icon (  ) above the file list.

The Sample dialog box opens.

2. Select the number or percentage to sample from the file list.

The file list refreshes and shows the desired sample of the total.

## Change sample list size

By default, ControlPoint has the following sample sizes:

- **Number of documents:** 5, 50, 100, 500, 1000, 5000

If you require more flexibility in defining sample sizes, you can configure the system by using settings stored centrally in the Global Settings table of the ControlPoint database.

### To change sample list size

1. In SQL Server, back up the ControlPoint database before attempting to make any changes to the CPGlobalSettings table.
2. Run the following SQL statement:

```
update ControlPoint.dbo.CPGlobalSettings set SettingValue='<numberDocuments>'  
where SettingName='Autonomy.ControlPoint.Views.SampleSizesCSV'
```

Where:

- **<numberDocuments>** is the new integer value for the number of documents to sample.

The number of documents must be greater than zero (0) and less than half of the total number of documents. For example, for a set of 100 documents, set the number of documents between 1 and 49.

For example, to add 1, 6, and 20 as the number of documents to sample, run the following SQL statement:

```
Update ControlPoint.dbo.CPGlobalSettings set SettingValue='1, 6, 20' where  
SettingName='Autonomy.ControlPoint.Views.SampleSizesCSV'
```

3. To ensure ControlPoint provides an accurate sample size, set the **MaxSampleSize** field in the Metstore.Settings table to a value greater than the largest value you set for Autonomy.ControlPoint.Views.SampleSizesCSV.

To do so, run the following SQL statement:

```
Update ControlPointMetaStore.MetaStore.Setting set Value=N'<sampleValue>' where  
Name='MaxSampleSize'
```

Where:

- *<sampleValue>* is an integer greater than the largest value in Autonomy.ControlPoint.Views.SampleSizesCSV.

For example, if the value of Autonomy.ControlPoint.Views.SampleSizesCSV is '1000,2500,5000,7500', set *<sampleValue>* to at least 7501.

## View files and file properties

File lists only display the file names. To view more details, you can view the file contents in a browser or view the file properties.

### To view files

1. Click the file name.
2. Click one of the options at the bottom of the Properties area.
  - **View** the file in a new browser window
  - **Download** the file to open it locally

### To view basic file properties

- Click the file name.

The area beneath the file expands to display basic file properties, such as name and location. You can configure which properties are included in the basic properties list. For more information, see [Configure item properties, on the next page](#).

### To view advanced file properties

1. Select the box next to the file name.
2. Above the file list, click **Actions > Advanced Properties**.

The Advanced Properties dialog box opens. It displays all basic file properties, as well as a variety of IDOL fields, which can be useful to select when building IDOL rules.

## Configure last accessed date

By default, the last accessed date displayed in file properties is the value captured when the document was last scanned or re-scanned. If source documents are accessed after the scan, the last accessed date does not update in ControlPoint. As a result, policies associated with last accessed dates may run prematurely if the files in question are still accessed by users regularly. This is less of a problem for dormant data.

You can configure the FileSystem connector to re-scan documents whenever the last accessed date changes in the source file.

Windows systems disable the last-access time stamps for performance reasons. When working with documents that users continue to access, ensure that you enable the last-access time stamps in Windows before you build policies linked to the last accessed date.

### To enable re-scan of documents when the last-accessed date changes

1. Open the FileSystem Connector configuration file in an editor.
2. Uncomment the following line in the [Default] section.  

```
IngestIfLastAccessChanged=true
```
3. Save the file.
4. Restart the FileSystem Connector.

## Configure item properties

You can configure which item fields appear in the file properties list. The default properties are:

- Name
- Location
- Created Date
- Last Modified Date
- Last Accessed Date (see [Configure last accessed date, above](#))
- Creating User
- File Type
- File Size

### To access the property configuration page

1. On the **Administration** page, click **Settings**.
2. On the **General** tab, click **Fields**.
3. Expand the **Item Properties** section.

### ***To add an item property***

1. Click **Add**.  
The Add Property dialog box opens.
2. Enter a **Display Name**.
3. Select a property **Type**: either **Date** or **String**.
4. Click the **Fields** box, and then select a property from the list.

You can add multiple fields to a property.

5. When you finish, click **Add**.
6. Click **Save**.

The new property appears when you view file properties. See [View files and file properties, on page 162](#).

### ***To remove an item property***

1. Click **X** at the right of the property row.
2. Click **Save**.

The property no longer appears when you view file properties. See [View files and file properties, on page 162](#).

## **Display document summaries**

You can toggle the display of document summaries in file lists. By default, summaries appear in search result lists and are hidden in all others. Summaries are available for only those documents that at the Content level.

### **To toggle document summaries**

- In the menu bar, click .

## **Export item data**

You can export item properties from file lists to .csv files that you can open in a spreadsheet program, such as Microsoft Excel. For example, you may need to export item data to send to a superior for approval before taking action on the items.

### **To export item data from file lists**

1. Select the items from any file list.
2. Click **Actions > Export**.

ControlPoint generates a .csv file that you can save and open. The file lists the selected item properties. You can change the type of information exported to the file by changing the displayed file properties. See [Configure item properties, on the previous page](#).

## Clean up legacy data

Cleaning up legacy data is generally a two-stage process. The first stage consists of identifying and tagging content for removal, preservation, protection, or review. After you tag the content, an information manager creates policies that match the tagged content and applies the appropriate actions.

When you identify legacy data for cleanup by exploring analyzed data (see [View repository data, on page 153](#)), you can tag it.

Four tags are available by default.

- **Remove** it from the repository. The items appropriate for removal include:
  - redundant information, such as duplicates, convenience copies, or decommissioned documents
  - obsolete information, such as very old files, irrelevant or unused files, or files that have not been accessed or updated in a long time
  - trivial information, such as personal files, media files, or system files
- **Preserve** it in a records repository. Items appropriate for preservation can include compliance records, business records, master copies, or other items of business importance.
- **Protect** it in a secure archive. Items appropriate for protection include confidential information, security risks, or documents that contain personally identifiable information such as Social Security numbers, IP addresses, or email addresses.
- **Review**. You can tag data for different reviews depending on content, including HR review, legal review, business review, or records review.

You can create custom tags or modify the default tags as required. See [Create and modify tags, on page 170](#).

Ideally, by the time you finish cleaning up your legacy data, only active data should remain in the repository.

## Tag files

When you identify data for cleanup, you must first tag it for removal, preservation, protection, or review.

### To tag files

1. Identify the files to tag in a file list. See [View repository data, on page 153](#).
2. Select the files, and then click the tag icon (  ) above the file list.
3. In the Tags dialog box, select one of the tag names.
  - **Remove**
  - **Preserve**

- **Protect**
- **Review**

4. Select a **Reason** for applying the tag.

The available reasons vary depending on which tag you select.

When you select certain Reason values, a Comment list opens, where you can select an extra comment about the data.

For example, if you select the **Remove** tag, and then select **Redundant** as the reason, you can select one of the following comments.

- **Duplicate**
- **Convenience copy**
- **Superseded**
- **Decommissioned**
- **No value**

5. Click **Apply**.

The file list refreshes and all tagged files display a tag icon in the Tags column.

## Collaborate on data analysis through comments

You can use comments to collaborate with colleagues on repository analysis in real time. You can also use comments to make notes for reference.

### To add a comment to a repository

1. On any repository detail page, click **Comments** in the menu bar.

The Comments dialog box opens.

2. Click **Add Comment**, and in the text box, enter a comment.
3. Click **Save Comment**.

The comment appears in the Comments dialog box. The comment icon on the menu bar displays the total number of comments made for the current repository.

## Configure potential ROT rule sets

ControlPoint identifies potential ROT information according to rule sets. You select a rule set to use when analyzing a repository or repository subset. One rule set is available by default. According to the default rule set, a file is considered to be:

- **Redundant** if it is a duplicate of another file in the repository or in any master location
- **Obsolete** if it was last accessed or modified five or more years ago
- **Trivial** if it is an image, audio, video, or system file

You can create multiple rule sets as required to address particular use cases. You can add master locations that ControlPoint uses to identify redundant information. You can also specify which file types to identify as trivial, the age of files to identify as obsolete, or use IDOL categories and grammar to identify potentially sensitive information (see [Identify potentially sensitive content, on the next page](#)).

#### ***To add master locations for duplicate detection***

1. On the Administration dashboard, click **Settings**.  
The Settings page opens.
2. On the Analysis tab, click **Master Locations**.  
The Master Locations page opens.
3. Under Details, click **Add**.  
The Add Master Location dialog box opens.
4. Enter a **Display Name** for the master location.
5. Select a master location from the **Repositories** list.
6. Specify whether the Master Location should be included in the default Potential Set by clicking **Yes** or **No**.

**NOTE:** Duplicates will be visible by set when you specify a master location at the root node of the repository. If multiple master locations are present, duplicates are visible in the **Duplicates by Location** filter.

7. Click **Add**.
8. Click **Save**.  
The new location is added to the Master Locations list.

#### ***To add a potential set***

1. On the Administration page, click **Settings**, on the Analysis tab, click **Potential Sets**, and then under Details, click **Add**.  
The Add Potential Set dialog box opens.
2. Under Details, enter a **Name** and **Description** of the set.
3. Select or change any of the following settings as required. Under:
  - **Redundant:** select a master location to use to identify duplicate items.
  - **Obsolete:** select the criteria to use to identify obsolete information.
  - **Trivial:** select the criteria to use to identify trivial information. You can also select IDOL categories to match items. For example, you can create a category to identify emails related to company social events.

**NOTE:** Categories have to be enabled on the repositories and creating new categories requires re-scanning.

For more information on categories, see [Categories, on page 48](#).

- Sensitive, select **Grammars** or **Category** to identify potentially sensitive information.
4. Click **Add**.

The Add Potential Set dialog box closes.

5. Click **Save**.

You can use the new potential rule set when analyzing or reanalyzing repositories, repository groups, and subsets.

## Configure a file group

You can configure the file group names and the file type extensions that comprise a file type group in **Administration > Settings > Analysis > File Groups**.

File type groups are used on the “Item Types” metric of an analyzed repository.

### To configure a file group

1. Select **Administration > Settings > Analysis > File Groups**.
2. (*Optional*) To add a new File Group, click **Add**.
3. Enter the File Group **name** and the **file extensions**.

Separate the extensions with a comma (no spaces).

4. Click **Add**, and then click **Save**.
5. Re-analyze all repositories to reflect the file group changes.

Failure to re-analyze repositories can have unexpected results.

## Identify potentially sensitive content

As part of data analysis, you may want to identify potentially sensitive information in files, such as Social Security numbers, credit card numbers, personally identifiable information (such as bank account number), and so on. You can use IDOL categories and Education grammars to detect potentially sensitive information during repository scanning or re-scanning.

Education provides predefined grammars that identify and extract information in certain formats, for example, credit card numbers or addresses.

For more information on a sample education grammar file in support of the European Union's General Data Protection Regulation (GDPR) for data privacy, see [GDPR-based sample education grammar](#), on [page 199](#).

### To identify sensitive information

1. Add or edit a repository.
2. In the Analysis section, set the Eduction option to **Yes**, and then add any grammars required for Sensitive content in the repository.

For more information on adding and editing repositories, see [Add a repository, on page 25](#) and [Edit repository settings, on page 41](#).

3. Scan or re-scan the repository.
4. On the Administration page, click **Settings**.

The Settings page opens.

5. On the Analysis tab, click **Potential Sets**, and then edit an existing potential set, or click **Add** to create a potential set.
6. In the Sensitive section, select the IDOL categories or Eduction grammars to use to identify potentially sensitive information, and then click **Add** (for a new set) or **Update** (for an existing set).
7. Click **Save**.

To apply the new criteria to previously analyzed repositories, you must re-scan the repositories. For more information on re-scanning repositories, see [Re-scan a repository, on page 45](#).

## Re-analyze a repository

If the information in an analyzed repository, repository group, or repository subset has recently changed, you can re-analyze it to ensure that the statistical data is up to date. Any tags that you applied to content are maintained.

### *To re-analyze a repository or repository group*

1. On any detail page, click the menu button by the repository name, and then click **Re-analyze Repository**.

The Re-analyze Repository dialog box opens.

2. Select the **Potential Set** to use to identify ROT information, and then click **Re-analyze**.

The repository or group is reanalyzed.

### *To re-analyze a subset*

1. On any detail page, click the menu button by the repository name.
2. Click **Re-analyze all Subsets**.

The Re-analyze Repository dialog box opens.

3. In the confirmation dialog box, click **Yes**.

All subsets are re-analyzed.

## Create and modify tags

ControlPoint includes four default tags: **Preserve**, **Protect**, **Remove**, and **Review** (see [Clean up legacy data, on page 165](#) for the descriptions), each of which includes several predefined **Reason** and **Comment** options that you can select to explain why you applied certain tags to certain documents.

The default tags and their corresponding Reason and Comment options may not be sufficient, depending on your business requirements, so in such cases, you can create your own tags and define your own Reason and Comment options. You can also add custom Reason and Comment options to the default tags.

### To create and modify tags

1. On the **Administration** dashboard, click **Settings**.

The Settings page opens.

2. On the **Analysis** tab, click **Tags**.

The tag creation page opens. It contains three collapsible lists: Name, Reason, and Comment.

3. In the Name section, do either of the following actions.
  - To create a tag, click **Add**, and then enter a tag name.
  - To modify a tag, click the tag.

The Reason section opens.

4. Click **Add**.

A text box is added to the Reason list.

5. Enter the reason in the dialog box, and then press **Enter**.

A text box opens in the Comment section.

6. Enter a comment in the dialog box, and then press **Enter**.

7. (*Optional*) Continue to add as many tags, reasons, and comments as required.

The new or modified tags are available for use in data clean up.

8. When you finish, click **Save**.

## Modify analysis details

You can change analysis configuration details as required if the default settings are not appropriate for the data in your repositories. You can:

- Change the **maximum number of segments** that can appear in area charts, such as the Redundant, Obsolete, and Trivial charts. When the number of segments exceeds the maximum, the data is presented in a bar chart.

- Add **custom fields** to use during data analysis if the default fields (size, date, and so on) do not meet your needs. Before you can add custom fields, an administrator must configure them.
- Add **IDOL category hierarchies** to use in the analysis. Before you can add IDOL categories, an administrator must configure them. See [Define a category, on page 50](#).

### To modify analysis details

1. On the Administration dashboard, click **Settings**.

The **Settings** page opens.

2. Click the **Analysis** tab, and in the Details section, change any of the following settings as required.
  - **Max Segments**. Change the maximum number of segments that can appear in an area chart. If the number of segments in the data exceeds the maximum, the data is presented in a bar chart. The default value is **5**.
  - **Custom Fields**. Click **Add** to add custom fields that an administrator configured. In the dialog box, select a custom field from the **Fields** list, and then enter a **Display Name**.
  - **Categories**. Click **Add** to add IDOL categories that an administrator configured. In the dialog box, select the category to add, and then click **Save**.

After you add one or more categories, you must select a **Summary Category** to appear on the repository Summary page.

3. Click **Save**.

## Select a connector for manual scan

You can select or change the connectors used by default when adding repositories of different types (see [Add a repository, on page 25](#)).

### To select a connector for manual scanning

1. On the **Administration** dashboard, click **Settings**.

The Settings page opens.

2. On the **Connectors** tab, click **Locations**.

The connector location page opens.

3. In the **Details** section, select the desired connector from the appropriate list. and then click **Save**.

# Chapter 12: Security

This chapter explains how to add users, how to apply role-based security and how file-level security works in ControlPoint.

- [Overview](#)
- [Enable ControlPoint security](#)
- [User roles](#)
- [Set global role-based security](#)
- [Set security on categories, policies, repositories, and repository groups](#)
- [File-level security](#)

## Overview

ControlPoint supports a variety of role-based security settings that you can use to control user access to repositories, policies, IDOL categories, and administrative tasks.

Use the ControlPoint Configuration Manager utility to identify a System Administrator and an LDAP server/base Distinguished Name. The System Administrator can then configure system-wide security settings.

You can apply role-based security settings either globally or at the policy, repository, or category level. Low-level security settings override the global settings.

## Enable ControlPoint security

You enable ControlPoint role-based security in the ControlPoint Configuration Manager.

### To enable role-based security

1. Open the ControlPoint Configuration Manager utility.
2. On the Security tab, select **Enable Security**.
3. In the **System Administrator Account** section, assign a ControlPoint System Administrator by entering the **Domain** and the **Username**.
4. In the **Active Directory Settings** section, identify the LDAP server by entering the **Server** name and **Base DN**.
5. Click **Deploy**.

The solution redeploys.

**NOTE:** In addition to the LDAP server for the Active Directory Base DN, file-based security is also supported. See [File-level security, on page 177](#).

### Example

For a Base DN entered as 'file:\\MACHINENAME\folder\userFile.xml', the sample file structure can be as follows:

```
<?xml version="1.0" encoding="utf-8"?>
<users>
  <user name="mf\$Agnes.ControlPoint" displayName="\$Agnes.ControlPoint">
    <group name="Test1" displayName="Test Group 1" />
  </user>
  <user name="mf\$Billy.ControlPoint" displayName="$Billy.ControlPoint" >
    <group name="Test1" displayName="Test Group 1" />
    <group name="Test2" displayName="Test Group 2" />
  </user>
  <user name="mf\$Ciaran.ControlPoint" displayName="$Ciaran.ControlPoint" >
    <group name="Test1" displayName="Test Group 1" />
  </user>
</users>
```

## User roles

System Administrators can assign a combination of permissions to users depending on their roles in the organization. There are four major categories of user roles, and divisions within those categories.

- **Administration permissions.** Determine which features users can access in the user interface. Administrators can set permissions at the category, policy, or repository level, which override the global permission settings.
  - **Console Administrator.** Has access to the Administration dashboard and can control ControlPoint security settings.
- **Category permissions.** Apply to IDOL categories.
  - **Category Administrator.** Has full category permissions.
  - **Category Assigner.** Can view categories and assign them to policies.
  - **Category Editor.** Can edit, publish, create, and secure categories.
  - **Category Viewer.** Can view categories.
- **Policy permissions.** Apply to ControlPoint policies.
  - **Policy Administrator.** Can create, view, edit, secure, and delete policies.
  - **Policy Approver.** Can view, manually assign, and approve policies, and can remove policies from documents.
  - **Policy Assigner.** Can view and manually assign policies.
  - **Policy Editor.** Create, view, edit, secure, and delete policies.
  - **Policy Viewer.** Can view policies.
- **Repository permissions .** Apply to repositories.

For individual repository content access, repository level roles take precedence over system level roles. This also holds true for repository groups.

- **Repository Administrator.** Has full repository permissions.
- **Repository Coordinator.** Can tag analyzed repositories and manually assign policies to content. They can also view content they do not have IDOL security permissions to view.
- **Repository Manager.** Can manually tag or perform actions on repositories.
- **Repository Owner.** Can analyze the repository, view the analysis information and manually tag a document. They can also view content that they have IDOL security permission to view.
- **Repository User.** Can manually assign policies to content; can only view content that they have IDOL security permissions to view.
- **Repository Viewer.** Can view repositories.

## Set global role-based security

Global role-based security settings determine the default permissions that users have. Administrators can combine user roles as desired to fit the profile of each user or user group.

**NOTE:** Only administrators can set global role-based security settings.

### To set global user roles

1. On the **Administration** dashboard, click **Security Management**.

The All Security page opens. It lists the names and permissions of all users.

2. To filter the permissions by security type, select an item from the **All Security** list.

Available security types include: Administration, Category, Policy, Repository, or the default, All Security.

### To add a user or user group

1. Click **Add**.
2. Enter the name of the user or user group in the text box.
3. Click  to verify the name against the LDAP server. You can only add valid user or group names.

Add as many users or user groups as needed.

### To edit permissions

1. Click **Edit** for the desired user or group.

The Permissions dialog box appears.

2. Select one or more roles to assign to the user or group, and then click **Apply**.

The selected roles are displayed in the **Permissions** column. If you assign more than one role to a user or group, the role with the highest permission level takes precedence.

For more details on roles, see [User roles, on page 173](#)

3. Click **Save**.

The security settings are applied and are inherited by all categories, repositories, and policies.

## Set security on categories, policies, repositories, and repository groups

Categories, policies, repositories, and repository groups inherit their security settings from the global settings. Sometimes it is necessary to override global permissions.

For example, you may want to allow an employee to view all repositories, yet only give permission to manage a single repository.

The System Administrator must set user permissions initially, but after the System Administrator assigns Category Administrators, Policy Administrators, and Repository Administrators permissions, those Administrators can set permissions on individual categories, policies, repositories and repository groups respectively.

### Set security on IDOL categories

A category inherits the security settings from its parent category. Top-level categories inherit security settings from the All Category global security settings, which the System Administrator or any Category Administrator can set. Setting security on an individual category overrides the inheritance of settings from the parent category.

### Set security for all categories

The ControlPoint System Administrator must assign permissions initially. After one or more users is assigned the Category Administrator role, those users can also modify All Category settings.

You can set All Category security in two places:

- from the global security settings page. See [Set global role-based security, on the previous page](#).
- from the Categories dashboard.

#### ***To set user permissions for all categories***

1. On the **Categories** dashboard, click  above the category list.

The Secure All Categories dialog box opens.

2. (Optional) **To add a user**

- a. Click **Add**.
  - b. Enter the name of the user in the text box and click  to verify the name against the LDAP server. You can only add valid user names.  
Add as many users as are needed.
3. To edit user permissions, click **Edit** by the desired user.  
A user role dialog box opens.
  4. Select the category user role or roles to assign to the user. For details on user roles, see [User roles, on page 173](#).  
The selected roles are displayed in the **Permissions** column. If you assign more than one role to a user, the role with the highest permission level takes precedence.
  5. When you finish adding users and setting permissions, click **OK**.  
The security settings apply and are inherited by all categories.

## Set permissions for an individual category

Individual categories inherit security settings from their parents. In some cases you may want to override the inheritance.

For example, if a user has a Category Viewer role at the All Categories level, yet you want to give the user Category Editor privileges for one category.

ControlPoint System Administrators and Category Administrators can set category-level security.

### **To set permissions on an individual category**

1. Select a category from the taxonomy, and then click **Security** .
- The Secure <Category Name> dialog box opens.
2. (Optional) **To add a user**
  - a. Click **Add**.
  - b. Enter the name of the user in the text box, and then click  to verify the name against the LDAP server. You can only add valid user names.  
Add as many users as needed.
3. To edit user permissions, click **Edit** by the desired user.  
A user role dialog box opens.
4. Select one or more Category user roles to assign to the user. For details on user roles, see [User roles, on page 173](#).  
The selected roles are displayed in the **Permissions** column. If you assign more than one role to a user, the role with the highest permission level takes precedence.
5. When you finish adding users and setting permissions, click **OK**.

The security settings apply and are inherited by any subcategories.

## Set repository or policy security

Repositories and policies inherit their security settings from the global security settings; however, you can set permissions on individual repositories or policies to override the global settings.

### To set security on an individual repository or policy

1. On the **Repositories** or **Policies** dashboard, click the menu icon () on the repository or policy panel.

2. Click **Security**.

The Security dialog box opens.

3. (Optional) **To add a user**

- a. Click **Add**.

- b. Enter the name of the user in the text box, and the click  to verify the name against the LDAP server. You can only add valid user names.

Add as many users as you require.

4. To edit user permissions, click **Edit** by the desired user.

A user role dialog box opens.

5. Select one or more Repository or Policy user roles to assign to the user. For details on user roles, see [User roles, on page 173](#).

The selected roles are displayed in the **Permissions** column. If you assign more than one role to a user, the role with the highest permission level takes precedence.

6. Click **OK**.

The security settings apply.

## File-level security

There are differences in the file-level security between Metadata repositories and IDOL repositories.

- For individual repository content access, repository-level roles take precedence over ControlPoint system-level roles. See [Individual repositories](#).

Repository content display is based on NT security but policy assignment respects the Policy roles.

**NOTE:** Repository owners of Analyzed repositories can view all documents in the repository. For repositories that are not in the Analyzed state, the Repository owner's view of the documents is based on NT security.

- For repository group content access, repository group-level roles take precedence over ControlPoint system-level roles. See [Repository groups, on page 180](#).

## Individual repositories

**NOTE:** Users and permissions are captured for File System repositories only and may not be available for any other type of repositories.

### Metadata-based repository

Configuration setting (EnableSecureContent)	ControlPoint Deployment security enabled	Role	Has right to file/folder	View Contents	Access (result)
N	Y	Any role	Y	Y	Y (as expected)
	Y	Any role	N	Y	Y (as expected)
Y	Y	Repo Viewer	Y	Y	Y
	Y	Repo User	Y	Y	Y
	Y	Repo Owner	Y	Y	Y
	Y	Repo Coordinator	Y	Y	Y
	Y	Repo Manager	Y	Y	Y
	Y	Repo Admin	Y	Y	Y
	Y	Repo User	N	N	N
	Y	Repo Viewer	N	N	N
	Y	Repo Owner	N	N	N
	Y	Repo Coordinator	N	Y	Y
	Y	Repo Manager	N	Y	Y

**Metadata-based repository, continued**

Configuration setting (EnableSecureContent)	ControlPoint Deployment security enabled	Role	Has right to file/folder	View Contents	Access (result)
	Y	Repo Admin	N	Y	Y

**Content-based repository**

Configuration setting (EnableSecureContent)	ControlPoint Deployment security enabled	Role	IDOL security enabled	Has right to folder?	View contents	Access (result)
N	N		N	N	Y	Y (as expected)
	Y	Repo Viewer	Y	N	Y	Y (as expected)
	Y	Repo Admin	Y	N	Y	Y (as expected)
Y	Y	Repo Viewer	Y	N	N	N (as expected)
	Y	Repo User	Y	N	N	N (as expected)
	Y	Repo Owner	Y	N	N	N (as expected)
	Y	Repo Coordinator	Y	N	Y	Y (as expected)
	Y	Repo Admin	Y	N	Y	Y (as expected)
	Y	Repo Manager	Y	N	Y	Y (as expected)
	Y	Repo Viewer	Y	Y	Y	Y
	Y	Repo User	Y	Y	Y	Y
	Y (Repo Admin)	Repo Admin	Y	Y	Y	Y (as expected)

**Content-based repository, continued**

Configuration setting (EnableSecureContent)	ControlPoint Deployment security enabled	Role	IDOL security enabled	Has right to folder?	View contents	Access (result)
	Y (Repo Viewer)	Repo Viewer	N	Y	Y	Y (as expected)
	Y (Repo Admin)		N	Y	Y	Y (as expected)

## Repository groups

The following describes how documents are displayed in repository groups and subgroups for the various system level roles.

Repository users and repository viewers cannot see documents when they select a repository group level. To see documents, navigate to the sub-repositories.

### Repository groups

System level role	Respect NT security?	Document displayed in repository group?	Document displayed in subgroup of repository?
Repo Coordinator  Repo Manager  Repo Admin	N	Y	All
Repo Owner	Y - when the repository group is not Analyzed.  No - when the repository group is Analyzed.	N	Same as Repository User/Viewer when not analyzed  Same as Repository Coordinator/Manager/Administrator when analyzed
Repo User  Repo Viewer	Y	N	

## Domain groups and ControlPoint

ControlPoint components query Active Directory to get all of the domain groups a user belongs to, and uses that to determine if documents can be viewed.

In order to improve performance, ControlPoint caches the domain groups in **ControlPoint.dbo.CPCacheUserSecurity** for a certain amount of time. ControlPoint uses the cached groups for security instead of querying Active Directory every time.

- The `SecurityCacheTimeOut` setting in `\Dashboard\Web.config` defines the valid time period of the groups cache. The default is set to 1 hour.

To force ControlPoint to query Active Directory, you can delete the cache record in **ControlPoint.dbo.CPCacheUserSecurity** for a domain user so that the next time that user logs in, it must query Active Directory.

- The `EnableAddDomainAdmin` setting in `\Dashboard\Web.config` is used for when the domain user belongs to Administrators group, manually add DOMAIN ADMIN group to groups list.

You can turn it off based on your Active Directory setup.

## Chapter 13: Scheduled tasks

ControlPoint includes a number of scheduled tasks and maintenance jobs by default.


- Scheduled tasks, controlled by ControlPoint, automatically perform operations required to manage policies, generate statistical information for monitoring purposes, and so on.
- Database maintenance jobs, deployed as SQL Server Agent jobs, perform various database maintenance operations. For information about ControlPoint's default database maintenance jobs, see [Database maintenance, on page 227](#).

This chapter provides the following information about ControlPoint's scheduled tasks:

- [Scheduled task to retire orphaned documents](#)
- [Default scheduled tasks](#)
- [Add a scheduled task](#)
- [Edit a scheduled task](#)
- [Remove a scheduled task](#)
- [Run scheduled tasks](#)
- [Configure ControlPoint schedules for large systems](#)

### Scheduled task to retire orphaned documents

The below diagram depicts the flow of Full Rescan with Delete. The purpose of this task is to automatically cleanup items in Metastore and IDOL Content Engines that do not exist in the source locations. These items exist only in the Metastore and IDOL Content Engines and are considered as orphaned documents.



## Default scheduled tasks

ControlPoint provides a number of scheduled tasks out of the box. Some of these tasks run by default and you can enable or disable tasks to suit your requirements. You can also add tasks that run only once or on a scheduled basis, such as to execute a specific policy frequently.

### Default scheduled task types

This section describes the ControlPoint scheduled tasks that are available by default.

**NOTE:** For information about ControlPoint's default maintenance jobs, controlled by SQL Server Agent, see [Database maintenance](#), on page 227.

### Policies

- **Assign Policies** automatically assigns policies to documents, depending on their categorization in IDOL server. After you set up category associations for policies, this task automatically assigns the policies to documents that match the category.
- **Cleanup Policies** removes policy actions from documents after you remove a policy in ControlPoint. When you remove a policy through the User Interface, the policy action (for example, hold) remains on the document until the Cleanup Policies task runs.
- **Execute Policies (High)** applies the policy action to documents that have policies applied. It executes the action only when the document meets the policy rules. This Execute Policies task checks for items ready to execute every 10 minutes.
- **Execute Policies (Normal)** applies the policy action to documents that have policies applied. It

executes the action only when the document meets the policy rules. This Execute Policies task checks for items ready to execute every 4 hours.

- **Execute Policies (Low)** applies the policy action to documents that have policies applied. It executes the action only when the document meets the policy rules. This Execute Policies task checks for items ready to execute every 24 hours.
- **Process Issues** processes the Abort and Retry actions from the Issue Management administration page. It also automatically reconciles the ControlPoint indexes with source repositories, deleting documents from the indexes which are no longer accessible in the source repositories; this prevents such documents from blocking policy execution.
- **Remove Policy Assignments** determines when to remove a policy from documents that no longer match the IDOL categories used when a category is retrained. You can configure ControlPoint to remove policy for these documents.

By default, a policy is not removed after it is assigned by a category.

- **Notify Policy Approvers** emails policy approvers for Policies configured for Review before execution.

## Statistics

- **Calculate Compliance** calculates a measure of how many documents in a repository are being managed through a ControlPoint policy assignment.
- **Calculate Conflict Statistics** updates metrics related to policy conflicts.

## System

- **Metadata Consistency Check** ensures that all stored metadata is consistent.
- **Register Repositories** automatically finds and registers all repositories into IDOL. Data sources that contain documents and that are not one of the recognized types (Filesystem, Exchange, or Content Manager) are defined as XML type.
- **Delete Orphaned Documents** deletes documents in the ControlPoint indexes that, as identified by a repository Full Rescan, no longer appear to be accessible in their source repository.

## Default scheduled task configuration

The ControlPoint installation installs and configures the following tasks and schedules.

Name	Interval	Enabled
Assign Policies	30 minutes	Yes
Cleanup Policies	24 hours	Yes
Execute Policies (High)	10 minutes	Yes
Execute Policies (Normal)	4 hours	Yes

Name	Interval	Enabled
Execute Policies (Low)	24 hours	Yes
Process Issues	60 minutes	Yes
Reevaluate Policy Assignments	60 minutes	No
Calculate Compliance	24 hours	Yes
Calculate Conflict Statistics	60 minutes	Yes
Metadata Consistency Check	7 days	Yes
Register Repositories	24 hours	Yes
Notify Policy Approvers	24 hours	Yes
Delete Orphaned Documents	24 hours	Yes

## Schedule plans

Schedule plans determine how frequently the tasks check for items that are ready to execute. You can use schedule plans to ensure that critical policies run more frequently than others.

Three Execute Policies tasks run on different schedule plans:

- **High** runs every 10 minutes
- **Normal** runs every 4 hours
- **Low** runs every 24 hours

When you define a policy or a policy template, you must select a schedule plan. See [Create a policy template, on page 64](#) and [Create a policy, on page 72](#).

You can edit the Execute Policies tasks to change the default run frequencies as required. See [Edit a scheduled task, on the next page](#).

## Add a scheduled task

You can create new scheduled tasks to control when specific operations execute. Tasks you create can run specific operations immediately or on separate schedules.

### To create a scheduled task

1. On the Administration dashboard, click **Scheduled Tasks**.  
The Scheduled Tasks page opens.
2. On the menu bar, click **+**.  
The Add New Scheduled Task page opens.

3. Specify the following information.

<b>Name</b>	The name of the task.
<b>Description</b>	The description of the task.
<b>Schedule Type</b>	The type of scheduled task to create.
<b>Start At</b>	The time and date that the schedule starts.
<b>Run Once</b>	Whether the task runs only once or on a schedule.
<b>Frequency</b>	The frequency that the scheduled task runs. Specify the frequency in hours and minutes.
<b>Enable Scheduling</b>	Whether to enable the task. Enabling the task means it runs (either once or according to the schedule) whenever the ControlPoint scheduler is running.

4. Click **Save**.

## Edit a scheduled task

You can alter scheduled task settings from the Administration dashboard.

### To edit a scheduled task

1. On the Administration dashboard, click **Scheduled Tasks**.  
The Scheduled Tasks page opens.
2. Select a scheduled task panel, click the menu icon (☰) and select **Edit**.  
The Scheduled Tasks page opens.

3. Edit the fields as required.

<b>Name</b>	The name of the task.
<b>Description</b>	The description of the task.
<b>Schedule Type</b>	The type of action the task performs.
<b>Start At</b>	The time and date that the schedule starts.
<b>Run Once</b>	Whether the task runs only once or on a schedule.
<b>Frequency</b>	The frequency that the scheduled task runs. Specify the frequency in terms of hours and minutes.
<b>Enable Scheduling</b>	Whether to enable the task. Enabling the task means it runs (either once or according to the schedule) whenever the ControlPoint scheduler is running.  You can disable a task, for example, during system maintenance. The task does not run until you enable it again.

4. Click **Save**.

## Remove a scheduled task

When you no longer require a scheduled task, you can remove it from ControlPoint.

### To remove a scheduled task

1. On the Administration dashboard, click **Scheduled Tasks**.  
The Scheduled Tasks page opens.
2. Select a scheduled task panel, click the menu icon (☰) and select **Delete**.  
A confirmation dialog box appears.
3. Click **Delete**.

## Run scheduled tasks

Enabled scheduled tasks run whenever a ControlPoint Scheduler is active. You start ControlPoint Schedulers from the Service Control Manager.

You can install one ControlPoint Scheduler for each server. The number of threads you configure for the Scheduler determines the overall rate at which it processes items. On large ControlPoint systems, you must deploy multiple Schedulers.

## Run tasks immediately

Scheduled tasks run according to a defined frequency. You can advance the start date and time of the next schedule cycle to force it to run immediately.

### To run a scheduled task immediately

1. On the Administration dashboard, click **Scheduled Tasks**.

The Scheduled Tasks page opens.

2. Select a scheduled task panel, click the menu icon (☰) and select **Run Now**.

The ControlPoint Scheduler runs the task when it next checks for tasks to run (by default, every 60 seconds).

## Configure ControlPoint schedules for large systems

The following section describes ControlPoint configurations to use in large ControlPoint systems. Depending on your requirements and hardware, you can combine the solutions in this section as required.

### Install multiple ControlPoint schedulers

For high processing volumes, you can install multiple ControlPoint Schedulers on several machines. You must modify the configuration of each Scheduler to point to the ControlPoint SQL Server database and the IDOL server.

### Change the number of scheduler threads

Each ControlPoint Scheduler runs a defined number of threads, each processing a batch of items every time it runs. The default number of threads is eight. The optimal number of threads depends on your requirements and the system processor.

#### To change the number of Scheduler threads

1. Open the **ControlPoint Configuration Manager**.

2. Click **Engine**.

The Engine Setting page opens.

3. Under **Engine Settings**, enter the number of threads in the **Enter the number of threads to use to process items** box.

4. Click **Deploy**.

ControlPoint redeploys.

# Chapter 14: Issue management

This section describes the Issue Management administrative function.

- [Manage issues](#)
- [Resubmit failed items](#)
- [Abort failed items](#)

## Manage issues

The Issue Management page, which is accessible through the Administration dashboard, displays events of interest to ControlPoint Administrators. Typically these events require manual intervention to resolve.

For example, the Issue Management list may report when:

- A connector or the distributed connector stops
- A dispose action fails due to a lack of permission on the target document
- A copy action cannot access the target location
- The configured Temporary Location cannot be accessed

Multiple occurrences of individual events can be filtered and then processed using a single retry or abort instruction. This bulk handling mechanism makes it easy to resolve environmental issues and to replay the underlying ControlPoint actions.

The issues described in this section are typically the result of problems in the system environment such as: incorrect permissions, access problems, and so on.

## Resubmit failed items

After you resolve the problem that caused the issue, you can resubmit items.

### To resubmit items

1. On the Administration dashboard, click the **Issue Management** panel or tab.  
The Issue Management page opens.
2. Select all items that you want to retry.  
You can filter on any of the columns, and then click **Select All** to select multiple common items.
3. In the Actions menu, click **Retry**.

## Abort failed items

You can abort items that failed in processing. Aborting a policy execution removes the policy tag from all the selected items.

**NOTE:** The policy can be reapplied to some or all of the aborted items whenever the Apply Policies from Category task runs again.

### To abort failed items

1. On the Administration dashboard, click the **Issue Management** panel.  
The Issue Management page opens.
2. Select all items that you want to abort.  
You can filter on any of the columns, and then click **Select All** to select multiple common items.
3. Click **Abort**.

# Chapter 15: Health and usage details

You can check the health and usage details of your ControlPoint deployment.

- [Check ControlPoint health](#)
- [Run advanced health check reports](#)
- [Check usage details](#)

## Check ControlPoint health

The Health Check page allows you to check the status of components and tasks in your ControlPoint system.

When you run the health check, the page displays the current health of the system. You can view any warnings or errors, and correct them in your system.

For example, the health check reports whether ControlPoint can contact the IDOL server and connectors.

### To check ControlPoint health

1. On the Administration dashboard, click **Health Checks**.

The Health Checks page opens. The following groups summarize aspects of your configuration settings.

- **IDOL and Connectors.** Summarizes the status of IDOL and connector components.
  - **IDOL port status.** Verifies the IDOL action and index ports.
  - **Distributed connector port status.** Verifies the Distributed Connector action port.
  - **Connector callback.** Verifies the accessibility of the callback site.
  - **List connectors.** Verifies which connectors have registered with the Distributed Connector.
- **ControlPoint.** Verifies access to various ControlPoint components.
  - **Insert temporary location.** Verifies access to the temporary location used by connectors when performing inserts.
  - **Policy parent category ID.** Verifies the validity of the parent category ID for new policy categories.
  - **Target location insert configuration.** Verifies read access to the target location insert configuration shared directory.
- **Edge Connector Status.** Verifies access to the Edge Filesystem connector server.

The status displays the following possible states:

- Green checkmark — indicates that all Edge Filesystem connector services are running and stable.
- Yellow exclamation — indicates that at least one Edge Filesystem connector web service is down.
- Blue question — indicates that the Edge status service is down, and the connector web services cannot be queried.

If this status occurs, you must troubleshoot your Edge Filesystem connector services.

### To refresh the health check

1. Click one of the refresh options :
  - **Refresh all.** Refreshes the status of all components.
  - **Refresh group.** Refreshes the status of a specific group.
  - **Individual component.** Refreshes the status of a specific component.

The health check runs, and you can view the results of each test.

## Run advanced health check reports

In addition to the basic ControlPoint health check, you can use ControlPoint Assist to run advanced health check reports on connector status, execution activity, and policies.

**NOTE:** To run the policy reports, you must have configured at least one policy.

### To run advanced health check reports

1. On the Administration dashboard, click **Health Check**.  
The Health Check page opens.
2. Click **View the advanced ControlPoint Assist**.  
The ControlPoint Assist page opens.
3. Select the **Report** to run.

## Check usage details

The Usage Details page allows you to check the amount of data managed by your ControlPoint system.

## To check ControlPoint usage

1. On the Administration dashboard, click **Usage details**.

The Usage Details page opens.

2. The **Usage Details** section displays the current and cumulative managed data details and numbers of documents ingested by ControlPoint.
  - The **Breakdown by Index Type** section displays a chart of the following current managed data by index type:
    - **Repository Metadata and Metadata only.**
      - **Repository metadata** contains metadata retrieved from the repository.
      - **Metadata** contains a small analysis that contains all metadata.
    - **Full index content** Contains all metadata and item content.
  - The **Repository Type (Active)** charts display active repositories by connector type, with current and cumulative managed data.
  - The **Repository Type (Deleted)** charts display deleted repositories by connector type, with managed data.
  - The **Repository Group (Top 10)** charts display the top ten repository groups with current and cumulative managed data.

# Chapter 16: Audit reports

**NOTE:** The ControlPoint audit reports feature is available if you configured SQL Server Reporting Services as part of the configuration of your ControlPoint environment.

The ControlPoint data source in SQL Server Reporting Services (SSRS) must be configured with a set of credentials for access to the audit reports.

For more information, see "Configure the ControlPoint data source" in the *ControlPoint Installation Guide*, available from the [Micro Focus ControlPoint documentation site](#).

## To view audit reports

1. On the Administration dashboard, click **Audit Reports**.

The SQL Server Reporting Services page for ControlPoint Reports opens.

2. Click **ControlPoint Reports**.

3. Click **English**.

A list of reports opens.

Click **Details View** for additional details on the reports.

Name	Description
Category Activity.rdl	Reports on ControlPoint Policy applied by Category
Category Report.rdl	Reports on training categories
Category Training Activity.rdl	Reports on training categories
Classification Activity.rdl	Reports on ControlPoint classifications and alerts.
Document Activity.rdl	Reports on lifecycle changes to documents under the management of specified ControlPoint Policies.
Policy History.rdl	Reports on authorized changes to ControlPoint Policies.
Repository History.rdl	Reports on authorized changes to ControlPoint source repositories.
Security Activity.rdl	Reports on ControlPoint Security changes.
Tag Activity.rdl	Reports on activity related to a specific tag name.
Tag History.rdl	Reports on authorized changes to ControlPoint tags
User Activity.rdl	Reports on lifecycle changes to documents under the management

Name	Description
	of ControlPoint Policy by a specified user.
<b>Subreports</b>	
Policy History Phases.rdl	Reports on authorized changes to ControlPoint Policy phase settings.
Policy History Training and Assignment.rdl	Reports on authorized changes to ControlPoint Policy training and assignment settings.
Security Changes.rdl	Reports on ControlPoint Security changes.

4. Click a report name. The report page opens.
5. Specify any necessary parameters, such as dates, and click **View Report**.

The selected report opens.

# Chapter 17: Export ControlPoint data for BI analysis

You can export key information about ControlPoint data to a separate database, and then use third-party tools to analyze that data for your business needs.

## Export ControlPoint data

Before you can analyze ControlPoint data for the first time, you must export it to a new **ControlPointExport** database.

### To export ControlPoint data

1. If you did not select the **Install ControlPoint Export Database for BI analysis** option while running the ControlPoint Database Installer, open SQL Server Management Studio (SSMS), and then run the `exportBI_database_creation.sql` script.

All SQL and PowerShell scripts required for this task are located in the `ControlPoint\5.9.0\Export for BI` folder.

2. Export the data from the **ControlPointMetastore** database into the **ControlPointExport** database:

- a. Create a data storage folder, such as `E:\cpData`.

This storage location must support a high I/O and have enough free space to store large amounts of data.

- b. Ensure the Windows user that SQL Server will use to execute Windows commands has READ and WRITE permissions to the storage path.

**TIP:** To determine which user SQL Server will use, execute the following command in SSMS:

```
master..xp_cmdshell 'whoami.exe'
```

- c. Open a PowerShell command window, and then run the `Initial_export.ps1` script using the following syntax:

```
Initial_export.ps1 dbServer storagePath [sqlUser] [sqlPwd]
```

Where:

- **dbServer**. The database server that hosts the ControlPointMetastore database.
- **storagePath**. The data storage folder you just created, such as `E:\cpData`.
- **sqlUser (Optional)**. A SQL user that has SELECT and INSERT permissions on all objects in the database. To use the trusted connection, do not specify this parameter.
- **sqlPwd (Optional)**. The password, in plain text, of the specified SQL user. To use the trusted connection, do not specify this parameter.

3. Verify that the data has been imported into **ControlPointExport** database. To do so:
  - a. In SSMS, expand **Databases > ControlPointExport > Views**.
  - b. Verify that **ControlPoint.Documents** and **ControlPoint.Policies** views both contain data.

Data in the **ControlPointExport** database is now ready for analysis by third-party tools.

**NOTE:** Data in the **ControlPointMetastore** database changes through normal activity. Therefore, before the next time you analyze the data, be sure to update the **ControlPointExport** database to ensure it contains the latest data.

## Refresh the ControlPointExport database

Data in the **ControlPointMetastore** database changes during normal ControlPoint operation, such as when:

- Documents are added to or removed from a network share and the repository is rescanned.
- A policy is assigned to a document.

To ensure the **ControlPointExport** database contains the most current set of ControlPoint data before you analyze it, refresh the database as this task describes.

### To refresh the ControlPointExport database

1. Open SQL Server Management Studio, and then run the RefreshPublishedDocuments stored procedure:
  - a. Right-click **ControlPointExport** database, and then click **New Query**.
  - b. Enter the following command:


```
EXEC RefreshPublishedDocuments
```
  - c. Click **Execute**.
2. Verify that the data has been imported into **ControlPointExport** database. To do so:
  - a. In SSMS, expand **Databases > ControlPointExport > Views**.
  - b. Verify that the **ControlPoint.Documents** and **ControlPoint.Policies** views both contain data.

## Chapter 18: Education grammars

A *grammar* is a file that provides rules for complicated entities, such as sensitive data patterns. Two examples of these types of entities are credit card and social security numbers. The entities can be recursively defined. Rules can refer to entities in external grammars and dictionaries.

Eduction uses the grammar to scan a document and extract the defined entities that match the search pattern. The pattern can be a dictionary of names, such as people or places. It can also describe what the sequence of text looks like without having to list it explicitly, such as the pattern for a telephone number or a time.

Grammars are written in XML and use the regular expression format. Eduction supports context-free grammars and lets you extend existing grammars or author new ones, either from scratch or by referencing existing entities.



**NOTE:** For more information about how and when to extend your grammars or how to improve the recall of your grammar files, contact Micro Focus Professional Services. This group can help you design grammar XML files to meet your business needs. See also the *IDOL Eduction User Guide*, available from the [Micro Focus IDOL documentation site](#).

## Configure Eduction thresholds

ControlPoint supports two thresholds for configuring a balance between Eduction's precision and recall of entities:

- **MinScore.** The minimum score required for a match to be returned. Default: 0.5

This threshold applies to all entities. The lowest possible score is 0 (all matches are returned). The upper limit varies depending on the entity. Increasing the value above 0, towards (and even past) 1, specifies that matches must meet a higher confidence level to be returned.

**NOTE:** This threshold is applied before Education runs any post-processing tasks. To further filter matches after all post-processing tasks have completed, use the **PostProcessThreshold** parameter.

- **PostProcessThreshold.** The minimum score required, after all post-processing tasks have completed, for a match to be returned. Default: 0.5

This threshold applies to all entities. A higher threshold indicates that matches must meet a higher confidence level to be returned.

### To configure Education thresholds for a connector

1. For the connector you want to configure, open its `\Indexer\ file in a text editor.`
2. Update the `MinScore` and `PostProcessThreshold` parameters, as necessary, and then save the file.

The parameters are located in different sections:

```
[Education]
DefaultMaxMatchesPerDoc=10000
MinScore=0.5
```

```
[PostProcessingTasks]
PostProcessThreshold=0.5
```

3. Restart the connector's Connector Framework Service using Windows Services.

## GDPR-based sample education grammar

ControlPoint includes a sample education grammar file in support of the European Union's General Data Protection Regulation (GDPR) for data privacy.

**IMPORTANT:** The education grammar file, `<GDPRSample>`, is a *sample* file only. The sample GDPR education grammar can be adapted to meet your specific GDPR-based data privacy education needs.

For detailed information on creating education grammar files, see the *IDOL Education User Guide*.

For more information about how and when to extend your grammars, and how to improve the recall of your grammar files, contact Micro Focus Professional Services.

The `<GDPRSample>` grammar file is located in the `\Indexer\ directory of each Connector.`

For example:

```
\Indexer\Filesystem Connector Framework\education\

```

## Overview of custom Education grammar tasks

You can create custom Education grammars to be used to scan and analyze repositories.

### Task overview

1. Work with Micro Focus Professional Services to perform the following tasks:
  - a. Create a grammar file, in XML format, with your custom Education text.

**TIP:** You can view a sample grammar file included in your Connector Framework Service and use it as a template when creating your custom grammar file.

The grammar file is located in the `\Indexer\<Connector name> Connector Framework\education\` directory of each Connector.

For example:

```
\Indexer\Filesystem Connector Framework\education\sample.xml
```

- b. The Micro Focus Professional Services representative compiles the grammar file to prepare it for the system.
2. In the ControlPoint Administration Console, you can perform the following tasks:
  - a. [Create a custom grammar](#).
  - b. [Edit the Potential Set to include the newly created custom grammar](#).
  - c. [Add a custom grammar to a repository](#) and scan it.
  - d. [Re-analyze the repository](#).

## Create a custom grammar

You can create a custom grammar to meet your business needs.

### To create a custom grammar

1. On the **Administration** dashboard, click **Custom Grammar**.

The Custom Grammar page opens.
2. In the **Create Grammar** section, enter the following information:
  - a. In the **Grammar File Name** box, enter the file name of the grammar file, including the `.ecr` file extension.

For example: `myCustomGrammar.ecr`.

**NOTE:** The grammar file is located in the `\Indexer\<Connector name> Connector Framework\education` directory of each Connector.

For example: \Indexer\FileSystem Connector  
Framework\education\myCustomGrammar.ecr.

- b. In the **Grammar Description** box, enter a description.

**NOTE:** Enter a meaningful description, because it will be displayed in the Administration dashboard in several places.

- c. In the **Grammar Entity Name** box, enter a name. The Grammar entity name is displayed when you add a new repository enabled with Education.

By default, the Grammar Entity Name box is populated with the prefix CUSTOM\.

**NOTE:** The CUSTOM\ prefix relates to the hierarchy presented inside the XML document after the files are prepared by Professional services. It indicates that you are creating a custom grammar.

- d. In the **Grammar Entity Description** box, enter a description.

**NOTE:** Enter a meaningful description, because it will be displayed in the Administration dashboard in several places.

3. Click **Create**.

The new grammar is created and available for assignment to a Potential Set.

## Edit Potential Sets to use custom grammar

To use the new custom grammar, you must edit the Potential Sets.

### To edit the settings for a Potential Set

1. On the **Administration** dashboard, click the **Settings** panel.

The Settings page opens.

2. Click the **Analysis** tab.

The Analysis page opens.

3. Click the **Potential Sets** tab.

The Details section opens.

4. Select one of the following options:

- In the default potential set, click the **Edit** icon .

The Edit Potential Set page opens.

In the **Sensitive** section, click **Grammars** and select the custom grammars from the list.

- Click **Add (+)** to add a new potential set.

The Add Potential Set page opens.

In the **Sensitive** section, click **Grammars** and select the custom grammars from the list.

5. Click **Save**.

The edits to the potential sets are saved.

## Add a custom grammar to a repository

Verify that a repository has Education enabled, and add the custom grammar.

1. On the **Repositories** dashboard or any details page, click the menu icon (☰).
2. Select **Edit**.

The Edit Repository page opens.

3. In the **Analysis** section, verify that Education is enabled.
4. To add the new custom grammar, click **Add**. The Grammar page opens.
5. Select the custom grammar from the list, and click **Add**.
6. Click **Save**.

The settings are saved.

7. Restart the Connector Framework Service (CFS) associated with the connector assigned to the repository.
8. Scan or re-scan the repository with Education enabled, and with the custom grammar selected. For more information, see [Re-scan a repository, on page 45](#).

## Re-analyze the repository

As the next step, re-analyze the repository. You can view the results of the custom grammar in the Results section under the Potential sensitive items chart on the Analysis tab.

For general information on re-analyzing repositories, see [Re-analyze a repository](#).

## Remove a grammar

### To remove a grammar

1. On the **Administration** dashboard, click **Custom Grammar**.
2. The Custom Grammar page opens.
3. In the **Remove Grammar** section, select a grammar from the list.
4. Click **Remove**.

The selected grammar is removed.

**NOTE:** If you remove a default grammar from ControlPoint, you can always add it again at a later point.

The default grammar files are located in the \Indexer\*<Connector name>* Connector Framework\education directory of each Connector.

## Part II: Utilities

This part contains information about the following ControlPoint utilities:

- [Archiving command-line utility](#)
- [Repository command-line utility](#)
- [Statistics Export utility command-line interface](#)
- [Support utility](#)

# Chapter 19: Archiving command-line utility

The Archiving command line utility archives and stubs a file. In addition, this command recreates a file or directory stub, rehydrates a stubbed file or directory, and dumps the reparse data contents of a stubbed file.

Currently, this utility works on Microsoft .NET Framework 4.5 and supports the following features:

- Archives and stubs a file
- Recreates a file stub
- Recreates all file stubs
- Dumps the contents of the reparse data of a stubbed file
- Rehydrates a stubbed file
- Rehydrates all stubbed files
- Deletes the stubbed source file

## Location

`\Program Files\Micro Focus\ControlPoint\Edge\Archive Service\Stub\stub.exe`

## Synopsis

```
stub.exe -create -source <path> -archiveP01 <path> -archiveP2 <path>
```

```
stub.exe -recreate [-source <path>] -archive <path> -r
```

```
stub.exe -rehydrate -source <path> -r
```

```
stub.exe -dump -source <path>
```

```
stub.exe -delete -source <path>
```

```
stub.exe -|-help
```

## Options

- -create

Archives the data from the file specified in the `-source` parameter and replaces the original file with the reparse point file stub, which contains the information required by the filter drive to recognize the file for the archive redirection.

This option includes the following parameters:

- -source: Specify the location of the source file. It can be a file name with the full path or a directory.
- -archiveP01 (required): Specify the location for archiving the file. It should be a directory.
- -archiveP02 (optional): Specify an additional location for archiving the file. This too should be a directory.

After the copy operation, the archive location is modified. The source system name and the source path are appended to the archive location.

### Example

If the source system name is SRC\_SYS, the source file is D:\Logfiles\Monday\Log1.txt, and the original archive location is Z:\archive, then the modified archive location is Z:\archive\SRC\_SYS\D\Logfiles\Monday, which now includes two files: Log1.txt and Log1.stb.

**NOTE:** All parameters of this option are mandatory. Also, the readonly and nodelete parameters are specific to the stub file through the actions handled by the filter driver and are always ON.

- -recreate

Recreates stub files if they are deleted or damaged due to user actions or file system issues. You can recreate a stub by using the two files at the archive location. You should copy the file from the archive location back to the source location where the stub was deleted.

As a next step, the corresponding .stb file that exists along side the archive version of the file is used to replace the reparse information back on the file, and then the file is once again made a sparse file. The copying operation of the archived file to the source skips the main data stream and only copies attributes and alternate data streams.

This option includes the following parameters:

- -source: Specify the file name (with the complete path) or directory where the stub file is to be created. This parameter is optional. If it is not specified, the original source location is chosen.
- -archive: Specify the file location where the file is archived.
- -r: Specify this parameter for the recursive operation. You need to explicit provide this parameter, as it is not recursive by default.

- -rehydrate

Restores the archived file from the archive, replacing the stubbed file.

This option includes the following parameters:

- -source: Specify the file name and the complete path of the stub file.
- -r: Specify this parameter for the recursive operation. You need to explicit provide this parameter, as it is not recursive by default.

- -dump

Displays to the console and logs the reparse metadata stored in the reparse point of the stubbed file, which is specified using the -source parameter.

This option includes the following parameter:

- -source: Specify the file name and the complete path of the stub file.

- -delete

Deletes the stubbed file specified using the -source parameter. The Windows delete commands are prevented from deleting the stub file when the nodelete flag is set. This is enforced by the filter driver.

This option includes the following parameter:

- -source: Specify the file name and the complete path of the stub file.

- -help

Displays the usage synopsis for this command line utility.

**NOTE:** If no option is provided with the command, it lists all the available options, with their parameters.

## Examples

1. To archive a file to a shared location in your network, run:

```
stub.exe -create -source C:\src\test.txt -archiveP01 \\dest_sys\share1
```

Where \\dest\_sys\share1 is the shared location in your network where the file is archived.

2. To recreate a file stub, run:

```
stub.exe -recreate -source C:\src\test.txt -archive \\dest_sys\share1\SRC_
SYS\c\src\test.txt
```

Where SRC\_SYS is the source system name.

3. To rehydrate a stubbed file in the source location, run:

```
stub.exe -rehydrate -source C:\src\test.txt
```

If this command is successful, the file is no longer a stubbed, offline file. It represents the complete file prior to it being archived.

4. To rehydrate any archived file in the source location, run:

```
stub.exe -rehydrate -source C:\src
```

5. To rehydrate any archived file in the source and its child directories, run:

```
stub.exe -rehydrate -source C:\src -r
```

6. To dump the reparse metadata in the stubbed file's reparse point, run:

```
stub.exe -dump -source C:\Store1\MonthlyAssets.pdf
```

**Sample output:**

```
Dump: File: c:\Store1\MonthlyAssets.pdf
```

```
Dump: readonly: 1
```

```
Dump: nodelete: 1
```

```
Dump: assetversion: 1
```

```
Dump: source c:\Store1\MonthlyAssets.pdf
```

```
Dump: target: \\SHARE1\D\Store1\MonthlyAssets.pdf
```

```
Dump: target: \\SYSTEMA\D\Store1\MonthlyAssets.pdf
```

```
Dump: AssetId: StubLocalFile
```

7. To delete a stubbed file, run:

```
stub.exe -delete -source C:\Store1\MonthlyAssets.pdf
```

# Chapter 20: Repository command-line utility

This utility allows you to create new repositories from the command line.

## Supported repository types

- File System
- SharePoint Remote
- Exchange
- Documentum

## Location

ControlPoint<version>\Utilities\CommandLine Utility\ControlPointCommand.exe

## Synopsis

- Create a new repository

```
ControlPointCommand.exe -action repo_create -config_path C:\configutation\1.xml  
-report_path C:\report -enablehttps 0
```

- Read repository security on an existing repository

```
ControlPointCommand.exe -action repo_security -action_type r -config_path  
E:\configuration\2.xml -report_path E:\report -enablehttps 0
```

- Scan repository

```
ControlPointCommand.exe -action repo_scan -config_path C:\configutation\1.xml -  
report_path C:\report -enablehttps 0
```

## Options

This utility requires the options listed in the following table.

Option	Description
-action repo_create	Creates a repository.
-config_path <configPath>\<fileNa me>.xml	Absolute path to the XML file of repository configuration parameters. See <a href="#">Examples, on page 211</a> .

Option	Description
-report_path <i>&lt;reportPath&gt;</i>	Absolute path to a summary report of the utility run.
-enablehttps	<p>Whether to enable HTTPS:</p> <ul style="list-style-type: none"> <li>• Yes: 1</li> <li>• No: 0</li> </ul> <p><b>NOTE:</b> Set this parameter to 1 only if the ControlPoint environment is enabled with HTTPS.</p> <p>To use HTTPS, update the ThumbprintValue and ControlPointHostDefault values in the configuration file under &lt;appSettings&gt;:</p> <pre>&lt;appSettings&gt; &lt;add key="ControlPointHostDefault" value="localhost" /&gt; &lt;add key="ThumbprintValue" value="PUT_THUMBPRINT_VALUE_HERE" /&gt; &lt;/appSettings&gt;</pre> <p>For example:</p> <pre>&lt;appSettings&gt; &lt;add key="ControlPointHostDefault" value="myControlPointHost.myDomain.com" /&gt; &lt;add key="ThumbprintValue" value="4a469fb8420125267753e2e5316f6d65f5b54a10" /&gt; &lt;/appSettings&gt;</pre> <p><b>CAUTION:</b> When entering the thumbprint:</p> <ul style="list-style-type: none"> <li>• Enter the value manually by typing it into the file.           <ul style="list-style-type: none"> <li><b>Do not</b> copy and paste this value from the certificate because the encoding adds hidden characters that will cause issues.</li> </ul> </li> <li>• Do not include whitespace in the thumbprint value you enter.           <ul style="list-style-type: none"> <li>For example, if the thumbprint from the certificate begins with: <b>a1 b2 c3 d4 e5...</b></li> <li>Enter: <b>a1b2c3d4e5...</b></li> </ul> </li> </ul>

## Notes

- If you specify Category or Education, restart the corresponding Connector Framework Service after the repositories are created.
- If you specify Content, restart the IDOL service after the repositories are created.

- To generate properties for the <Properties> section in the XML, run the following query:

```
SELECT cd.[Id]
      ,[InternalName]
      ,[FilteringEnabled]
      ,[LookupType]
      ,cm.Id as ValueId
      ,cm.DisplayValue
FROM [ControlPoint].[dbo].[CPMetadataDefinition] cd,
ControlPoint.dbo.CPMetadataLookup
cm WHERE cm.MetadataDefinitionId = cd.Id AND cd.InternalName = 'abc2'
```

## Examples

### *File System connector XML*

```
<?xml version="1.0" encoding="utf-8" ?>
<Repository>
  <details>
    <name>FileSys_Repo_100</name>
    <description>Test FileSystem repository created by utility</description>
    <repo_type>Filesystem</repo_type>
    <connector>CPWIN12R2</connector>
    <aci_port>7200</aci_port>
    <service_port>7202</service_port>
  </details>
  <settings>
    <path>\\CPWIN12R2\share1</path>
    <include_type>txt,doc</include_type>
    <!-- e.g., txt,doc -->
    <exclude_type>exe,pdf</exclude_type>
    <!-- e.g., exe,pdf -->
  </settings>
  <analysis>
    <analysis_type>Metadata_Only</analysis_type>
    <!-- also support: Repository_Metadata_Only; Content -->
    <permissions_and_ownership>Yes</permissions_and_ownership>
    <analyze_subitems>Yes</analyze_subitems>
    <default_tag>Category1</default_tag>
    <!-- this is for the categoryName -->
  </analysis>
  <reduction>
    <grammar>
      <id>5</id>
      <filename>address_eng.ecr</filename>
      <entityfieldname>CPED_ADDRESS_ENG</entityfieldname>
      <name>ADDRESS (ENG)</name>
    </grammar>
    <!-- use this query to find out the required grammar fields, using ADDRESS
```

```
    (ENG) as an example. -->
    <!--
    SELECT cpg.Id, cpg.FileName, cpg.EntityFieldName From [ControlPoint].
[dbo].[CPGrammar] cpg
    inner join [ControlPoint].[dbo].[CPLanguageDefault] cpld
        on cpg.Description = cpld.[Key]
    WHERE cpld.[Value] = 'ADDRESS (ENG)';
    -->
</education>

</analysis>
<Properties>
    <Property>
        <id>27</id>
        <InternalName>abc2</InternalName>
        <FilteringEnabled>Yes</FilteringEnabled>
        <ValueId>3</ValueId>
        <DisplayValue>2</DisplayValue>
    </Property>
</Properties>
<schedule>
    <start_time>11:45</start_time>
    <!-- also can be time, e.g, 21:35 -->
    <cycle>Run_Once</cycle>
    <!-- can also be Run_Forever -->
    <recurrence_number>2</recurrence_number>
    <recurrence_unit>Hours</recurrence_unit>
    <!-- can also be: Minutes, Days, Weeks -->
</schedule>
</Repository>
```

### **SharePoint connectors XML**

```
<?xml version="1.0" encoding="utf-8" ?>
<Repository>
    <details>
        <name>SP_Remote_Repo_1</name>
        <description>Test1 SP Remote repository created by utility</description>
        <repo_type>SharePointRemote</repo_type>
        <connector>YourConnectorComputerName</connector>
        <aci_port>7800</aci_port>
        <service_port>7802</service_port>
    </details>
    <settings>
        <url>http://v-qa-moss</url>
        <!-- URL to your remote sharepoint server -->
    </settings>
    <analysis>
        <analysis_type>Repository_Metadata_Only</analysis_type>
```

```
    <!-- also support: Repository_Metadata_Only; Content -->
<permissions_and_ownership>No</permissions_and_ownership>
<analyze_subitems>Yes</analyze_subitems>
<default_tag>CategoryName</default_tag>
    <!-- this is for the categoryName -->

<education>
  <grammar>
    <id>5</id>
    <filename>address_eng.ecr</filename>
    <entityfieldname>CPED_ADDRESS_ENG</entityfieldname>
    <name>ADDRESS (ENG)</name>
  </grammar>
  <!-- use this query to find out the required grammar fields, using ADDRESS
  (ENG) as an example. -->
  <!--
  SELECT cpg.Id, cpg.FileName, cpg.EntityFieldName From [ControlPoint].
[dbo].[CPGrammar] cpg
  inner join [ControlPoint].[dbo].[CPLanguageDefault] cpld
    on cpg.Description = cpld.[Key]
  WHERE cpld.[Value] = 'ADDRESS (ENG)';
  -->
</education>

</analysis>
<Properties>
</Properties>
<schedule>
  <start_time>Now</start_time>
  <!-- also can be time, e.g, 21:35 -->
  <cycle>Run_Once</cycle>
  <!-- can also be Run_Forever -->
  <recurrence_number>2</recurrence_number>
  <recurrence_unit>Days</recurrence_unit>
  <!-- can also be: Minutes, Days, Weeks -->
</schedule>
</Repository>
```

### **Exchange connector XML**

```
<?xml version="1.0" encoding="utf-8" ?>
<Repository>
  <details>
    <name>Exch_Repo_1</name>
    <description>Test1 Exch repository created by utility</description>
    <repo_type>Exchange</repo_type>
    <connector>YourConnectorComputerName</connector>
    <aci_port>7600</aci_port>
    <service_port>7602</service_port>
```

```
</details>
<settings>

<wsurl>https://mail.exch2010msg1.mflabs.microfocus.com/ews/exchange.asmx</wsurl>

<ldappath>LDAP://cmbge10m1dc1.exch2010msg1.mflabs.microfocus.com:389/DC=exch2010
msg1,DC=mflabs,DC=mf,DC=com</ldappath>
  <!-- Your exchange server WS URL and LDAP path -->
  <!-- Optional
  <domain></domain>
  <username></username>
  <password></password>
  Optional -->
</settings>
<analysis>
  <analysis_type>Metadata_Only</analysis_type>
  <!-- also support: Repository_Metadata_Only; Content -->
  <permissions_and_ownership>No</permissions_and_ownership>
  <analyze_subitems>Yes</analyze_subitems>
  <default_tag>CategoryName</default_tag>
  <!-- this is for the categoryName -->

  <education>
    <grammar>
      <id>5</id>
      <filename>address_eng.ecr</filename>
      <entityfieldname>CPED_ADDRESS_ENG</entityfieldname>
      <name>ADDRESS (ENG)</name>
    </grammar>
    <!-- use this query to find out the required grammar fields, using ADDRESS
    (ENG) as an example. -->
    <!--
    SELECT cpg.Id, cpg.FileName, cpg.EntityFieldName From [ControlPoint].
[dbo].[CPGrammar] cpg
    inner join [ControlPoint].[dbo].[CPLanguageDefault] cpld
      on cpg.Description = cpld.[Key]
    WHERE cpld.[Value] = 'ADDRESS (ENG)';
    -->
  </education>

</analysis>
<Properties>
</Properties>
<schedule>
  <start_time>Now</start_time>
  <!-- also can be time, e.g, 21:35 -->
  <cycle>Run_Once</cycle>
  <!-- can also be Run_Forever -->
  <recurrence_number>2</recurrence_number>
```

```
    <recurrence_unit>Hours</recurrence_unit>
    <!-- can also be: Minutes, Days, Weeks -->
</schedule>
</Repository>
```

### **Documentum XML**

```
<?xml version="1.0" encoding="UTF-8"?>
<Repository>
  <details>
    <name>Documentum_Repo</name>
    <description>Documentum_Repo created by utility</description>
    <repo_type>Documentum</repo_type>
    <connector>YourConnectorComputerName</connector>
    <aci_port>7900</aci_port>
    <service_port>7902</service_port>
  </details>
  <settings>
  <docbase>Docbase_Name</docbase>
    <!-- Docbase name on your Documentum server -->
    <docbase_folder>/Docbase/Folder</docbase_folder>
    <!-- Docbase folder on the specific docbase -->
    <enforce_security>No</enforce_security>
    <!-- To configure META:ENFORCESECURITY=true/false -->
  </settings>
  <analysis>
  <analysis_type>Metadata_Only</analysis_type>
    <!-- also support: Repository_Metadata_Only; Content -->
    <permissions_and_ownership>Yes</permissions_and_ownership>
    <analyze_subitems>Yes</analyze_subitems>
    <default_tag>CategoryName</default_tag>
    <!-- this is for the categoryName -->

  <education>
    <grammar>
      <id>5</id>
      <filename>address_eng.ecr</filename>
      <entityfieldname>CPED_ADDRESS_ENG</entityfieldname>
      <name>ADDRESS (ENG)</name>
    </grammar>
    <!-- use this query to find out the required grammar fields, using ADDRESS
    (ENG) as an example. -->
    <!--
    SELECT cpg.Id, cpg.FileName, cpg.EntityFieldName From [ControlPoint].[dbo].
    [CPGrammar] cpg
    inner join [ControlPoint].[dbo].[CPLanguageDefault] cpld
      on cpg.Description = cpld.[Key]
    WHERE cpld.[Value] = 'ADDRESS (ENG)';
    -->
```

```
</education>

</analysis>
<Properties>
  <Property>
    <id>27</id>
    <InternalName>abc2</InternalName>
    <FilteringEnabled>Yes</FilteringEnabled>
    <ValueId>3</ValueId>
    <DisplayValue>2</DisplayValue>
  </Property>
  <!-- SELECT cd.[Id], [InternalName], [FilteringEnabled], [LookupType], cm.Id
as ValueId, cm.DisplayValue FROM [ControlPoint].[dbo].[CPMetadataDefinition]
cd, ControlPoint.dbo.CPMetadataLookup cm WHERE cm.MetadataDefinitionId = cd.Id
AND cd.InternalName = 'abc2' populate the above query results into the
Property section id, InternalName, FilteringEnabled, ValueId and DisplayValue
-->
</Properties>

<schedule>
  <start_time>Now</start_time>
  <!-- also can be time, e.g, 21:35 -->
  <cycle>Run_Once</cycle>
  <!-- can also be Run_Forever -->
  <recurrence_number>2</recurrence_number>
  <recurrence_unit>Hours</recurrence_unit>
  <!-- can also be: Minutes, Days, Weeks -->
</schedule>
</Repository>
```

**NOTE:** Using the command line utility, the two new configurable parameters added on repository creation are the following:

**For Sharepoint only:**

```
<create_grouptask>Yes</create_grouptask>
<!-- Making group task section for sharepoint connectors configurable. Yes:
creates Group_Task. Default setting: Yes -->
```

**For any connector:**

```
<enforce_security>No</enforce_security>
<!-- To configure META:ENFORCESECURITY=true/false. Default setting: No -->
```

# Chapter 21: Statistics Export utility

You can use the ControlPoint Statistics Export Utility to export data to Microsoft Excel. The type of data exported depends on the state of the repository.

- Statistics can be exported from any analyzed repository.
- Metrics can be requested from any unanalyzed repository.
- Metrics can be requested from any data set that can be identified using an IDOL query. For example, all documents that have a specific policy applied, all documents authored by a given user, and so on.

Sample Microsoft Excel templates are provided with the utility.

## Before you begin

Install Microsoft Excel to the ControlPoint server.

### To export statistics

1. Run the Statistics Export Utility, which is available at the following location:

```
ControlPoint<version>\Utilities\Statistics Export  
Utility\ControlPointStatisticsUtility.exe
```

The ControlPoint Analysis window opens.

2. Enter the host name in the **Host** box, and then click **OK**.

The export dialog box appears. The Analysis Tasks section lists all analyzed repositories on the host system.

3. (Optional) To re-analyze a repository, select it, and then click **Re-analyze**.

4. (Optional) **To add a custom analysis task**

- a. Click **New**.

The New Custom Analysis Task dialog box opens.

- b. Enter a **Task Name**.
- c. Enter or select **IDOL Query Parameters**.
- d. Click **OK**.

The Task is added to the list.

5. Select an analysis task.
6. In the **Export Task** section, select a Microsoft Excel template from the list, and then click **Export**.

The data exports to Excel and appears according to the selected template. Potential Obsolete and Trivial disk space appears in the Obsolete-AllPotential and Trivial-AllPotential charts.

## Statistics Export utility command-line interface

You can use the Statistics Utility command line interface to export results.

### Location

ControlPoint<version>\Utilities\Statistics Export  
Utility\ControlPointStatisticsUtility.exe

### Synopsis

```
ControlPointStatisticsUtility.exe -dahost <hostname> -enablehttps 0|1  
-sqlhost <hostname> -authtype 0|1 -dataset <repo> -action 0|2|3  
-templatepath <path> -exportpath <path>
```

### Options

Parameter	Required	Description
-dahost	Required	Specify the host name of the Data Analysis service machine.
-sqlhost	Required	Specify the host name of SQL Server machine.
-authtype	Required	Specify the SQL Server authentication type: 0 is Windows user authentication 1 is SQL Server user authentication
-enablehttps	Required	Specify whether the enable HTTPS. 0 is no 1 is yes <b>NOTE:</b> Only set to 1 when ControlPoint environment is enabled with HTTPS.
-dataset <repo>	Optional	Specify the data set to take action on. Required for export. <b>NOTE:</b> The string for <repo> is case sensitive. For example: -dataset fileType

Parameter	Required	Description
-action	Required	Specify the type of action to perform: <ul style="list-style-type: none"> <li>• 0 is export.</li> <li>• 2 is re-analyze.</li> <li>• 3 is delete.</li> </ul>
-sqluser	Optional	Specify the user name of a SQL Server user. <b>NOTE:</b> Required when -authtype is set to 1.
-password	Optional	Specify the password of the SQL Server user. <b>NOTE:</b> Required when -authtype is set to 1.
-templatepath	Optional	Absolute path of the template file. <b>NOTE:</b> Required when the -action is set to export (0).
-exportpath	Optional	Absolute path of the export file. <b>NOTE:</b> Required when the -action is set to export (0).
-taskname	Optional	Name of task to be re-analyzed or deleted. <b>NOTE:</b> Required when the -action is set to re-analyze (2) or delete (3).

## Examples

To export data

```
ControlPointStatisticsUtility.exe -dahost cpserver -enablehttps 0
-sqlhost cpserver -authtype 0 -dataset repo -action 0
-templatepath C:\test\Templates\Blank.xltx -exportpath C:\test\export\repo.xlsx
```

### To re-analyze a repository

```
ControlPointStatisticsUtility.exe -dahost cpserver -enablehttps 0
-sqlhost cpserver -authtype 0 -action 2 -taskname myTask
```

### To delete a task

```
ControlPointStatisticsUtility.exe -dahost cpserver -enablehttps 0
-sqlhost cpserver -authtype 0 -action 3 -taskname myTask
```

## Chapter 22: Support utility

The ControlPoint Support utility captures system information and configuration file information from your ControlPoint environment.

The utility supports the following modes:

- **User interface.** Captures the information and generates a ZIP archive of the results and the report file.
- **Command line.** For command line options and examples, see [Synopsis, below](#).

### Location

```
\Program Files\Micro  
Focus\ControlPoint\Engine\Scheduler\ControlPointSupportUtility.exe
```

### Synopsis

```
ControlPointSupportUtility.exe
```

```
ControlPointSupportUtility.exe -c
```

### Options

- **No option.** Generates a ZIP archive of the results and the xml/xslt browser report file.
- **-c.** Moves the data to the <systemroot>\<user>\AppData\Local\Temp directory for comparison. Does not generate a ZIP archive of the results or the report file.

To generate a report that contains comparison results, you must run the utility with the -c option twice.

### Example

Run the utility as a preparatory step when changing the ControlPoint environment.

1. Run the Support utility from the command line as the Administrator.

```
ControlPointSupportUtility.exe -c
```

The utility gathers a copy of all system and configuration file information and stores it labeled as Pre capture data.

2. Perform the changes to the environment.
3. Run the Support utility to gather the data and label it as Post data.

```
ControlPointSupportUtility.exe -c
```

The utility runs a comparison feature, which generates a report named `diffReport.txt`. The ControlPoint Support utility creates the report in the same directory as the utility.

The report lists any differences between the two `SystemInfo.xml` files, including changes, additions, and deletions. In addition, it lists any differences between all configuration files located in the ControlPoint installation directory.

## Results

When the utility is run with the `-c` option, it stores the Pre and Post data files in `<systemroot>\Users\<user>\AppData\Local\Temp`.

# Part III: Appendices

This part contains reference material on the following items to help you administer your ControlPoint environment:

- [ControlPoint components](#)
- [Database maintenance](#)

# Appendix A: ControlPoint API

ControlPoint provides a REST API, accessible through the Swagger UI, that supplies functionality similar to the Dashboard but through API endpoints and accompanying query string parameters or payload data. Currently, the API supports CRUD operations for authentication, repositories, repository security, repository scheduling, repository scanning, ingestion metadata, grammars, properties, and policies.

## Before you begin


For proper API operation, you must install the URL Rewrite module for IIS. To learn which version of this module the current API supports, see the *ControlPoint Support Matrix*, available from the [Micro Focus ControlPoint documentation site](#).

## To access the ControlPoint API

- On the server that hosts ControlPoint, open the following URL in a web browser:

`http://localhost/webapi`

# Appendix B: ControlPoint components



- **SQL Server Database.** SQL Server database that stores document metadata and other configuration information. It contains the following databases:
  - **ControlPoint.** Contains all configuration information associated with repositories.
  - **ControlPointAudit.** Contains audit related information and captures actions that users execute.
  - **ControlPointMetaStore.** Contains all metadata associated with repositories and is populated and accessed by the MetaStore service.
  - **ControlPointMetaStoreTags.** Contains duplicate analysis results for all repositories.
  - **ControlPointTracking.** Typically used only for backward compatibility.
- **IDOL Content Engine.** IDOL component that stores indexes and full document content which are used to support features such as full text search, visualization and categorization content training. There are multiple instances of this database depending on the configuration of the system.
- **Data Source.** Contains the customer document source such as Filesystem, SharePoint, Exchange and Documentum.
- **Domain Controller.** Customers active directory or the LDAP server.

- **Data Analysis Service.** Responsible for the analysis of repositories for duplicate detection, obsolete documents, trivial documents and sensitive data containing documents.
- **Data Analysis SQL Agent.** Used by data analysis to access the SQL Server database during analysis.
- **Data Analysis Controller.** Keeps track of status of the data analysis agents.
- **Data Analysis [Controller] Agent.** Responsible for the execution of analysis actions and interacts with the data analysis store. There may be several instances of the Agent to improve scalability and performance of data analysis.
- **Data Analysis Store .** Part of analysis metadata is stored in this IDOL based store.
- **ControlPoint Dashboard.** Application for access to all ControlPoint functionality from the browser.
- **Callback Handler.** Service that listens to the status of document operations performed by connectors during policy execution. Management of document for a given connector are specified by policy phases which are executed asynchronously thereby necessitating the delivery of operation status for a give command such as copy, dispose and delete.
- **ControlPoint Web Service (CPWS).** ControlPoint Web Service which provides the Edge connector access to Edge policies and configuration.
- **Redirector.** Supports secure access to documents that have secure shortcuts generated by the secure phase of policy execution.
- **License Service.** Calculates the usage details for repositories.
- **License Server.** IDOL component responsible for validating the licensing of all IDOL components.
- **ControlPoint Engine.** Responsible for the execution of scheduled tasks.
- **Metastore.** IDOL component responsible for the storage and access of document metadata for all repositories into the SQL Server database.
- **Distributed Connector.** IDOL component that discovers, lists and manages access to all connectors.
- **Source Connector.** IDOL component that is responsible for discovering and managing documents for a given type of source such as Filesystem, Exchange, SharePoint and Documentum. For example, FileSystem Connector.
- **Connector Framework.** IDOL component that is responsible for the metadata extraction, categorization and Education from documents and passing this information to Metastore service and IDOL Content Engine.
- **Edge Connector.** IDOL component that is responsible for the archiving and access to archived documents.
- **IDOL Proxy.** IDOL component that routes requests to different IDOL components.
- **OGS.** IDOL component responsible for accessing user permissions from active directories.
- **Category.** IDOL component responsible for categorization of document content.

- **View.** IDOL component responsible for viewing the contents of a document in the browser.
- **Community.** IDOL component responsible for access to document security type and settings for each connector.
- **Agent Store.** Stores configuration information of IDOL components .
- **DAH.** IDOL component responsible for the distribution of document management commands to the appropriate connector.
- **DIH.** IDOL component responsible for the distribution of indexing commands to the appropriate connector.

# Appendix C: Database maintenance

This appendix describes configuration of the maintenance jobs that each ControlPoint database contains. All jobs are configured and scheduled separately and record information in their associated database. The SQL Agent job history for each job is also maintained separately.

- [Overview, below](#)
- [Basic operations, below](#)
- [Advanced operations, on the next page](#)

## Overview

Database maintenance is critical to the ongoing performance of any SQL database. When databases are small or lightly utilized, this is often overlooked or can be performed easily by a DBA.

However, when databases are heavily utilized and grow to enterprise scale, effectively maintaining them becomes essential. Also, because maintenance jobs might require significant time to execute, it becomes necessary to selectively target objects requiring operations so that maintenance can be completed in the available windows to minimize impact to application operation.

By default, the maintenance jobs in each ControlPoint database require no further configuration. However, a DBA or system administrator can further tune them to achieve even more control, tailored to their environment. These scheduled jobs, run by the native SQL Agent, intelligently perform rebuild, re-index, statistic calculation, and index compression tasks automatically and in an optimized fashion for both standard and partitioned objects, utilizing online index maintenance operations when available. For more information on SQL Server

## Basic operations

Each database contains two SQL agent jobs, which you can see in the **SQL Server Agent->Jobs** area of SQL Server Management Studio (SSMS).

- `<databaseName>_db_maint_3.0`

This job is scheduled to run every night at 10 PM SQL Server time, by default. You can adjust the nightly scheduled time for each database to stagger these start times, but it is important to ensure that the jobs are set to run at least once per day.

When the job runs, it gathers index and partition fragmentation levels on all current objects in the database and records them to its working tables. This includes adding new objects found to those structures, removing objects that are no longer present, and so on. It then analyzes each index and partition to determine whether to operate on it on that day of the week.

By default, all objects, when first detected, are scheduled for operation Tuesday, Thursday, and Saturday.

If an object is sufficiently fragmented, the most efficient maintenance action will be performed against it. Below 2% fragmentation, no action is taken. Between 2 and 30%, a reorganize action is taken. Above 30%, a rebuild operation is taken.

After completing all index operations, all statistics (both index bound and otherwise) are recalculated on all objects.

- `<databaseName>_db_maintain_all`

This job is not scheduled and is only to be run manually by a DBA or system administrator. When run, it analyzes all indexes and partitions regardless of their configured target days. The remainder of the logic is unchanged from the regularly scheduled job.

## Advanced operations

You can adjust the scheduled maintenance jobs to tailor the behavior for your ControlPoint environment. This section provides information for the following adjustment:

- [Change the job schedule, below](#)
- [Change objects targeted each day, below](#)
- [Change logic to identify necessary index actions, on the next page](#)
- [Compress or decompress an index, on the next page](#)
- [View recorded fragmentation levels and last actions, on page 230](#)

## Change the job schedule

Using SSMS, you can modify the schedules to run at different times of the day. This lets you stagger the maintenance operations of the different databases, enabling SQL server to use its resources in a more sequential fashion. As maintenance jobs are generally very heavy on memory and disk I/O, this can often be advantageous.

**IMPORTANT:** Do not adjust the schedule so much that it prevents a job from running at least once every day. To control which objects receive consideration on any given day of the week, see [Change objects targeted each day](#).

For more information on modifying scheduled jobs in SSMS, see your SQL Server documentation.

## Change objects targeted each day

You can schedule any index or partition object with more or less frequency to best fit into nightly maintenance windows. This can be especially useful as some indexes contain vastly different amounts of data (and so require very different times to complete maintenance tasks) or fragment at different rates based on incoming volume.

By default, all indexes and partitions have operations performed against them on Tuesday, Thursday, and Saturday.

This information is held in the `dbo.table_indexes` table.

To adjust the `dbo.table_indexes` table

1. Update the `maintenance_day` column.

Select multiple days by appending the abbreviation codes together. For example, Su = Sunday, Mo = Monday, Tu = Tuesday, We = Wednesday, Th = Thursday, Fr = Friday, Sa = Saturday.

#### Example

Change the schedule of the `CPGlobalSettings_PK` index to be done every day:

```
update dbo.table_indexes
    set maintenance_day = 'SuMoTuWeThFrSa'
    where index_name = 'CPGlobalSettings_PK'
```

## Change logic to identify necessary index actions

You can control the identification criteria used to determine if an index requires operation, by modifying the `[dbo].[db_index_maint]` stored procedure.

- `@reindex_max_frag`: The maximum percentage of fragmentation before the system rebuilds the index. Default: 30
- `@reorg_max_frag`: When fragmentation is between this percentage and `@reindex_max_frag`, the system reorganizes the index. Default: 2
- `@PCNT`: The percentage of rows in a table that will be sampled when updating statistics, unless this percentage of the estimated row count would result in a larger number of rows than `@maxRowsForStat`. Default: 35
- `@maxRowsForStat`: The maximum number of rows in a table sampled to update statistics. Default: 1,000,000

## Compress or decompress an index

One of the premium features in SQL Server Enterprise edition is index compression. Although not enabled for any ControlPoint object by default, a DBA may wish to make use of it.

### To compress or decompress an index using the maintenance job

- Change the `data_compression` value in the `dbo.table_indexes` table, where:

0 = No Compression

1 = Row Compression

2 = Page Compression

The next day that index is targeted, it will be rebuilt with or without compression, as specified.

#### Example

```
update dbo.table_indexes
    set data_compression = 1
```

```
where index_name = 'CPGlobalSettings_PK' and data_compression = 0
```

## View recorded fragmentation levels and last actions

If queries or inserts do not have optimal performance, you might need to examine the fragmentation levels of indexes to understand the issue. Then, based on this information, you can adjust day-of-week targets for specific indexes so they are maintained more frequently.

**NOTE:** Collection of fragmentation information in real-time may not be feasible, due to the impact on concurrent database operations being performed while the application is active. The maintenance jobs record and utilize this information.

For information on how to read them, refer to the following TSQL example of how to view index maintenance records:

```
--20 Most Fragmented Indexes/Partitions
select top 20 t.table_schema, t.table_name, tim.IndexName,
tim.PartitionNumber,
        tim.AvgFragmentationInPercent, tim.lastActionDate,
timc.ActionDescription
        from dbo.table_indexMaintenance tim (nolock)
        inner join dbo.tables t (nolock) on tim.table_id = t.table_id
        inner join dbo.table_indexes ti (nolock) on tim.table_id = ti.table_id
        inner join dbo.table_indexMaintenance_code timc (nolock) on
timc.LastActionType =
        tim.LastActionType
        where t.table_name not in ('table_indexes', 'table_indexMaintenance',
        'table_indexMaintenance_code', 'tables', 'unique_ids')
        order by tim.avgFragmentationInPercent desc, tim.lastActionDate desc
```

# Send documentation feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this system, click the link above and an email window opens with the following information in the subject line:

## **Feedback on Micro Focus ControlPoint 5.9.0 Administration Guide**

Add your feedback to the email and click **Send**.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [swpdl.controlpoint.docfeedback@microfocus.com](mailto:swpdl.controlpoint.docfeedback@microfocus.com).

We appreciate your feedback!