Micro Focus Fortify Software

Software Version: 18.10

System Requirements

Document Release Date: June 2018 Software Release Date: May 2018



Legal Notices

Micro Focus The Lawn 22-30 Old Bath Road Newbury, Berkshire RG14 1QN UK

https://www.microfocus.com

Warranty

The only warranties for products and services of Micro Focus and its affiliates and licensors ("Micro Focus") are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Except as specifically indicated otherwise, a valid license from Micro Focus is required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2001 - 2018 Micro Focus or one of its affiliates

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number
- Document Release Date, which changes each time the document is updated
- Software Release Date, which indicates the release date of this version of the software
- To check for recent updates or to verify that you are using the most recent edition of a document, go to:

https://www.microfocus.com/support-and-services/documentation

Contents

Preface Contacting Micro Focus Fortify Customer Support For More Information	6 6
About the Documentation Set	
Change Log	
Introduction	8
Fortify Software Security Center Server Requirements	8
Hardware Requirements	9
Database	9
Database Performance Metrics for Minimum and Recommended Hardware	_
Requirements	
Platforms and Architectures	
Application Servers Fortify Software Security Center Database	
Browsers	
Authentication Systems	
Single Sign-On (SSO)	
BIRT Reporting	
Service Integrations for Fortify Software Security Center	
Fortify Static Code Analyzer Requirements	12
Hardware Requirements	
Software Requirements	
Platforms and Architectures	13
Supported Languages	14
Build Tools	15
Compilers	
Secure Code Plugins	
Single Sign-On (SSO)	
Service Integrations for Fortify Static Code Analyzer Tools	
Fortify Software Security Content	18
Fortify CloudScan Requirements	
CloudScan Controller Hardware Requirements	
CloudScan Controller Platforms and Architectures	
CloudScan Client and Sensor Hardware Requirements	
Fortify Runtime Agent Requirements	
Platforms and Architectures	
Java Runtime Environments	
Java Application Servers	
.NET Frameworks	20

Cloud Platforms	20
IIS for Windows Server	
Cipher Suites for Fortify Runtime Agent	21
Fortify WebInspect Requirements	
Running as Administrator	
Hardware Requirements	
Software Requirements	
Notes on SQL Server Editions	
Ports and Protocols	
Required Connections	
Optional Connections	
Connections for Tools	
Fortify WebInspect Agent	
WebInspect Software Development Kit (SDK)	
Software Integrations for Fortify WebInspect	27
Fortify WebInspect Enterprise Requirements	
Installation and Upgrade Requirements	
Integrations for Fortify WebInspect Enterprise	
Fortify WebInspect Enterprise Database	
Hardware Requirements	
Software Requirements	
Administrative Console Requirements	
Hardware Requirements	
Software Requirements	
Ports and Protocols	
Required Connections	
Optional Connections	
Connections for Tools	
Fortify WebInspect Enterprise Sensor	
Fortify WebInspect Enterprise Notes and Limitations	34
License Infrastructure Manager Requirements	
Hardware Requirements	34
Software Requirements	35
Version Compatibility Matrix	35
Fortify Software Component Compatibility	
FPR File Compatibility	36
Virtual Machine Support	37
Technologies and Features no Longer Supported in this Release	
Technologies and Features to Lose Support in the Next Release	
Acquiring Fortify Software	
Downloading Fortify Software	
About Verifying Software Downloads	
Preparing Your System for Digital Signature Verification	
Verifying Software Downloads	
Assistive Technologies (Section 508)	44

Send Documentation Feedback

Preface

Contacting Micro Focus Fortify Customer Support

If you have questions or comments about using this product, contact Micro Focus Fortify Customer Support using one of the following options.

To Manage Your Support Cases, Acquire Licenses, and Manage Your Account

https://softwaresupport.softwaregrp.com

To Call Support

1.844.260.7219

For More Information

For more information about Fortify software products: https://software.microfocus.com/solutions/application-security

About the Documentation Set

The Fortify Software documentation set contains installation, user, and deployment guides for all Fortify Software products and components. In addition, you will find technical notes and release notes that describe new features, known issues, and last-minute updates. You can access the latest versions of these documents from the following Micro Focus Product Documentation website:

https://www.microfocus.com/support-and-services/documentation

Change Log

The following table lists revisions made to this document.

Document Revision	Changes	
Revision 1: June	• "Software Requirements" on page 13 - Clarified that the Fortify Static	
19, 2018	Code Analyzer installer installs OpenJDK/JRE	

Introduction

This document provides the details about the environments and products that Micro Focus supports for this version of Micro Focus Fortify Software, which includes:

- Micro Focus Fortify Software Security Center Server
- Micro Focus Fortify Static Code Analyzer
- Micro Focus Fortify Audit Workbench and Secure Code Plugins
- Micro Focus Fortify CloudScan
- Micro Focus Fortify Runtime Agent
- Micro Focus Fortify WebInspect
- Micro Focus Fortify WebInspect Enterprise
- License Infrastructure Manager

Software Delivery

Micro Focus Fortify Software is delivered only electronically. It is not available on disc. See "Acquiring Fortify Software" on page 38 for more information.

Software Licenses

Micro Focus Fortify Software products require a license.

For Micro Focus Fortify Software Security Center, Micro Focus Fortify Static Code Analyzer, Micro Focus Fortify Audit Workbench, Micro Focus Fortify Secure Code Plugins, Micro Focus Fortify CloudScan, and Micro Focus Fortify Runtime Agent, you must download the Fortify licenses for your purchases from either the Fortify Customer Portal (https://support.fortify.com) or Micro Focus Fortify Customer Support (https://softwaresupport.softwaregrp.com). To access either location, use the credentials that Micro Focus Fortify Customer Support has provided.

To download the Fortify license from the Fortify Customer Portal:

- 1. Log onto the Fortify Customer Portal.
- 2. Click **Download Licenses**, and then click the link for the license you want to use.

For Micro Focus Fortify WebInspect and Micro Focus Fortify WebInspect Enterprise, you will receive an email with instructions for how to activate your product.

Fortify Software Security Center Server Requirements

This section describes the system requirements for the Micro Focus Fortify Software Security Center server.

Hardware Requirements

Micro Focus Fortify Software Security Center requires the hardware specifications listed in the following table.

	Component	Minimum	Recommended
Fortify Software Security Center	Processor	Quad-core	Eight-core
	RAM	8 GB	32 GB
Fortify Software Security Center server	Java Heap Size	4 GB	24 GB

Database

Fortify recommends an eight-core processor with 64 GB of RAM for the Fortify Software Security Center database. Using less than this recommendation can impact Fortify Software Security Center performance.

Use the following formula to estimate the size (in GB) of the Fortify Software Security Center database disk space:

((<Total_Issues>*30 KB) + <Total_Artifacts>) ÷ 1,000,000

where:

- < Total_Issues > is the total number of issues in the system
- < Total_Artifacts > is the total size in KB of all uploaded artifacts and scan results

Note: This equation produces only a rough estimate for database disk space allocation. Do not use this formula to estimate disk space requirements for long-term projects. Disk requirements for Fortify Software Security Center databases increases in proportion to the number of projects, scans, and issues in the system.

Database Performance Metrics for Minimum and Recommended Hardware Requirements

The following table shows performance metrics (number of issues discovered per hour) for Fortify Software Security Center configured with the minimum and the recommended hardware requirements.

Database	Issues per Hour Minimum Configuration	Issues per Hour Recommended Configuration
MySQL	362,514	2,589,385
Oracle	231,392	3,020,950
SQL Server	725,028	3,625,140

Platforms and Architectures

Micro Focus Fortify Software Security Center supports the platforms and architectures listed in the following table.

Operating System	Architecture	Versions
Windows	64-bit	Server 2012 R2 Server 2016
Linux	64-bit	Red Hat Enterprise Linux 6 update 5 and later Red Hat Enterprise Linux 7.x SUSE Linux Enterprise Server 12

Note: Although Fortify Software Security Center has not been tested on all Linux variants, most distributions are not known to have issues.

Application Servers

Micro Focus Fortify Software Security Center supports Apache Tomcat version 8.5 for Java 8.

Fortify only supports the deployment of a single Fortify Software Security Center instance. Furthermore, that instance must not be behind a load balancer.

Fortify Software Security Center Database

Micro Focus Fortify Software Security Center requires that all database schema collations are case-sensitive.

Fortify Software Security Center supports the databases listed in the following table.

Database	Version	Character Sets	Driver
MySQL	5.6	utf8_bin, latin1_general_cs	5.1.44 or later
	5.7 (Community Edition)		Driver class: com.mysql.jdbc.driver JAR file: mysql-connector-java- <version>-bin.jar</version>

Database	Version	Character Sets	Driver
Oracle	12c Release 2	AL32UTF8 for all languages WE8MSWIN1252 for US English	Oracle Database 12c Release 2 (12.2.x) JDBC Driver Driver class: oracle.jdbc.OracleDriver JAR files: ojdbc8.jar (for Java 8)
SQL Server	2014 2016 2017	Make sure to use the case-sensitive (CS) option when choosing your collation method. For example: SQL_Latin1_General_CP1_	Microsoft JDBC Driver 6.0 for SQL Server Driver class: com.microsoft.sqlserver. jdbc.SQLServerDriver
		CS_AS	JAR file: sqljdbc42.jar

Browsers

Fortify recommends that you use one of the browsers listed in the following table and a screen resolution of 1280 x 1024.

Browser	Version
Google Chrome	65.0 or later
Microsoft Edge	38 or later
Internet Explorer	11
Mozilla Firefox	59.0 or later
Safari	11

Note: To use the Fortify Software Security Center 4.30 legacy user interface, you must have Adobe Flash Player installed.

Authentication Systems

Micro Focus Fortify Software Security Center supports the following directory services:

• LDAP: LDAP 3 compatible

Important! Although Fortify supports the use of multiple LDAP servers, it does not support the use of multiple LDAP servers behind a load balancer.

• Windows Active Directory Service

Single Sign-On (SSO)

Fortify Software Security Center supports:

- Central Authorization Server (CAS) SSO
- HTTP Headers SSO (Oracle SSO, CA SSO)
- SAML 2.0 SSO
- SPNEGO/Kerberos SSO
- X.509 SSO

BIRT Reporting

Micro Focus Fortify Software Security Center custom reports support Business Intelligence and Reporting Technology (BIRT) version 4.4.2.

Service Integrations for Fortify Software Security Center

Micro Focus Fortify Software Security Center supports the service integrations listed in the following table.

Service	Applications	Versions
Bug tracking	Bugzilla	5.0
	Micro Focus Application Lifecycle Management (ALM)/ Quality Center Enterprise (QC)	12.50
	JIRA	7.4
	Team Foundation Server (TFS)	2015, 2017
	Visual Studio Team Services (VSTS)	n/a
	Note: Only basic user password authentication is supported.	
Authentication	Active Directory	2008, 2012
Dynamic assessments	Micro Focus Fortify WebInspect Enterprise	18.10

Fortify Static Code Analyzer Requirements

This section describes the system requirements for Micro Focus Fortify Static Code Analyzer, and the Fortify Static Code Analyzer Tools (including the Secure Code Plugins).

Hardware Requirements

Fortify recommends that you install Micro Focus Fortify Static Code Analyzer on a high-end processor with at least 8 GB of RAM. If your software is complex, you might require more RAM. See the *Micro Focus Fortify Static Code Analyzer Performance Guide* for more information.

Increasing the number of processor cores and increasing memory both result in faster processing.

Software Requirements

Micro Focus Fortify Static Code Analyzer requires Java 8. The Fortify SCA and Applications installer installs OpenJDK/JRE 1.8.0_163.

Translating .NET code requires .NET framework version 4.6.1 or later.

Platforms and Architectures

Micro Focus Fortify Static Code Analyzer supports the platforms and architectures listed in the following table.

Operating System	Architecture	Platforms
Windows	64-bit	Windows Server 2016
		Windows Server 2012 R2
		Windows 8.1, 10
Linux	64-bit	Red Hat Enterprise Linux 6 update 5 and later
		Red Hat Enterprise Linux 7.x
		SUSE Linux Enterprise Server 12
macOS		10.12, 10.13
Oracle Solaris	x86, 64-bit	10.5 and later
Oracle Solaris	SPARC 64-bit	10.5 and later
HP-UX	Itanium 64-bit	11.31
IBM AIX	64-bit	6.1, 7.2

Fortify Static Code Analyzer Tools (including Secure Code Plugins) support the platforms and architectures listed in the following table.

Operating System	Architecture	Platforms
Windows	64-bit	Windows 7, 8.1, 10

Operating System	Architecture	Platforms
Linux	64-bit	Red Hat Enterprise Linux 6 update 5 and later
		Red Hat Enterprise Linux 7.x
		SUSE Linux Enterprise Server 12
macOS		10.12, 10.13

Supported Languages

Micro Focus Fortify Static Code Analyzer supports the programming languages listed in the following table.

Language	Versions
.NET	2.0-4.7.1
.NET Core	1.x
ABAP/BSP	6
ActionScript	3.0
Арех	36
ASP.NET	2.0-4.7
C#	5, 6, 7
C/C++	See "Compilers" on page 16
Classic ASP (with VBScript)	2.0, 3.0
COBOL	IBM Enterprise COBOL for z/OS 3.4.1 with CICS, IMS, DB2, and IBM MQ
ColdFusion	8, 9, 10
HTML	5 and earlier
Java (including Android)	5.0, 6, 7, 8, 9
JavaScript	ECMAScript 2015, 2016, 2017
JSP	1.2, 2.1
MXML (Flex)	4
Objective-C/C++	See "Compilers" on page 16

Language	Versions
РНР	5.3, 5.4, 5.5, 5.6, 7.0, 7.1
PL/SQL	8.1.6
Python	2.6, 2.7, 3.x (3.6 and earlier)
Ruby	1.9.3
Scala	2.11, 2.12, 2.13
Swift	3.1, 4.0.3
T-SQL	SQL Server 2005, 2008, 2012
VB.NET	11, 14, 15
VBScript	2.0, 5.0
Visual Basic	6
XML	1.0

Build Tools

Micro Focus Fortify Static Code Analyzer supports the build tools listed in the following table.

Build Tool	Versions	Notes
Ant	1.9.6	
Bamboo	6.2 or later	The Fortify App for Bamboo is available from the Atlassian Marketplace.
Gradle	2.13	The Fortify Static Code Analyzer Gradle build integration supports the following language/platform combinations:
		Java/Windows, Linux, and macOS
		• C/Linux
		• C++/Linux
Jenkins	2.107.2	
Maven	3.0.5, 3.5.x	
MSBuild	4.x, 12.0, 14.0, 15.0	
Xcodebuild	8.0, 8.1, 8.2, 8.3, 9.0, 9.1, 9.2	

Compilers

Micro Focus Fortify Static Code Analyzer supports the compilers listed in the following table.

Compiler	Versions	Platform
gcc	GNU gcc 4.9, 5.x	Windows , Linux, macOS, Solaris, IBM AIX
gcc	GNU gcc 4.2.5 and later	HP-UX
g++	GNU g++ 4.9, 5.x	Windows , Linux, macOS, Solaris, IBM AIX
g++	GNU g++ 4.2.5 and later	HP-UX
Intel C++ Compiler	icc 8.0	Linux
Oracle javac	7, 8. 9	Windows , Linux, macOS, Solaris, HP-UX, IBM AIX
Oracle Solaris Studio	12	Solaris
cl	2013, 2015, 2017	Windows
Apple LLVM (Clang)	8.x, 9.x	macOS
Swiftc	3.1, 4.0.3	macOS

Secure Code Plugins

The following table lists the supported integrated development environments (IDE) for the Micro Focus Fortify Secure Code Plugins.

Plugin / Extension	IDE and Version	Notes
Eclipse (Complete and Remediation)	Eclipse 4.6, 4.7	
IntelliJ IDEA Analysis	IntelliJ IDEA 2016.x, 2017.x Android Studio 2.3.x, 3.0	
IntelliJ IDEA Remediation	IntelliJ IDEA 2016.x, 2017.x Android Studio 2.3.x, 3.0 WebStorm 2017.x	

Plugin / Extension	IDE and Version	Notes
Security Assistant Extension for Visual Studio	Visual Studio 2017 Community, Professional, and Enterprise (version 15.6 and later)	Security Assistant Extension for Visual Studio is available from the Visual Studio Marketplace
Security Assistant Plugin for Eclipse	Eclipse 4.6, 4.7	
Visual Studio Extension	Visual Studio 2013 Premium, Professional, and Ultimate	
	Visual Studio 2015 Community, Professional, and Enterprise	
	Visual Studio 2017 Community, Professional, and Enterprise	
	Note: Fortify Static Code Analyzer is not compatible with Visual Studio Express.	

Single Sign-On (SSO)

The Eclipse Complete plugin and the Visual Studio extension support the following SSO methods to connect with Fortify Software Security Center:

- SPNEGO/Kerberos SSO
- X.509 SSO

Service Integrations for Fortify Static Code Analyzer Tools

The following table lists the supported service integrations for Fortify Audit Workbench and the Secure Code Plugins.

Service	Versions	Supported Tools
Bugzilla	5.0	Audit Workbench, Eclipse Plugin, Visual Studio Extension
Micro Focus Application Lifecycle Management (ALM)/ Quality Center Enterprise (QC)	12.50	Audit Workbench, Eclipse Plugin
Team Foundation Server (TFS)	2013	Visual Studio Extension
	2015, 2017	Audit Workbench, Eclipse Plugin, Visual Studio Extension

Service	Versions	Supported Tools
Visual Studio Team Services (VSTS)	n/a	Audit Workbench, Eclipse Plugin
Note: Only basic user password authentication is supported.		
JIRA	7.4	Audit Workbench, Eclipse Plugin
Fortify Software Security Center Bugtracker	18.10	Audit Workbench, Eclipse Plugin, Visual Studio Extension

Fortify Software Security Content

Micro Focus Fortify Secure Coding Rulepacks are backward compatible with all supported Fortify Software versions. This ensures that Rulepacks updates do not break any working Fortify Software installation.

Fortify CloudScan Requirements

Micro Focus Fortify CloudScan has three major components: a CloudScan Controller, CloudScan clients, and CloudScan sensors. This section describes the requirements for each component.

CloudScan Controller Hardware Requirements

Fortify recommends that you install the CloudScan Controller on a high-end 64-bit processor running at 2 GHz with at least 8 GB of RAM.

CloudScan Controller Disk Space Requirements

To estimate the amount of disk space required on the machine that runs the CloudScan Controller, use the following equation:

<Number_Jobs_Per_Day> x (<Average_MBS_Size> + <Average_FPR_Size> + <Average_SCA_Log_ Size>) x <Number_Days_Data_is_Persisted>

By default, data is persisted for seven days.

CloudScan Controller Platforms and Architectures

Operating System	Architecture	Versions
Windows	64-bit	Server 2012 R2
		Server 2016
Linux	64-bit	Red Hat Enterprise Linux 6 update 5 and later
		Red Hat Enterprise Linux 7.x
		SUSE Linux Enterprise Server 12

The CloudScan Controller supports the platforms and architectures listed in the following table.

CloudScan Client and Sensor Hardware Requirements

CloudScan clients and sensors run on any machine that supports Fortify Static Code Analyzer. Because CloudScan clients and sensors are installed on build machines running Micro Focus Fortify Static Code Analyzer, the hardware requirements are met.

See "Fortify Static Code Analyzer Requirements" on page 12 for hardware, software, and platform and architecture requirements.

CloudScan Sensor Disk Space Requirements

To estimate the amount of disk space required on the machine that runs a CloudScan sensor, use the following equation:

<Number_of_Scans> x (<Average_MBS_Size> + <Average_FPR_Size> + <Average_SCA_Log_Size>) x <Number_Days_Data_is_Persisted>

By default, data is persisted for seven days.

Fortify Runtime Agent Requirements

Micro Focus Fortify Runtime Agent technology is delivered for production application logging and protection with the Application Defender platform, and for Interactive Application Security Testing (IAST) with Fortify WebInspect Agent.

Platforms and Architectures

Fortify Runtime Agent supports 32-bit and 64-bit applications written in Java 5, 6, 7, and 8.

Java Runtime Environments

Fortify Runtime Agent supports the Java runtime environments listed in the following table.

JRE	Major Versions
IBM J9	5 (SR10 and later)
	6 (SR6 and later)
Oracle HotSpot	5, 6, 7, 8
Oracle JRockit	5, 6 (R27.6 and later)

Note: Runtime for Java is supported on Unix, Linux, and Windows.

Java Application Servers

Fortify Runtime Agent supports the Java application servers listed in the following table.

Application Server	Versions
Apache Tomcat	6.0, 7.0, 8.0
IBM WebSphere	7.0, 8.0, 8.5, 8.5.5
Oracle WebLogic	10.0, 10.3, 11g, 11gR1, 12c
Red Hat JBoss Enterprise Application Platform	5.1.2, 5.2.0, 6.0.1, 6.1.1, 6.2.0, 6.30, 6.40
Jetty	9.3
WildFly	10.1

.NET Frameworks

Fortify Runtime Agent supports .NET framework versions 2.0, 3.0, 3.5, 4.0, 4.5, and 4.5.1.

Cloud Platforms

Fortify Runtime Agent supports the cloud platforms listed in the following table.

Cloud Platform	Service
Amazon Web Services	Virtual machines without a sandboxed environment

Cloud Platform	Service				
Microsoft Azure	Virtual machines and cloud services				
	Note: Microsoft Azure platform as a service (PaaS) is not supported.				

IIS for Windows Server

Fortify Runtime Agent supports Internet Information Services (IIS) versions 6.0, 7.0, 7.5, 8, and 8.5.

Cipher Suites for Fortify Runtime Agent

Fortify Runtime Agent supports the following cipher suites for communicating with an external syslog server:

- TLS_RSA_WITH_3DES_EDE_CBC_SHA
- TLS_RSA_WITH_AES_128_CBC_SHA
- TLS_RSA_WITH_AES_128_CBC_SHA256
- TLS_RSA_WITH_AES_256_CBC_SHA
- TLS_RSA_WITH_AES_256_CBC_SHA256

To run Fortify Runtime Agent on a Windows 2003 machine with IIS 6.0, you must install the Advanced Encryption Standard (AES) cipher suites in the Schannel.dll module for Windows server 2003. Download the hotfix from Microsoft support (https://support.microsoft.com/en-us/kb/948963).

Fortify WebInspect Requirements

Before you install Micro Focus Fortify WebInspect, make sure that your system meets the requirements described in this section.

Running as Administrator

Micro Focus Fortify WebInspect requires administrative privileges for proper operation of all features. Refer to the Windows operating system documentation for instructions on changing the privilege level to run Fortify WebInspect as an administrator.

Hardware Requirements

Fortify recommends that you install Micro Focus Fortify WebInspect on a system that conforms to the supported components listed in the following table. Fortify does not support beta or pre-release versions of operating systems, service packs, and required third-party components.

Component	Requirement	Notes
Processor	2.5 GHz quad-core or faster	Recommended
	2.0 GHz dual-core	Minimum
RAM	16 GB	Recommended
	8 GB	Minimum
Hard disk	100+ GB	Recommended
	40 GB	Minimum
Display	1980 x 1080	Recommended
	1280 x 1024	Minimum

Important! If you are running a Fortify WebInspect sensor with SQL Express, Fortify recommends that you use at least a 4-core CPU with at least 16 GB of RAM.

Software Requirements

Micro Focus Fortify WebInspect runs on and works with the software packages listed in the following table.

Package	Versions	Notes
Windows	Windows 10	Recommended
	Windows 7 with SP1	
	Windows 8, 8.1	
	Windows Server 2012, 2012 R2	
	Windows Server 2016	
.NET	.NET Framework 4.6.1	
SQL Server	SQL Server 2012 with SP2	Recommended
		No scan database limit
	SQL Server 2008 R2 with SP2	
	SQL Server 2012 with SP1	No scan database limit
	SQL Server 2014 with SP1	No scan database limit
	SQL Server 2016	No scan database limit
	SQL Server 2017	No scan database limit

Package	Versions	Notes
SQL Server Express	SQL Server 2014 Express with SP1	Recommended
		10 GB scan database limit
	SQL Server 2012 Express with SP1 or SP2	10 GB scan database limit
	SQL Server 2016 Express	10 GB scan database limit
	SQL Server 2017 Express	10 GB scan database limit
Browser	Internet Explorer 11	Recommended
	Internet Explorer 10	
Portable Document Format	Adobe Acrobat Reader 11	Recommended
	Adobe Acrobat Reader 8.1.2	Minimum

Notes on SQL Server Editions

When using the Express edition of SQL Server:

- Scan data must not exceed the database size limit. If you require a larger database or you need to share your scan data, use the full version of SQL Server.
- During the installation you might want to enable "Hide advanced installation options." Accept all default settings. Micro Focus Fortify WebInspect requires that the default instance is named SQLEXPRESS.

When using the full edition of SQL Server:

You can install the full version of SQL Server on the local host or nearby (co-located). You can configure this option in Fortify WebInspect Application Settings (Edit > Application Settings > Database).

Ports and Protocols

This section describes the ports and protocols Micro Focus Fortify WebInspect uses to make required and optional connections.

Required Connections

The following table lists the ports and protocols Fortify WebInspect uses to make required connections.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
Fortify WebInspect to target host	Target host	Scan target host	Any	HTTP	Fortify WebInspect must connect to the web application or web service to be scanned.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
Fortify WebInspect to SQL database	MS SQL Express or MS SQL Standard/Enterprise	SQLEXPRESS service on localhost or SQL TCP service locally installed or remote host	1433	SQL TCP	Used for maintaining the scan data and generating reports within the Fortify WebInspect application.
Fortify WebInspect to Certificate Revocation List (CRL)	Verisign CRL	http://crl.verisign.com/ pca3.crl or http://csc3-2004- crl.verisign.com/ CSC3-2004.crl	80	HTTP	Offline installations of Fortify WebInspect or Fortify WebInspect Enterprise require you to manually download and apply the CRL from Verisign. Fortify WebInspect products prompt for these lists from Windows and their absence can cause problems with the application. A one-time download is sufficient, but Fortify recommends regularly repeating this CRL download process as part of regular maintenance.

Optional Connections

The following table lists the ports and protocols Fortify WebInspect uses to make optional connections.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
Fortify WebInspect to Fortify License activation server	Remote Fortify Licensing Service	https://licenseservice.fortify.hpe.com	443	HTTPS over SSL	 For one-time activation of a Fortify WebInspect Named User license. You may optionally use the following: An offline activation process instead of using this direct connection Upstream proxy with authentication instead
Fortify WebInspect to SmartUpdate server	Remote SmartUpdate service	https://smartupdate.fortify.hpe.com	443	HTTPS over SSL	of a direct connection Used to automatically update the Fortify WebInspect product. SmartUpdate is automatic when opening the product UI, but can be disabled and run manually. Can optionally use upstream proxy with authentication instead of a direct connection.
Fortify WebInspect to Fortify Support Channel server	Remote Fortify Support Channel service	https://supportchannel.fortify.hpe.com	443	HTTPS over SSL	Used to retrieve product marketing messages and to upload Fortify WebInspect data or product suggestions to Micro Focus Fortify Customer Support.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
					Message check is automatic when opening the product UI, but can be disabled and run manually. Can optionally use upstream proxy with authentication instead of a direct connection.
Fortify WebInspect to Fortify WebInspect Telemetry server	Remote Fortify WebInspect Telemetry and performance reporting service	https://telemetry.fortify.com Note: Accessing this URL in a browser does not display any content.	443	HTTPS over SSL	The Telemetry service provides an automated process for collecting and sending Fortify WebInspect usage information to Micro Focus. Micro Focus software developers use this information to help improve the product.
Fortify WebInspect to License and Infrastructure Manager (LIM)	Fortify WebInspect LIM (Local Licensing Service)	Lease Concurrent User license	443	Web services over SSL	Required for Fortify WebInspect client to lease and use a Concurrent User license maintained in a LIM license pool. You can detach the client license from LIM after activation to avoid a constant connection.
Fortify WebInspect API listener	Local machine API, or network IP address	http://localhost:8083/webinspect/api	8083 or user- specified	HTTP	Use to activate a Fortify WebInspect API Windows Service. This opens a listening port on your machine, which you can use locally or remotely to generate scans and retrieve the results programmatically. This API can be SSL enabled, and supports Basic or Windows authentication.
Fortify WebInspect to Fortify WebInspect Enterprise	Fortify WebInspect Enterprise server	User-specified Fortify WebInspect server	443 or user- specified	HTTP or HTTPS over SSL	The Enterprise Server menu connects Fortify WebInspect as a client to the enterprise security solution to transfer findings and user role and permissions management.
Fortify WebInspect sensor service to Fortify WebInspect Enterprise	Fortify WebInspect Enterprise server	User-specified Fortify WebInspect server	443 or user- specified	HTTP or HTTPS over SSL	Separate from the Fortify WebInspect UI, you can configure the local installation as a remote scan engine for use by the enterprise security

Direction	Endpoint	URL or Details	Port	Protocol	Notes
					solution community. This is done through a Windows Service. This constitutes a different product from Fortify WebInspect desktop and is recommended to be run on its own, non-user- focused machine.
Browser to Fortify WebInspect	localhost	Manual Step-Mode Scan	Dynamic, 8081, or user- specified	HTTP or HTTPS over SSL	Fortify WebInspect serves as a web proxy to the browser, enabling manual testing of the target web server through Fortify WebInspect.
Fortify WebInspect to Quality Center Enterprise (ALM)	QC server	User-specified ALM server	Server- specified	HTTP or HTTPS over SSL	Permits submission of findings as defects to the ALM bug tracker application.

Connections for Tools

The following table lists the ports and protocols that the Fortify WebInspect tools use to make connections.

ΤοοΙ	Direction	Endpoint	Port	Protocol	Notes
Web Proxy	To target host	localhost	8080 or user- specified	HTTP or HTTPS over SSL	Intercepts and displays web traffic
Web Form Editor	To target host	localhost	Dynamic, 8100, or user- specified	HTTP or HTTPS over SSL	Intercepts web traffic and captures submitted forms
Login or Workflow Macro Recorders	To target host	localhost	Dynamic, 8081, or user- specified	HTTP or HTTPS over SSL	Records browser sessions for replay during scan
Web Discovery	Fortify WebInspect machine to targeted IP range	Target host network range	User- specified range	HTTP and HTTPS over SSL	Scanner for identifying rogue web applications hosted among the targeted scanned IP and port ranges Use to provide targets to Fortify WebInspect (manually)

Fortify WebInspect Agent

For system requirements, see "Fortify Runtime Agent Requirements" on page 19.

WebInspect Software Development Kit (SDK)

The WebInspect SDK requires the following software:

- Visual Studio 2013 or 2015
- .NET Framework 4.6.1

Important: Visual Studio Express versions do not support third-party extensions. Therefore, these versions do not meet the software requirements for using the WebInspect SDK.

Software Integrations for Fortify WebInspect

The following table lists products that you can integrate with Micro Focus Fortify WebInspect.

Product	Versions	
Micro Focus Fortify WebInspect Enterprise	18.10	
Micro Focus Application Lifecycle Management (ALM)	11.5, 12.01, 12.21, 12.53	
Note: You must also install the ALM Connectivity tool to connect Fortify WebInspect to ALM.		
Micro Focus Fortify Software Security Center	18.10	
Micro Focus Unified Functional Testing	11.5	

Fortify WebInspect Enterprise Requirements

Before you install Micro Focus Fortify WebInspect Enterprise, make sure that your systems meet the requirements described in this section.

Note: Product versions that are not specifically listed in this document are not supported.

Installation and Upgrade Requirements

You can upgrade directly from Micro Focus Fortify WebInspect Enterprise 17.20 to Fortify WebInspect Enterprise 18.10. You cannot upgrade directly from any other versions of Fortify WebInspect Enterprise. For detailed information about upgrades, see the *Micro Focus Fortify WebInspect Enterprise Installation and Implementation Guide*. Integration with Micro Focus Fortify Software Security Center is optional. If you are integrating Fortify WebInspect Enterprise with Fortify Software Security Center, then you must install and run Fortify Software Security Center 18.10 before you install a new instance of Fortify WebInspect Enterprise or upgrade from Fortify WebInspect Enterprise 17.20. You can install Fortify Software Security Center and Fortify WebInspect Enterprise on the same or different machines. Using separate machines might improve performance.

Integrations for Fortify WebInspect Enterprise

You can integrate Micro Focus Fortify WebInspect Enterprise with the following components:

- Micro Focus Fortify WebInspect sensors 18.10
- Fortify WebInspect Agent 18.1

Fortify WebInspect Enterprise Database

Fortify recommends that you configure the database server on a separate machine from either Micro Focus Fortify Software Security Center or Micro Focus Fortify WebInspect Enterprise.

The Fortify WebInspect Enterprise Server SQL database requires case-insensitive collation.

Important! This is opposite the requirement for Fortify Software Security Center databases as described in "Fortify Software Security Center Database" on page 10.

Hardware Requirements

The following table lists the hardware requirements for the Micro Focus Fortify WebInspect Enterprise server.

Component	Requirement	Notes
Processor	3.0 GHz quad-core or faster	Recommended
	2.5 GHz dual-core	Minimum
RAM	16 GB	Recommended
	8 GB	Minimum
Hard disk	100+ GB	Recommended
	20+ GB if using a local database	
	5 GB if using a remote database	
Display	1920 x 1080	Recommended
	1280 x 1024	Minimum

Software Requirements

Micro Focus Fortify WebInspect Enterprise server runs on and works with the software packages listed in the following table.

Package	Versions	Notes			
Windows	Windows Server 2012 R2	Recommended			
	Windows Server 2012				
	Windows Server 2016				
.NET	.NET Framework 4.6.1				
Platform	IIS 8.5	Recommended			
	IIS 7.5				
	IIS 8.0				
	IIS 10				
SQL Server	SQL Server 2014 with SP1	Recommended No scan database limit			
	SQL Server 2012 with SP1 or SP2	No scan database limit			
	SQL Server 2016	No scan database limit			
	SQL Server 2017	No scan database limit			
Browser	Internet Explorer 11	Recommended			
	Mozilla Firefox 51.0 or 56.0 ¹	Recommended			
	Mozilla Firefox ¹ 47.0				
Plugins for Enterprise					
Servers	Note: Adobe Flash Player is only required with the Fortify Software Security Center 4.30 legacy user interface.				

¹You cannot perform a Guided Scan or create reports using the Mozilla Firefox browser. This browser no longer supports the .NET Framework Assistant plugin.

Package	Versions	Notes
	For Fortify WebInspect Enterprise: Silverlight 5.0 or 5.1	

Administrative Console Requirements

This section describes the hardware and software requirements for the Micro Focus Fortify WebInspect Enterprise Administrative Console.

You do not need to install the Fortify WebInspect Enterprise Administrative Console on the same machine as the Web Console of the Fortify WebInspect Enterprise server. The two consoles have different system requirements. In addition, you can install multiple Administrative Consoles on different machines connected to the same Fortify WebInspect Enterprise server.

Hardware Requirements

The following table lists the hardware requirements for Fortify WebInspect Enterprise Administrative Console.

Component	Requirement	Notes
Processor	2.5 GHz dual-core	Minimum
RAM	4 GB	Minimum
Hard disk	2 GB	
Display	1980 x 1080	Recommended
	1280 x 1024	Minimum

Software Requirements

The Fortify WebInspect Enterprise Administrative Console runs on and works with the software packages listed in the following table.

Package	Versions	Notes			
Windows	Windows 10	Recommended			
	Windows 7 with SP1				
	Windows 8 or 8.1				
	Windows Server 2016				
	Windows Server 2012 or 2012 R2				
.NET	.NET Framework 4.6.1				

Ports and Protocols

This section describes the ports and protocols Micro Focus Fortify WebInspect Enterprise uses to make required and optional connections.

Required Connections

The following table lists the ports and protocols Fortify WebInspect Enterprise uses to make required connections.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
Fortify WebInspect Enterprise Manager server to SQL database	MS SQL Standard/Enterprise	SQL TCP service on locally installed or remote host	1433 or user- specified	SQL TCP	Used to maintain the scan data and full Enterprise environment. Custom configurations of MS SQL are permitted, including port changes and encrypted communication.
Fortify WebInspect Enterprise Manager machine to Fortify Software Security Center server	Fortify Software Security Center server	User-specified Fortify Software Security Center server	8180 or user- specified	HTTP or HTTPS over SSL	As a modular add- on, Fortify WebInspect Enterprise requires a connection to its core Fortify Software Security Center server. Note: This connection is required only if you integrate Fortify WebInspect Enterprise with Fortify Software Security Center.
Sensor machines to Fortify WebInspect Enterprise Manager server	Fortify WebInspect Enterprise server	User-specified Fortify WebInspect Enterprise server	443 or user- specified	HTTPS over SSL	Communication is two-way HTTP traffic, initiated in- bound by the Fortify WebInspect sensor machine.
Browser users to Fortify WebInspect Enterprise server UI	Fortify WebInspect Enterprise server	User-specified Fortify WebInspect Enterprise server	443 or user- specified	HTTPS over SSL	You can configure Fortify WebInspect Enterprise not to use SSL, but tests indicate that it might affect the

Direction	Endpoint	URL or Details	Port	Protocol	Notes
					usability of the product.
Browser user to Fortify Software Security Center UI	Fortify Software Security Center server	User-specified Fortify Software Security Center server	8180 or user- specified	HTTP or HTTPS over SSL	You can configure the Fortify Software Security Center server on any available port during installation.
Fortify WebInspect Enterprise Manager machine to SmartUpdate server	SmartUpdate	https://smartupdate.fortify.hpe.com	443	HTTPS over SSL	Used to acquire updates for the product as well as all connected clients (Fortify WebInspect sensors and Fortify WebInspect desktop). The administrator manually runs SmartUpdate, however Fortify recommends that you set up an automated schedule. New client releases are held in reserve until the Fortify WebInspect Enterprise administrator marks them as Approved, at which time they are automatically distributed from the Fortify WebInspect Enterprise Manager server. Can support the use of an upstream proxy with authentication instead of a direct Internet connection.

Optional Connections

The following table lists the ports and protocols Fortify WebInspect Enterprise uses to make optional connections.

Direction	Endpoint	URL or Details	Port	Protocol	Notes
Fortify WebInspect desktop machines to Fortify WebInspect Enterprise Manager server	Fortify WebInspect Enterprise server	User-specified Fortify WebInspect Enterprise server	443 or user- specified	HTTPS over SSL	Communication is two- way HTTP traffic, initiated in-bound by the Fortify WebInspect desktop machine.
Fortify WebInspect Enterprise Manager machine to Fortify License activation server	Fortify Licensing Service	https://licenseservice.fortify.hpe.com	443	HTTPS over SSL	For one-time activation of the Fortify WebInspect Enterprise server license as well as periodic checks during an update. You may optionally use the following:
					• An offline activation process instead of using this direct connection
					• Upstream proxy with authentication instead of a direct Internet connection
Fortify WebInspect Enterprise Manager machine to mail server	User's mail server	Email alerts	25 or user- specified	SMTP	Used for SMTP alerts for administration team. To enable mobile TXT alerts, you can use an SMTP-to- SMS gateway address.
Fortify WebInspect Enterprise Manager machine to SNMP Community	User's SNMP Community	SNMP alerts	162 or user- specified	SNMP	Used for SNMP alerts for administration team.

Connections for Tools

The following table lists the ports and protocols that the Fortify WebInspect tools use to make connections.

Tool	Direction	Endpoint	Port	Protocol	Notes
Web Proxy	To target web application	localhost	8080 or user-specified	HTTP or HTTPS over SSL	Intercepts and displays web traffic
Web Form	To target	localhost	Dynamic,	HTTP or	Intercepts web traffic and captures submitted

ΤοοΙ	Direction	Endpoint	Port	Protocol	Notes
Editor	web application		8100, or user-specified	HTTPS over SSL	forms
Login or Workflow Macro Recorders	To target web application	localhost	Dynamic, 8081, or user-specified	HTTP or HTTPS over SSL	Records browser sessions for replay during scan
Web Discovery	To targeted IP range	localhost	User-specified range	HTTP and HTTPS over SSL	Scanner for identifying rogue web applications hosted among the targeted scanned IP and port ranges Use to provide targets to Fortify WebInspect (manually)

Fortify WebInspect Enterprise Sensor

A Micro Focus Fortify WebInspect Enterprise sensor is a Micro Focus Fortify WebInspect sensor that runs scans on behalf of Fortify WebInspect Enterprise. See "Fortify WebInspect Requirements" on page 21 for more information.

To run a scan from Fortify WebInspect Enterprise, you must have at least one instance of Fortify WebInspect connected and configured as a sensor.

Fortify WebInspect Enterprise Notes and Limitations

- You can connect any instance of Micro Focus Fortify Software Security Center to only one instance of Micro Focus Fortify WebInspect Enterprise, and you can connect any instance of Fortify WebInspect Enterprise to only one instance of Fortify Software Security Center.
- For a Fortify WebInspect Enterprise environment to support Internet Protocol version 6 (IPv6), you must deploy the IPv6 protocol on each Fortify WebInspect Enterprise Administrative Console, each Fortify WebInspect Enterprise sensor, and the Fortify WebInspect Enterprise server.

License Infrastructure Manager Requirements

This section describes the hardware and software requirements for License Infrastructure Manager (LIM).

Hardware Requirements

Fortify recommends that you install the LIM on a system that conforms to the supported components listed in following table. Beta or pre-release versions of operating systems, service packs, and required third-party components are not supported.

Component	Requirement	Notes
Processor	2.5 GHz single-core or faster	Recommended
	1.5 GHz single-core	Minimum
RAM	2+ GB	Recommended
	1 GB	Minimum
Hard disk	50+ GB	Recommended
	20 GB	Minimum
Display	1280 x 1024	Recommended
	1024 x 768	Minimum

Software Requirements

LIM runs on and works with the software packages listed in the following table.

Package	Versions	Notes
Windows Server	Windows Server 2012 or 2012 R2	
	Windows Server 2016	
Internet Information Services (IIS)	Version 7 or later	
.NET Framework	4.6.1	
Browser	Internet Explorer 11	Recommended
	Mozilla Firefox 51.0	Recommended
	Mozilla Firefox 44.0 or 47.0	

Version Compatibility Matrix

This section provides compatibility information for Micro Focus Fortify Software components.

Fortify Software Component Compatibility

Micro Focus Fortify Software version 18.10 works with the component versions listed in the following table.

Component	Versions
Micro Focus Fortify Software Security Center	18.10
Micro Focus Fortify Static Code Analyzer Tools (Fortify Audit Workbench, Fortify Secure Code Plugins, and Fortify Custom Rules Editor)	18.10
Micro Focus Fortify Runtime Agent	18.1
Micro Focus Fortify WebInspect Agent	18.1
Micro Focus Fortify WebInspect	18.10
Micro Focus Fortify WebInspect Enterprise	18.10

FPR File Compatibility

Earlier versions of Fortify Software products cannot open and read FPR files generated by later versions of Fortify Software products. For example, Fortify Audit Workbench 17.10 cannot read 18.10 FPR files. However, later versions of Fortify Software products can open and read FPR files generated by earlier versions of Fortify Software products. For example, Audit Workbench version 18.10 can open and read version 17.10 FPR files.

FPR version numbers are determined as follows:

- The FPR version is the same as the version of the analyzer that initially generated it. For example, an FPR generated by Fortify Software version 18.10 also has the version number 18.10.
- The FPR version is the same as the version of the Micro Focus Fortify Software Security Center or Micro Focus Fortify Static Code Analyzer Tool used to modify or audit the FPR.
- If you merge two FPRs, the resulting FPR has the version of the more recently generated FPR. For example, if you merge a version 17.10 FPR with a version 18.10 FPR, the resulting FPR has the version number 18.10.

You can only open 18.10 FPR files with Fortify Software Security Center or Fortify Static Code Analyzer Tools version 18.10 or later.

Caution Regarding Uploading FPRs to Fortify Software Security Center

Fortify Software Security Center keeps a project file that contains the latest scan results and audit information for each application. Audit Workbench and the Secure Code Plugins also use this project file for collaborative auditing.

Each time you upload an FPR to Fortify Software Security Center, it is merged with the existing project file. If the FPR has a later version number than the existing project file, the existing project file version changes to match the FPR. For Audit Workbench and the Secure Code Plugins to work with the updated FPR, they must be at least the same version as the FPR. For example, Audit Workbench 17.10 cannot open and read a 18.10 FPR.

Virtual Machine Support

You can run Micro Focus Fortify Software products in an approved operating system in virtual machine environments. You must provide dedicated CPU and memory resources that meet the minimum hardware requirements. If you find issues that cannot be reproduced on the native environments with sufficient processing, memory, and disk resources, you need to work with the provider of the virtual environment to get them resolved.

Note: Running Fortify software products in a VM environment with shared CPU and memory resources is not supported.

Technologies and Features no Longer Supported in this Release

Customers who are currently using Micro Focus Fortify Runtime are encouraged to upgrade to Fortify Application Defender, a Runtime Application Self Protection (RASP) solution that helps mitigate risk from homegrown or third-party applications. Fortify Application Defender provides visibility into application abuse while protecting software vulnerabilities from exploits in real time. Application Defender is available as a SaaS offering or it can be installed on-premises. For more information, see https://software.microfocus.com/software/application-defender.

The following technologies and features are no longer supported in Fortify Software:

- Apache Tomcat 8.0 (Fortify Software Security Center)
- Fortify Remediation Extension for JDeveloper
- IBM DB2 (Fortify Software Security Center)
- IBM WebSphere (Fortify Software Security Center)
- IntelliJ IDEA 15 (Secure Code Plugins)
- JIRA 7.1
- Oracle Database 12c Release 1 (Fortify Software Security Center)
- Oracle Linux 6 update 5 and later, Oracle Linux 7.x
- Oracle WebLogic (Fortify Software Security Center)
- Swift compiler version 3.0.2 (Fortify Static Code Analyzer)
- Fortify WebInspect 32-bit version
- Windows Server 2008 (License Infrastructure Manager)

Technologies and Features to Lose Support in the Next Release

The following technologies and features are scheduled for deprecation in the next Micro Focus Fortify Software release:

- Apache Tomcat 8.5 (Fortify Software Security Center)
- Apple LLVM (clang) 8.x (Fortify Static Code Analyzer)
- IntelliJ IDEA 2016.x (Secure Code Plugins)
- macOS 10.12
- MySQL 5.6 (Fortify Software Security Center)
- Fortify Software Security Center legacy (4.30) user interface
- Fortify Software Security Center legacy parsers:
 - Whitehat
 - Runtime
 - Real-Time Analyzer (RTA)
 - PenTest Analysis
 - Program Trace Analyzer (PTA)
 - AppScan
 - AppDetective
- Fortify Software Security Center Process Designer
- Swift 3.1 (Fortify Static Code Analyzer)

Acquiring Fortify Software

Micro Focus Fortify Software is available as an electronic download. The following table lists the available packages and describes their contents.

File Name	Description
Fortify_SSC_ Server_18.10.zip	Fortify Software Security Center
Fortify_SSC_ Server_ 18.10.zip.sig	Signature file for Fortify Software Security Center
Fortify_CloudScan_ Controller_	Fortify CloudScan Controller

File Name	Description
18.10.zip	
Fortify_CloudScan_ Controller_ 18.10.zip.sig	Signature file for Fortify CloudScan Controller
Fortify_SCA_and_ Apps_ 18.10_Linux.tar.gz	 Fortify SCA and Applications installer for Linux The installer includes the following components: Fortify Static Code Analyzer Audit Workbench Custom Rules Editor Process Designer Fortify Plugin for Eclipse Fortify Analysis Plugin for IntelliJ and Android Studio Fortify Scan Wizard Sample applications Note: Fortify Software Security Content (Rulepacks and external metadata) can be downloaded during the installation. The Fortify SCA_and_Apps_18.10_Linux.tar.gz package includes the Fortify Remediation Plugin for Eclipse, the Fortify Security Assistant Plugin for Eclipse, the Fortify Remediation Plugin for IntelliJ, Android Studio, and WebStorm, and the Fortify Jenkins Plugin.
Fortify_SCA_and_ Apps_ 18.10_ Linux.tar.gz.sig	Signature file for Fortify Static Code Analyzer for Linux
Fortify_SCA_and_ Apps_ 18.10_Mac.tar.gz	 Fortify SCA and Applications installer for macOS This installer includes the following components: Fortify Static Code Analyzer Audit Workbench Custom Rules Editor Process Designer Fortify Plugin for Eclipse Fortify Analysis Plugin for IntelliJ and Android Studio Fortify Scan Wizard Sample applications

File Name	Description
	 Fortify Software Security Content (Rulepacks and external metadata) can be downloaded during the installation. The Fortify_SCA_and_Apps_18.10_Mac.tar.gz package includes the Fortify Remediation Plugin for Eclipse, the Fortify Security Assistant Plugin for Eclipse, the Fortify Remediation Plugin for IntelliJ, Android Studio and WebStorm, and the Fortify Jenkins Plugin.
Fotify_SCA_and_ Apps_18.10_ Mac.tar.tz.sig	Signature files for the Fortify SCA and Applications package for macOS
Fortify_SCA_and_ Apps_ 18.10_Windows.zip	 Fortify SCA and Applications installer for Windows This installer includes the following components: Fortify Static Code Analyzer Audit Workbench Custom Rules Editor Process Designer Fortify Plugin for Eclipse Fortify Analysis Plugin for IntelliJ and Android Studio Fortify Extension for Visual Studio Scan Wizard Sample applications Note: Fortify Software Security Content (Rulepacks and external metadata) can be downloaded during the installation. The Fortify Remediation Plugin for Eclipse, the Fortify Security Assistant Plugin for Eclipse, the Fortify Remediation Plugin for IntelliJ, Android Studio, and WebStorm, and the Fortify Jenkins Plugin.
Fortify_SCA_and_ Apps_ 18.10_ Windows.zip.sig	Signature files for the Fortify SCA and Applications package for Windows
Fortify_SCA_ 18.10_AIX.tar.gz	Fortify Static Code Analyzer for AIX
Fortify_SCA_ 18.10_ AIX.tar.gz.sig	Signature file for Fortify Static Code Analyzer for AIX
Fortify_SCA_	Fortify Static Code Analyzer for HP-UX

File Name	Description
18.10_HPUX.tar.gz	
Fortify_SCA_ 18.10_ HPUX.tar.gz.sig	Signature file for Fortify Static Code Analyzer for HP-UX
Fortify_SCA_ 18.10_Solaris.tar.gz	Fortify Static Code Analyzer for Solaris
Fortify_SCA_ 18.10_ Solaris.tar.gz.sig	Signature file for Fortify Static Code Analyzer for Solaris
Fortify_Scan_ Wizard_ 18.10_Linux.tar.gz	Fortify Scan Wizard for Linux
Fortify_Scan_ Wizard_ 18.10_ Linux.tar.gz.sig	Signature file for Fortify Scan Wizard for Linux
Fortify_Scan_ Wizard_ 18.10_ MacOSX.tar.gz	Fortify Scan Wizard for macOS
Fortify_Scan_ Wizard_ 18.10_ MacOSX.tar.gz.sig	Signature file for Fortify Scan Wizard for macOS
Fortify_Scan_ Wizard_ 18.10_Windows.zip	Fortify Scan Wizard for Windows
Fortify_Scan_ Wizard_ 18.10_ Windows.zip.sig	Signature file for Fortify Scan Wizard for Windows
Fortify_Runtime_ 18.1.zip	Fortify Runtime Agent
Fortify_Runtime_ 18.1.zip.sig	Signature file for Fortify Runtime Agent
WebInspect_64_ 18.10.zip	Fortify WebInspect 64-bit version package This package includes product documentation (PDF)

File Name	Description
WebInspect_ Agent_18.1.zip	Fortify WebInspect Agent package
WebInspectToolkit_ 18.10.zip	Fortify WebInspect Toolkit package for use with Fortify WebInspect Enterprise
WI_Enterprise_ 18.10.zip	 Fortify WebInspect Enterprise package The package includes the following components: Fortify WebInspect Enterprise server Fortify WebInspect Enterprise Administrative Console Product documentation (PDF)

Downloading Fortify Software

To download Micro Focus Fortify Software:

- 1. Open a browser window and go to https://softwaresupport.softwaregrp.com.
- 2. Click My Software Support sign-in.
- 3. Sign in with your Software Passport credentials.
- 4. Select Product Information > Licenses and Downloads.

If you do not see your account listed, click **Search Account**, and provide your SAID or Order Number.

- 5. Click Manage Entitlements.
- 6. Find the product you want to download, and then click **Download**.
- 7. Select the version you want, and then click **Download**.

If you encounter any difficulties with the download process, click **Contact Us / Self Help** and review the *Quick Start Guide* for more information.

Note: If your organization requires that you verify the download, you must also download the likenamed signature file. For example, if you download the Fortify_SCA_and_Apps_18.10_ Windows.zip file, you must also download the associated signature file Fortify_SCA_and_ Apps_18.10_Windows.sig.

About Verifying Software Downloads

This topic describes how to verify the digital signature of the signed file that you downloaded from the Micro Focus Fortify Customer Support site. Verification ensures that the downloaded package has not been altered since it was signed and posted to the site. Before proceeding with verification, download the Fortify Software product files and their associated signature (*.sig) files. You are not required to verify the package to use the software, but your organization might require it for security reasons.

Preparing Your System for Digital Signature Verification

To prepare your system for electronic media verification:

- 1. Navigate to the GnuPG site (http://www.gnupg.org).
- 2. Download and install GnuPG Privacy Guard version 1.4.x or 2.0.x.
- 3. Generate a private key, as follows:
 - a. Run the following command (on a Windows system, run the command without the \$ prompt):
 \$ gpg --gen-key
 - b. When prompted for key type, select DSA and Elgamal.
 - c. When prompted for a key size, select 2048.
 - d. When prompted for the length of time the key should be valid, select key does not expire.
 - e. Answer the user identification questions and provide a passphrase to protect your private key.
- 4. Download the Micro Focus GPG public keys (compressed tar file) from the following location: https://h22253.www2.hpe.com/ecommerce/efulfillment/digitalSignIn.do
- 5. Extract the public keys using WinZip.
- 6. Import each downloaded key with GnuPG, as follows:
 - Rungpg --import <Path_to_Key>/<File_Name_of_Key>

Verifying Software Downloads

To verify that the signature file matches the downloaded software package:

- 1. Navigate to the directory where you stored the downloaded package and signature file.
- 2. Run the following command:

gpg --verify <Signature_File_Name> <Downloaded_File_Name>

3. Examine the output to make sure that you receive verification that the software you downloaded is signed by Micro Focus Group Limited and is unaltered. Your output should include something similar to the following:

```
gpg: Signature made Fri, Oct 06, 2017 10:37:56 PM PDT using RSA key ID
AA71A9CF
gpg: checking the trustdb
gpg: 3 marginal(s) needed, 1 complete(s) needed, PGP trust model
gpg: depth: 0 valid: 3 signed: 0 trust: 0-, 0q, 0n, 0m, 0f, 3u
gpg: next trustdb check due at 2025-12-07
gpg: Good signature from "Micro Focus Group Limited RSA-2048-12"
```

Note: A warning message might be displayed because the public key is not known to the system. You can ignore this warning or set up your environment to trust the these public keys.

Assistive Technologies (Section 508)

In accordance with section 508 of the Rehabilitation Act, Fortify Audit Workbench has been engineered to work with the JAWS screen reading software package from Freedom Scientific. JAWS provides text-to-speech support for use by the visually impaired. With JAWS, labels, text boxes, and other textual components can be read aloud, providing greater access to these technologies.

Micro Focus Fortify Software Security Center works well with the ChromeVox screen reader.

Send Documentation Feedback

If you have comments about this document, you can <u>contact the documentation team</u> by email. If an email client is configured on this computer, click the link above and an email window opens with the following information in the subject line:

Feedback on System Requirements (Fortify Software 18.10)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to FortifyDocTeam@microfocus.com.

We appreciate your feedback!