

## Audit Event Table

Event ID	Class	Method	Description
20	com.netiq.iac.server.j2ee.ArcServerInitListener		API Service Started
21	com.netiq.iac.server.j2ee.ArcServerInitListener		API Service Stopped
30	com.netiq.iac.server.dtp.j2ee.ArcInitListener		DTP Service Started
31	com.netiq.iac.server.dtp.j2ee.ArcInitListener		DTP Service Stopped
40	com.netiq.iac.server.daas.DaaSInitListener		DaaS Service Started
41	com.netiq.iac.server.daas.DaaSInitListener		DaaS Service Stopped
50	com.netiq.iac.workflow.jee.IacWorkflowServerInitListener		Workflow Service Started
51	com.netiq.iac.workflow.jee.IacWorkflowServerInitListener		Workflow Service Stopped
60	com.netiq.iac.server.healthcheck.j2ee.ArcInitListener		Healthcheck Service Started
61	com.netiq.iac.server.healthcheck.j2ee.ArcInitListener		Healthcheck Service Stopped
101	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicies()	{0} retrieved a list of access request approval policies
102	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicy()	{0} retrieved the access request approval policy with the given ID
103	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getDefaultAccessRequestApprovalPolicy()	{0} retrieved the default access request approval policy
104	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	createAccessRequestApprovalPolicy()	{0} created an access request approval policy
105	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	updateAccessRequestApprovalPolicy()	{0} updated an access request approval policy
106	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	deleteAccessRequestApprovalPolicy()	{0} deleted the access request approval policy with the given ID
107	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicyPermissions()	{0} retrieved a list of permissions assigned to an access request approval policy
108	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicyRoles()	{0} retrieved a list of technical roles assigned to an access request approval policy
109	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicyApplications()	{0} retrieved a list of applications assigned to an access request approval policy
110	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	setRequestItems()	{0} set the approval items for an access request approval policy
111	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	checkRequestItems()	{0} retrieved the approval policies for the specified resources
112	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	clearRequestItems()	{0} assigned approval items to the default access request approval policy
113	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestPolicyForRole()	{0} retrieved the access request approval policy for the given access request item ID
114	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getApprovalEmailTemplates()	{0} retrieved the approval notification and reminder email template names
115	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	setApprovalLevel()	{0} assigned the approval level for the access request approval policy for the specified items

## Audit Event Table

Event ID	Class	Method	Description
116	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importPreviewMultiPart()	{0} performed a access request approval policy service multi-part import preview which will attempt to resolve objects and object references
117	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importZipResolveApps()	{0} resolved the applications in the access request approval policy multi-part import document
118	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importFromNode()	{0} imported access request approval policies
119	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importAssignments()	{0} imported access request approval assignments
120	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importMultiPart()	{0} started the access request approval policy multi-part import
121	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	startDownload()	{0} started the access request approval policy download
122	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importPreviewForID()	{0} performed a access request approval policy service import preview for approval policy assignments
123	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	importResolveApplications()	{0} resolved the applications in the access request approval policy import document
124	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService	getAccessRequestApprovalPolicyBusinessRoles()	{0} retrieved a list of business roles assigned to an access request approval policy
201	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicies()	{0} retrieved a list of access request policies
202	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicy()	{0} retrieved the access request policy with the given ID
203	com.netiq.iac.server.rest.AccessRequestPolicyRestService	createAccessRequestPolicy()	{0} created an access request policy
204	com.netiq.iac.server.rest.AccessRequestPolicyRestService	updateAccessRequestPolicy()	{0} updated access request policy
205	com.netiq.iac.server.rest.AccessRequestPolicyRestService	deleteAccessRequestPolicy()	{0} deleted the access request policy with the given ID
206	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicyPerms()	{0} retrieved a list of permissions assigned to an access request policy
207	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicyRoles()	{0} retrieved a list of technical roles assigned to an access request policy
208	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicyApps()	{0} retrieved a list of applications assigned to an access request policy
209	com.netiq.iac.server.rest.AccessRequestPolicyRestService	setRequestItems()	{0} set the request items for an access request policy
210	com.netiq.iac.server.rest.AccessRequestPolicyRestService	checkRequestItems()	{0} retrieved the request policies for the specified resources
211	com.netiq.iac.server.rest.AccessRequestPolicyRestService	clearRequestItems()	{0} cleared the access request policy for the specified items

### Audit Event Table

Event ID	Class	Method	Description
212	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicyForRole()	{0} retrieved the access request policy for the given access request item ID
215	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importPreviewMultiPart()	{0} performed a access request policy service multi-part import preview which will attempt to resolve objects and object references
216	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importZipResolveApps()	{0} resolved the applications in the access request policy multi-part import document
217	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importFromNode()	{0} imported access request policies
218	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importAssignments()	{0} imported access request policy assignments
219	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importMultiPart()	{0} imported access request policies from zip file
220	com.netiq.iac.server.rest.AccessRequestPolicyRestService	startDownload()	{0} started the access request policy download
221	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importPreviewForID()	{0} performed a access request policy service import preview which will attempt to resolve assignment references
222	com.netiq.iac.server.rest.AccessRequestPolicyRestService	importResolveApplications()	{0} resolved the applications in the access request policy import document for assignment import
223	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getDefaultAccessRequestPolicy()	{0} retrieved the default access request policy
224	com.netiq.iac.server.rest.AccessRequestPolicyRestService	getAccessRequestPolicyBusinessRoles()	{0} retrieved a list of business roles assigned to an access request policy
301	com.netiq.iac.server.rest.AccountsService	getApplicationAccounts()	{0} retrieved the list of accounts associated with an application by application ID
302	com.netiq.iac.server.rest.AccountsService	getApplicationAccountById()	{0} retrieved the details of the account with the specified account ID, associated with an application having the specified application ID
304	com.netiq.iac.server.rest.AccountsService	getApplicationAccountsPermissionAssignmentCause()	{0} retrieved the cause (trace) of permission assignment
305	com.netiq.iac.server.rest.AccountsService	getAccountUsers()	{0} retrieved mapped users for the specified account
306	com.netiq.iac.server.rest.AccountsService	getAccountPermissions()	{0} retrieved mapped permissions for the specified account
307	com.netiq.iac.server.rest.AccountsService	getSodViolations()	{0} retrieved the detected SoD violations of the account with the specified id
308	com.netiq.iac.server.rest.AccountsService	getAccountPermissionComposites()	{0} retrieved the composite permissions for the specified account
401	com.netiq.iac.server.rest.AdvisorFeedService	getAllAdvisorFeeds()	{0} retrieved all advisor feeds
402	com.netiq.iac.server.rest.AdvisorFeedService	getAdvisorFeed()	{0} retrieved specified advisor feed
403	com.netiq.iac.server.rest.AdvisorFeedService	deleteAdvisorFeed()	{0} deleted the specified data collector
404	com.netiq.iac.server.rest.AdvisorFeedService	updateAdvisorFeed()	{0} updated advisor feed

## Audit Event Table

Event ID	Class	Method	Description
405	com.netiq.iac.server.rest.AdvisorFeedService	updateAdvisorFeedStatus()	{0} updated status of advisor feed
406	com.netiq.iac.server.rest.AdvisorFeedService	startAdvisorFeedGeneration()	{0} started Advisor Feed generation process
407	com.netiq.iac.server.rest.AdvisorFeedService	getAdvisorFeedGenerations()	{0} retrieved schedule of Advisor Feed generation processes
408	com.netiq.iac.server.rest.AdvisorFeedService	addAdvisorFeed()	{0} added a new data advisor feed
409	com.netiq.iac.server.rest.AdvisorFeedService	getAdvisorFeedCurations()	{0} retrieved schedule of Advisor Feed generation processes
410	com.netiq.iac.server.rest.AdvisorFeedService	getAdvisorFeedPermissionTypes()	{0} retrieved a list of permission types
411	com.netiq.iac.server.rest.AdvisorFeedService	startBulkUpdate()	{0} performed bulk update upload
412	com.netiq.iac.server.rest.AdvisorFeedService	getUploadStatus()	{0} checked status of bulk update upload
500	com.netiq.iac.server.rest.ApplicationService	startDownload()	{0} started data source download for the specified id
501	com.netiq.iac.server.rest.ApplicationService	getApplications()	{0} retrieved all application sources
502	com.netiq.iac.server.rest.ApplicationService	getApplication()	{0} retrieved application source with the specified ID
503	com.netiq.iac.server.rest.ApplicationService	addApplication()	{0} added a new application
504	com.netiq.iac.server.rest.ApplicationService	deleteApplication()	{0} deleted the specified identity source
505	com.netiq.iac.server.rest.ApplicationService	updateApplication()	{0} updated application
506	com.netiq.iac.server.rest.ApplicationService	startCollections()	{0} started collections for collectors associated to the specified identity
507	com.netiq.iac.server.rest.ApplicationService	getAttributeResolutions()	{0} retrieved the attribute joins that are required for an application
508	com.netiq.iac.server.rest.ApplicationService	getEntityAttributeJoins()	{0} retrieved attribute joins for specified application
509	com.netiq.iac.server.rest.ApplicationService	updateEntityAttributeJoins()	{0} updated, added or removed attribute joins for specified application
510	com.netiq.iac.server.rest.ApplicationService	startResolution()	{0} started application resolution process
511	com.netiq.iac.server.rest.ApplicationService	stopResolution()	{0} stopped the resolution by id
512	com.netiq.iac.server.rest.ApplicationService	getApplicationResolutions()	{0} retrieved schedule of application resolution processes
513	com.netiq.iac.server.rest.ApplicationService	getApplicationResolutions()	{0} retrieved application resolutions
514	com.netiq.iac.server.rest.ApplicationService	getAllApplicationResolutions()	{0} retrieved all application resolutions
515	com.netiq.iac.server.rest.ApplicationService	getApplication()	{0} exported an application source
516	com.netiq.iac.server.rest.ApplicationService	startDownload()	{0} started data source download for the specified id
517	com.netiq.iac.server.rest.ApplicationService	finishDownload()	{0} retrieved the download file
518	com.netiq.iac.server.rest.ApplicationService	statusDownload()	{0} checked the status of a download
519	com.netiq.iac.server.rest.ApplicationService	cancelDownload()	{0} cancelled a download
520	com.netiq.iac.server.rest.ApplicationService	getResolutionDetail()	{0} retrieved application resolution detail for the specified ID
521	com.netiq.iac.server.rest.ApplicationService	getAttributeJoins()	{0} retrieved the attribute joins that are required for the specified application
522	com.netiq.iac.server.rest.ApplicationService	getMultiAppTargets()	{0} retrieved a list of applications that meet the criteria for becoming a target system of a multi-application collector
523	com.netiq.iac.server.rest.ApplicationService	resolveExportReferences()	{0} resolved owner references

## Audit Event Table

Event ID	Class	Method	Description
524	com.netiq.iac.server.rest.ApplicationService	getApplicationCepInfo()	{0} retrieved application change event processing information
525	com.netiq.iac.server.rest.ApplicationService	getPceSteps()	{0} retrieved process change event steps
526	com.netiq.iac.server.rest.ApplicationService	getPceStepEvents()	{0} retrieved step change events
527	com.netiq.iac.server.rest.ApplicationService	startCepCollection()	{0} started a collection for an application with change event processing enabled
528	com.netiq.iac.server.rest.ApplicationService	startCepPublication()	{0} started a publication for an application with change event processing enabled
529	com.netiq.iac.server.rest.ApplicationService	startCepProduction()	{0} started a change event processing production for an application with change event processing enabled
530	com.netiq.iac.server.rest.ApplicationService	getProcessChangeEventProductions()	{0} retrieved process change event productions
531	com.netiq.iac.server.rest.ApplicationService	cancelCepCollection()	{0} cancelled change event collection
532	com.netiq.iac.server.rest.ApplicationService	cancelCepPublication()	{0} cancelled change event publication
533	com.netiq.iac.server.rest.ApplicationService	cancelCepProduction()	{0} cancelled change event production
534	com.netiq.iac.server.rest.ApplicationService	getCepErrorsAndWarnings()	{0} retrieved process change event production errors
535	com.netiq.iac.server.rest.ApplicationService	deleteCepProductions()	{0} deleted change event productions
536	com.netiq.iac.server.rest.ApplicationService	getApplicationLatestCollection()	{0} retrieved application latest collection information
537	com.netiq.iac.server.rest.ApplicationService	getApplicationLatestPublication()	{0} retrieved application latest publication information
538	com.netiq.iac.server.rest.ApplicationService	getApplicationsForSchedule()	{0} retrieved all application sources for schedule
600	com.netiq.iac.server.rest.ApprovalPolicyService	startDownload()	{0} started the approval policy download
601	com.netiq.iac.server.rest.ApprovalPolicyService	getApprovalPolicies()	{0} retrieved a list of approval policies, including the information about each approval policy
602	com.netiq.iac.server.rest.ApprovalPolicyService	getGlobalApprovalPolicy()	{0} retrieved the GLOBAL approval policy
603	com.netiq.iac.server.rest.ApprovalPolicyService	getApprovalPolicy()	{0} retrieved the approval policy with the given ID
604	com.netiq.iac.server.rest.ApprovalPolicyService	deleteApprovalPolicy()	{0} deleted the approval policy with the given ID
605	com.netiq.iac.server.rest.ApprovalPolicyService	createApprovalPolicy()	{0} created an approval policy
606	com.netiq.iac.server.rest.ApprovalPolicyService	updateApprovalPolicy()	{0} updated global default approval policy
607	com.netiq.iac.server.rest.ApprovalPolicyService	updateApprovalPolicy()	{0} updated approval policy
609	com.netiq.iac.server.rest.ApprovalPolicyService	getNewApprovalPolicyStateChanges()	{0} retrieved the business roles that will require an approval state changes given the requested changes
610	com.netiq.iac.server.rest.ApprovalPolicyService	getApprovalPolicyStateChanges()	{0} retrieved the business roles that will require an approval state changes given the requested changes
612	com.netiq.iac.server.rest.ApprovalPolicyService	startDownload()	{0} started the approval policy download
613	com.netiq.iac.server.rest.ApprovalPolicyService	finishDownload()	{0} retrieved the download file
614	com.netiq.iac.server.rest.ApprovalPolicyService	statusDownload()	{0} checked the status of a download
615	com.netiq.iac.server.rest.ApprovalPolicyService	cancelDownload()	{0} cancelled a download
616	com.netiq.iac.server.rest.ApprovalPolicyService	importPreview()	{0} performed an approval policy import preview which will attempt to resolve objects and object references
617	com.netiq.iac.server.rest.ApprovalPolicyService	importApprovalPolicies()	{0} imported approval policies
701	com.netiq.iac.server.rest.AuthService	getRoles()	{0} retrieved all global roles

## Audit Event Table

Event ID	Class	Method	Description
702	com.netiq.iac.server.rest.AuthService	getRoleAssignmentServiceAccounts()	{0} retrieved global role assignment for users for specific role
703	com.netiq.iac.server.rest.AuthService	getRoleAssignmentSGroups()	{0} retrieved global role assignment for groups for specific role
704	com.netiq.iac.server.rest.AuthService	assignRoleServiceAccount()	{0} assigned a user to a role
705	com.netiq.iac.server.rest.AuthService	assignRoleSGroup()	{0} assigned a group to a role
706	com.netiq.iac.server.rest.AuthService	deleteRoleServiceAccount()	{0} deleted a user from a role
707	com.netiq.iac.server.rest.AuthService	deleteRoleSGroup()	{0} deleted a group from a role
708	com.netiq.iac.server.rest.AuthService	checkAuthorization()	{0} checked an authorization permission for the authenticated user
709	com.netiq.iac.server.rest.AuthService	checkFullReadAccess()	{0} checked if the authenticated user has full read access to the specified entity type
710	com.netiq.iac.server.rest.AuthService	isWorkflowAdmin()	{0} checked if the authenticated user has the specified role
711	com.netiq.iac.server.rest.AuthService	getExtServiceAccounts()	{0} retrieved service accounts
712	com.netiq.iac.server.rest.AuthService	getExternalServiceAccount()	{0} retrieved service account
713	com.netiq.iac.server.rest.AuthService	createExternalServiceAccount()	{0} created service account
714	com.netiq.iac.server.rest.AuthService	modifyExternalServiceAccount()	{0} updated service account
715	com.netiq.iac.server.rest.AuthService	deleteExternalServiceAccount()	{0} deleted service account
716	com.netiq.iac.server.rest.AuthService	startDownload()	{0} downloaded global authorizations
801	com.netiq.iac.server.rest.AutoCurationService	get()	{0} retrieved auto-curation details for specified id
802	com.netiq.iac.server.rest.AutoCurationService	stop()	{0} stopped AutoCuration from running- User's request for termination of autocuration
803	com.netiq.iac.server.rest.AutoCurationService	curateUsers()	{0} uploaded and curated users
804	com.netiq.iac.server.rest.AutoCurationService	curateAccounts()	{0} uploaded accounts curation
805	com.netiq.iac.server.rest.AutoCurationService	curatePermissions()	{0} uploaded permissions curation
806	com.netiq.iac.server.rest.AutoCurationService	getErrors()	{0} retrieved data collection details for specified id
901	com.netiq.iac.server.rest.BURoleAnalyticsService	getAttributeSignificance()	{0} retrieved a list of considered attributes and their significance
902	com.netiq.iac.server.rest.BURoleAnalyticsService	getValueCounts()	{0} retrieved a list of sorted values for the given root
903	com.netiq.iac.server.rest.BURoleAnalyticsService	getRootPaths()	{0} retrieved a list of sorted values for the given root
1000	com.netiq.iac.server.rest.BURoleService	startDownload()	{0} started downloading the Business Roles
1001	com.netiq.iac.server.rest.BURoleService	getBusinessRolePolicies()	{0} retrieved a list of business roles, also include the information about business role
1002	com.netiq.iac.server.rest.BURoleService	getPendingApprovals()	{0} retrieved a list of business roles pending approval of the logged in user
1003	com.netiq.iac.server.rest.BURoleService	getBusinessRole()	{0} retrieved the business role with the given ID
1004	com.netiq.iac.server.rest.BURoleService	deleteBusinessRole()	{0} deleted the business role with the given ID
1005	com.netiq.iac.server.rest.BURoleService	deleteBusinessRoles()	{0} performed a bulk delete of business roles with the given IDs
1006	com.netiq.iac.server.rest.BURoleService	createBusinessRole()	{0} created a business role
1007	com.netiq.iac.server.rest.BURoleService	updateBusinessRole()	{0} updated business role

## Audit Event Table

Event ID	Class	Method	Description
1008	com.netiq.iac.server.rest.BURoleService	setApprovalState()	{0} changed a business role"s approval state
1009	com.netiq.iac.server.rest.BURoleService	publishBusinessRoles()	{0} published the given business roles
1010	com.netiq.iac.server.rest.BURoleService	setManagers()	{0} set the the business role managers
1011	com.netiq.iac.server.rest.BURoleService	getManagers()	{0} retrieved the business role managers
1012	com.netiq.iac.server.rest.BURoleService	setOwners()	{0} set the the business role owners
1013	com.netiq.iac.server.rest.BURoleService	getOwners()	{0} retrieved the business role owners
1014	com.netiq.iac.server.rest.BURoleService	setFulfiller()	{0} set the the business role fulfiller
1015	com.netiq.iac.server.rest.BURoleService	getfulfiller()	{0} retrieved the business role fulfiller
1016	com.netiq.iac.server.rest.BURoleService	setApprovalPolicy()	{0} set the the business role approval policy
			{0} retrieved a list of users that match the membership criteria for the specified business role
1017	com.netiq.iac.server.rest.BURoleService	getMatchingUsers()	{0} retrieved the user count for a business role
1018	com.netiq.iac.server.rest.BURoleService	getBRUserCount()	{0} retrieved the user count for a business role
1019	com.netiq.iac.server.rest.BURoleService	getBRDetectStatus()	{0} retrieved the detection status for a business role
			{0} retrieved the last detection time for a business role
1020	com.netiq.iac.server.rest.BURoleService	getBRLastDetectTime()	{0} retrieved a list of users that match the membership criteria for a business role
1021	com.netiq.iac.server.rest.BURoleService	getMatchingUsers2()	{0} retrieved a list of permissions for users that match the membership criteria for a business role
1022	com.netiq.iac.server.rest.BURoleService	getMatchingUsersPermissions()	{0} retrieved a list of technical roles for users that match the membership criteria for a business role
1023	com.netiq.iac.server.rest.BURoleService	getMatchingUsersRoles()	{0} retrieved a list of applications for users that match the membership criteria for a business role
1024	com.netiq.iac.server.rest.BURoleService	getMatchingUsersApplications()	{0} retrieved information about roles that authorize a resource (permission, technical role, or account)
1025	com.netiq.iac.server.rest.BURoleService	getAuthorizedResourceInfo()	{0} started downloading the Business Roles
1026	com.netiq.iac.server.rest.BURoleService	startDownload()	{0} retrieved the download file
1027	com.netiq.iac.server.rest.BURoleService	finishDownload()	{0} checked the status of a download
1028	com.netiq.iac.server.rest.BURoleService	statusDownload()	{0} cancelled a download
1029	com.netiq.iac.server.rest.BURoleService	cancelDownload()	{0} performed a business role import preview which will attempt to resolve objects and object references
1030	com.netiq.iac.server.rest.BURoleService	importPreview()	{0} resolved the applications in the import document
1031	com.netiq.iac.server.rest.BURoleService	importResolveApplications()	{0} performed a business role import
1032	com.netiq.iac.server.rest.BURoleService	importRoles()	{0} previewed what would change if the specified business role were to be published
1033	com.netiq.iac.server.rest.BURoleService	estimatePublishImpact()	{0} previewed what would change if the specified business role were to be deactivated
1034	com.netiq.iac.server.rest.BURoleService	estimateDeactivationImpact()	{0} retrieved a list of business roles filtered by id list, if provided
1035	com.netiq.iac.server.rest.BURoleService	getBusinessRolePoliciesById()	{0} performed a query of the user catalog, mining values of the specified attributes
1036	com.netiq.iac.server.rest.BURoleService	mineRoles()	{0} created the mined business roles
1037	com.netiq.iac.server.rest.BURoleService	createMinedBusinessRoles()	

### Audit Event Table

Event ID	Class	Method	Description
1038	com.netiq.iac.server.rest.BURoleService	miningStatus()	{0} checked the status of a mining request
1039	com.netiq.iac.server.rest.BURoleService	startAnalysis()	{0} started analysis of the given Business Roles
1040	com.netiq.iac.server.rest.BURoleService	getAnalysisStatus()	{0} checked the status of a analysis
1041	com.netiq.iac.server.rest.BURoleService	getAnalysisResults()	{0} retrieved the results of a analysis
1042	com.netiq.iac.server.rest.BURoleService	getAnalysisUsers()	{0} retrieved the users associated with the given analysis and authorization type
1043	com.netiq.iac.server.rest.BURoleService	cancelAnalysis()	{0} cancelled an analysis
1044	com.netiq.iac.server.rest.BURoleService	deleteAnalysisResults()	{0} deleted the analysis results
1045	com.netiq.iac.server.rest.BURoleService	includeReferences()	{0} retrieved the list of business roles that reference the business role specified by the given id
1046	com.netiq.iac.server.rest.BURoleService	compareMembers()	{0} retrieved the list of business roles that reference the business role specified by the given id
1047	com.netiq.iac.server.rest.BURoleService	startDownload()	{0} started downloading the analysis results as a CSV
1048	com.netiq.iac.server.rest.BURoleService	getAuthorizedPermissionEffectiveness()	{0} retrieved the effectiveness metrics for the business role permission authorizations
1049	com.netiq.iac.server.rest.BURoleService	getAuthorizedRolesEffectiveness()	{0} retrieved the effectiveness metrics for technical roles authorized by business roles
1050	com.netiq.iac.server.rest.BURoleService	getAuthorizedAppEffectiveness()	{0} retrieved the effectiveness metrics for the business role application authorizations
1051	com.netiq.iac.server.rest.BURoleService	getAutoRequestPolicies()	{0} retrieved a list of published business roles that auto-grant or auto-revoke one or more resources
1053	com.netiq.iac.server.rest.BURoleService	autoRequestResources()	{0} requested resources that are inconsistent with either auto-grant or auto-revoke policy of business role authorizations
1054	com.netiq.iac.server.rest.BURoleService	getBusinessRoleDetections()	{0} retrieved a list of business role detections
1055	com.netiq.iac.server.rest.BURoleService	deleteBusinessRoleDetections()	{0} deleted business role detections
1056	com.netiq.iac.server.rest.BURoleService	getBrdBusinessRoles()	{0} retrieved a list of business roles for a business role detection
1057	com.netiq.iac.server.rest.BURoleService	getBrDetectAuths()	{0} retrieved a list of authorizations for a business role detect item
1058	com.netiq.iac.server.rest.BURoleService	getBrDetectMembers()	{0} retrieved a list of members for a business role detect item
1059	com.netiq.iac.server.rest.BURoleService	getBrdAutoRequests()	{0} retrieved a list of auto-requests for a business role detection
1060	com.netiq.iac.server.rest.BURoleService	getContainedPerms()	{0} retrieved a list of contained permissions for the given permission
1061	com.netiq.iac.server.rest.BURoleService	getContainedRolePerms()	{0} retrieved a list of contained permissions for the given technical role
1062	com.netiq.iac.server.rest.BURoleService	getInconsistencyDetections()	{0} retrieved a list of inconsistency detections
1063	com.netiq.iac.server.rest.BURoleService	startInconsistencyDetection()	{0} started a new inconsistency detection
1064	com.netiq.iac.server.rest.BURoleService	cancelInconsistencyDetection()	{0} cancelled an inconsistency detection

## Audit Event Table

Event ID	Class	Method	Description
1065	com.netiq.iac.server.rest.BURoleService	getInconsistentResourcesFromDetection()	{0} retrieved a list of user+resources whose assignments are inconsistent with either auto-grant or auto-revoke policy of business role authorizations
1066	com.netiq.iac.server.rest.BURoleService	getInconsistentResource()	{0} retrieved an inconsistent resource
1067	com.netiq.iac.server.rest.BURoleService	getRoleSods()	{0} retrieved list of SOD policies referencing the business role
1068	com.netiq.iac.server.rest.BURoleService	importZipPreview()	{0} performed a multi-part import preview which will attempt to resolve objects and object references
1069	com.netiq.iac.server.rest.BURoleService	importZipResolveApps()	{0} resolved the applications in the multi-part import document
1070	com.netiq.iac.server.rest.BURoleService	importZip()	{0} imported business roles from zip file
1071	com.netiq.iac.server.rest.BURoleService	startDownload()	{0} started downloading the analysis results as a CSV
1072	com.netiq.iac.server.rest.BURoleService	analyzeBusinessRoleCandidate()	{0} started analysis of Business Role candidate
1073	com.netiq.iac.server.rest.BURoleService	getMiningSuggestions()	{0} retrieved business role mining suggestions
1074	com.netiq.iac.server.rest.BURoleService	getBRAssignedUserCount()	{0} retrieved the assigned user count for a business role
1075	com.netiq.iac.server.rest.BURoleService	getReferencesForList()	{0} retrieved the items referencing the business role
1076	com.netiq.iac.server.rest.BURoleService	setAuthorizationRole()	{0} set the the business role authorization role flag
1077	com.netiq.iac.server.rest.BURoleService	setRequestable()	{0} toggled the business role requestable flag
1078	com.netiq.iac.server.rest.BURoleService	changeInconsistencyDetectionAlgorithmToDefault()	{0} changed the inconsistency detection algorithm to the default algorithm
1079	com.netiq.iac.server.rest.BURoleService	changeInconsistencyDetectionAlgorithmToAlternate()	{0} changed the inconsistency detection algorithm to the alternate algorithm
1080	com.netiq.iac.server.rest.BURoleService	changeInconsistencyDetectionCheckPotentialEnabled()	{0} changed the inconsistency detection check potential enabled flag
1100	com.netiq.iac.server.rest.CertificationPolicyService	startDownload()	{0} started the certification policy download
1101	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicies()	{0} retrieved a list of certification policies
1102	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicy()	{0} retrieved certification policy by specified ID or unique ID
1103	com.netiq.iac.server.rest.CertificationPolicyService	updateCertPolicy()	{0} updated certification policy
1104	com.netiq.iac.server.rest.CertificationPolicyService	newCertPolicy()	{0} created a new certification policy
1105	com.netiq.iac.server.rest.CertificationPolicyService	deleteCertPolicy()	{0} deleted certification policy
1106	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicyStatus()	{0} retrieved certification policy status
1107	com.netiq.iac.server.rest.CertificationPolicyService	runCertPolicyCalculation()	{0} calculated a certification policy
1108	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicyCalcStatus()	{0} retrieved certification policy calculation status
1109	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicyViolationsDetail()	{0} retrieved certification policy violations by certification policy unique id
1110	com.netiq.iac.server.rest.CertificationPolicyService	getCertPolicyViolations()	{0} retrieved certification policy violations by certification policy unique id
1111	com.netiq.iac.server.rest.CertificationPolicyService	cancelCalculationTask()	{0} cancelled a calculation task
1112	com.netiq.iac.server.rest.CertificationPolicyService	startDownload()	{0} started the certification policy download

## Audit Event Table

Event ID	Class	Method	Description
1113	com.netiq.iac.server.rest.CertificationPolicyService	importPreview()	{0} performed an import preview which will attempt to resolve objects of the imported object, returning a import preview document to the client
1114	com.netiq.iac.server.rest.CertificationPolicyService	importResolveApplications()	{0} resolved review definitions in the import document
1115	com.netiq.iac.server.rest.CertificationPolicyService	importPolicies()	{0} imported of certification policies
1116	com.netiq.iac.server.rest.CertificationPolicyService	getEstimatedCertPolicyViolations()	{0} retrieved estimated violations from never reviewed items
1117	com.netiq.iac.server.rest.CertificationPolicyService	finishDownload()	{0} retrieved the file of downloaded certification policies
1118	com.netiq.iac.server.rest.CertificationPolicyService	statusDownload()	{0} checked the status of a certification policies download
1119	com.netiq.iac.server.rest.CertificationPolicyService	cancelDownload()	{0} cancelled a download of certification policies
1120	com.netiq.iac.server.rest.CertificationPolicyService	getEntityCertification()	{0} retrieved certification item counts for the specified entity
1121	com.netiq.iac.server.rest.CertificationPolicyService	getEntityCertificationDetail()	{0} retrieved certification status for the specified entity
1201	com.netiq.iac.server.rest.CollectionService	getCollections()	{0} retrieved collections
1202	com.netiq.iac.server.rest.CollectionService	getCollection()	{0} retrieved data collection for specified id
1203	com.netiq.iac.server.rest.CollectionService	getCollectionDetails()	{0} retrieved data collection details for specified id
1204	com.netiq.iac.server.rest.CollectionService	stopCollection()	{0} requested to stop collection
1205	com.netiq.iac.server.rest.CollectionService	getSourceCollections()	{0} retrieved data source collections
1206	com.netiq.iac.server.rest.CollectionService	getDataSourceCollection()	{0} retrieved data source collection for specified id
1300	com.netiq.iac.server.rest.CollectorService	getCollector()	{0} retrieved specified data collector
1301	com.netiq.iac.server.rest.CollectorService	getAllCollectors()	{0} retrieved all collectors
1302	com.netiq.iac.server.rest.CollectorService	getCollectorHistory()	{0} retrieved change history list of specified data collector
1303	com.netiq.iac.server.rest.CollectorService	deleteCollector()	{0} deleted the specified data collector
1304	com.netiq.iac.server.rest.CollectorService	updateCollector()	{0} updated data collector
1305	com.netiq.iac.server.rest.CollectorService	updateCollectorWithTCSettings()	{0} updated data collector view with test collection settings
1306	com.netiq.iac.server.rest.CollectorService	updateCollectorStatus()	{0} updated data collector
1307	com.netiq.iac.server.rest.CollectorService	createSchedule()	{0} created a schedule for collector
1308	com.netiq.iac.server.rest.CollectorService	addCollector()	{0} added a new data collector
1309	com.netiq.iac.server.rest.CollectorService	getEventIngestionStatus()	{0} retrieved the event ingestion status for the argument collector
1310	com.netiq.iac.server.rest.CollectorService	getEventIngestions()	{0} retrieved summary of most recent RTC event ingestions
1311	com.netiq.iac.server.rest.CollectorService	deleteRtcEventIngestions()	{0} deleted identity change event productions
1312	com.netiq.iac.server.rest.CollectorService	getIngestionEvents()	{0} retrieved events for an identity change event production

## Audit Event Table

Event ID	Class	Method	Description
1313	com.netiq.iac.server.rest.CollectorService	updateCollectorRtcInfo()	{0} updated RTC configuration for the specified data collector
1314	com.netiq.iac.server.rest.CollectorService	startDownload()	{0} started downloading collectors
1315	com.netiq.iac.server.rest.CollectorService	startDownload()	{0} started downloading collectors
1316	com.netiq.iac.server.rest.CollectorService	finishDownload()	{0} retrieved the download file
1317	com.netiq.iac.server.rest.CollectorService	statusDownload()	{0} checked the status of a download
1318	com.netiq.iac.server.rest.CollectorService	cancelDownload()	{0} cancelled a download
1319	com.netiq.iac.server.rest.CollectorService	getCollectorFromHistory()	{0} restored data collector to the latest saved collector for the specified template version
1320	com.netiq.iac.server.rest.CollectorService	updateCollectorPrompt()	{0} set show_restore_prompt boolean flag
1401	com.netiq.iac.server.rest.ConfigurationService	getAppCurationConfiguration()	{0} retrieved application data curation configuration
1402	com.netiq.iac.server.rest.ConfigurationService	updateAppCurationConfiguration()	{0} updated application data curation configuration
1403	com.netiq.iac.server.rest.ConfigurationService	getCollectionConfiguration()	{0} retrieved application collection configuration
1404	com.netiq.iac.server.rest.ConfigurationService	getNotificationConfiguration()	{0} retrieved notification configuration settings
1405	com.netiq.iac.server.rest.ConfigurationService	updateCollectionConfiguration()	{0} updated application collection configuration collection class and collection batch size
1406	com.netiq.iac.server.rest.ConfigurationService	getRptConfiguration()	{0} retrieved application reporting configuration
1407	com.netiq.iac.server.rest.ConfigurationService	updateRptConfiguration()	{0} updated a reporting configuration property
1408	com.netiq.iac.server.rest.ConfigurationService	getProvisioningConfiguration()	{0} retrieved external provisioning RBPM server details {0} updated external provisioning configuration RBPM server details
1409	com.netiq.iac.server.rest.ConfigurationService	updateProvisioningConfiguration()	
1410	com.netiq.iac.server.rest.ConfigurationService	getQuartzProvisioningConfiguration()	{0} retrieved verification configuration
1411	com.netiq.iac.server.rest.ConfigurationService	updateQuartzProvisioningConfiguration()	{0} updated verification configuration
1412	com.netiq.iac.server.rest.ConfigurationService	getAuthServerConfiguration()	{0} retrieved the application authentication server configuration
1413	com.netiq.iac.server.rest.ConfigurationService	getWorkflows()	{0} retrieved the workflows. Format of the content is XML in the Identity Manager Designer format
1415	com.netiq.iac.server.rest.ConfigurationService	getAccountClassifications()	{0} retrieved account classifications
1416	com.netiq.iac.server.rest.ConfigurationService	getAccountClassification()	{0} retrieved an account classification
1417	com.netiq.iac.server.rest.ConfigurationService	putAccountClassifications()	{0} updated an Account Category
1418	com.netiq.iac.server.rest.ConfigurationService	postAccountClassifications()	{0} created a new account category
1419	com.netiq.iac.server.rest.ConfigurationService	deleteAccountClassifications()	{0} deleted an account category
1420	com.netiq.iac.server.rest.ConfigurationService	getUIConfiguration()	{0} retrieved UI configuration. This returns UI configuration properties with prefix com.netiq.iac.ui
1421	com.netiq.iac.server.rest.ConfigurationService	updateUIConfiguration()	{0} updated UI configuration properties
1422	com.netiq.iac.server.rest.ConfigurationService	getImportExportUniquenessAttributes()	{0} retrieved Import/Export configuration. This returns uniqueness attribute configuration properties for users, groups and permissions

### Audit Event Table

Event ID	Class	Method	Description
1423	com.netiq.iac.server.rest.ConfigurationService	updateImportExportUniquenessAttributes()	{0} updated UI configuration properties
1424	com.netiq.iac.server.rest.ConfigurationService	getDecisionSupportConfig()	{0} retrieved decision support configuration
1425	com.netiq.iac.server.rest.ConfigurationService	updateDecisionSupport()	{0} updated Decision Support Configuration
1426	com.netiq.iac.server.rest.ConfigurationService	getSimilarityProfile()	{0} retrieved Similarity Profile configuration
1427	com.netiq.iac.server.rest.ConfigurationService	updateSimilarityProfile()	{0} updated Similarity Profile
1428	com.netiq.iac.server.rest.ConfigurationService	getRoleMining()	{0} retrieved Role Mining configuration
1429	com.netiq.iac.server.rest.ConfigurationService	updateRoleMining()	{0} updated Role Mining analytics Configuration
1430	com.netiq.iac.server.rest.ConfigurationService	getReviewItemActionReasons()	{0} retrieved all review item action reasons for particular action type
1431	com.netiq.iac.server.rest.ConfigurationService	getReviewItemActionReasons()	{0} retrieved all review item action reasons for particular action type
1432	com.netiq.iac.server.rest.ConfigurationService	addReviewItemActionReason()	{0} added a review item action reason
1433	com.netiq.iac.server.rest.ConfigurationService	getReviewItemActionReason()	{0} retrieved a specific review item action reason by id
1434	com.netiq.iac.server.rest.ConfigurationService	deleteReviewItemActionReason()	{0} deleted a specified review item action reason
1435	com.netiq.iac.server.rest.ConfigurationService	updateReviewItemActionReason()	{0} updated a specified review item action reason
1436	com.netiq.iac.server.rest.ConfigurationService	getGlobalReviewDisplayConfiguration()	{0} retrieved review display global configuration settings
1437	com.netiq.iac.server.rest.ConfigurationService	setGlobalReviewDisplayConfiguration()	{0} modified the review display configuration setting
1438	com.netiq.iac.server.rest.ConfigurationService	getReviewDisplayConfiguration()	{0} retrieved review display global configuration settings for specified review (by unique id)
1439	com.netiq.iac.server.rest.ConfigurationService	deleteReviewDisplayConfiguration()	{0} deleted configuration settings for specified review (by unique id)
1440	com.netiq.iac.server.rest.ConfigurationService	getFulfillmentConfiguration()	{0} retrieved Fulfillment Context configuration
1441	com.netiq.iac.server.rest.ConfigurationService	updateFulfillmentContext()	{0} updated Fulfillment Context configuration
1442	com.netiq.iac.server.rest.ConfigurationService	getCompensatingRequests()	{0} retrieved a list of compensating grant requests
1443	com.netiq.iac.server.rest.ConfigurationService	updateCompensatingRequests()	{0} updated compensating grant requests
1444	com.netiq.iac.server.rest.ConfigurationService	getCatalogHistoryConfiguration()	{0} retrieved catalog history property
1446	com.netiq.iac.server.rest.ConfigurationService	getSoDConfiguration()	{0} retrieved a Separation of Duties (SoD) configuration
1447	com.netiq.iac.server.rest.ConfigurationService	updateSoDConfiguration()	{0} updated a Separation of Duties (SoD) configuration
1448	com.netiq.iac.server.rest.ConfigurationService	areOptionalFeaturesSupported()	{0} retrieved data that checked which optional features are available
1449	com.netiq.iac.server.rest.ConfigurationService	updateOptionalFeaturesConfiguration()	{0} updated data that sets which optional features are available
1450	com.netiq.iac.server.rest.ConfigurationService	getGeneralSettings()	{0} retrieved general global config values
1451	com.netiq.iac.server.rest.ConfigurationService	updateGeneralSettings()	{0} updated general global config values
1453	com.netiq.iac.server.rest.ConfigurationService	removeGeneralSettingsFromGreylist()	{0} removed general configuration setting from grey list

### Audit Event Table

Event ID	Class	Method	Description
1454	com.netiq.iac.server.rest.ConfigurationService	generalSettingsStatus()	{0} retrieved status of configuration setting
1455	com.netiq.iac.server.rest.ConfigurationService	getAuditLevelSettings()	{0} retrieved audit level configuration settings
1456	com.netiq.iac.server.rest.ConfigurationService	updateAuditLevelSettings()	{0} updated audit level configuration setting
1457	com.netiq.iac.server.rest.ConfigurationService	getLoggingLevelSettings()	{0} retrieved logging level configuration setting
1458	com.netiq.iac.server.rest.ConfigurationService	updateLoggingLevelSettings()	{0} changed logging level configuration setting
1460	com.netiq.iac.server.rest.ConfigurationService	deleteLoggingLevelSettings()	{0} removed logging level configuration setting
1461	com.netiq.iac.server.rest.ConfigurationService	getAuditLevelWarSettings()	{0} retrieved general logging configuration setting
1462	com.netiq.iac.server.rest.ConfigurationService	updateLoggingSettings()	{0} changed general logging configuration setting
1463	com.netiq.iac.server.rest.ConfigurationService	getFormbuilderUrl()	{0} retrieved for builder URL
1464	com.netiq.iac.server.rest.ConfigurationService	getLoggingSettings()	{0} retrieved audit level configuration settings for specified WAR context
1465	com.netiq.iac.server.rest.ConfigurationService	getLoggingLevelWarSettings()	{0} retrieved logging level configuration settings for specified WAR context
1466	com.netiq.iac.server.rest.ConfigurationService	getSslConfigProps()	{0} retrieved SSL configuration properties
1467	com.netiq.iac.server.rest.ConfigurationService	getHostedMode()	{0} retrieved hosted mode configuration properties
1468	com.netiq.iac.server.rest.ConfigurationService	getAuditEnableWarSettings()	{0} retrieved audit enable configuration settings for specified WAR context
1469	com.netiq.iac.server.rest.ConfigurationService	updateAuditSettings()	{0} updated audit enable configuration setting
1470	com.netiq.iac.server.rest.ConfigurationService	getAuditEventIdSettings()	{0} retrieved audit event id configuration settings for specified package
1471	com.netiq.iac.server.rest.ConfigurationService	getAuditEventIdSettingsOld()	{0} retrieved audit event id configuration settings
1472	com.netiq.iac.server.rest.ConfigurationService	getAppenderReferences()	{0} retrieved list of available appender references
1473	com.netiq.iac.server.rest.ConfigurationService	getCBCEnableConfiguration()	{0} retrieved CBC enabled property
1474	com.netiq.iac.server.rest.ConfigurationService	getMiscellaneousConfiguration()	{0} retrieved miscellaneous URL property
1475	com.netiq.iac.server.rest.ConfigurationService	updateMiscellaneousConfiguration()	{0} updated miscellaneous URL property
1476	com.netiq.iac.server.rest.ConfigurationService	getAnalyticsConfiguration()	{0} retrieved analytics URL property
1477	com.netiq.iac.server.rest.ConfigurationService	updateAnalyticsConfiguration()	{0} updated analytics URL property
1478	com.netiq.iac.server.rest.ConfigurationService	getInetsoftProperty()	{0} retrieved analytics Inetsoft enabled property
1479	com.netiq.iac.server.rest.ConfigurationService	getWFConsoleLandingPage() updateBusinessRoleDetectionSettings()	{0} retrieved business role detection settings
1480	com.netiq.iac.server.rest.ConfigurationService	()	{0} updated business role detection settings
1481	com.netiq.iac.server.rest.ConfigurationService	getAppCustomization()	{0} retrieved the application customization settings
1482	com.netiq.iac.server.rest.ConfigurationService	startDownload()	{0} downloaded configuration settings
1501	com.netiq.iac.server.rest.CoverageMapService	getAllCoverageMapDefinitions()	{0} retrieved the list of coverage maps (old pre-3.0 routine)
1502	com.netiq.iac.server.rest.CoverageMapService	getAllCoverageMapDefinitions()	{0} retrieved the list of coverage maps
1503	com.netiq.iac.server.rest.CoverageMapService	getCoverageMap()	{0} retrieved the coverage map with the given ID
1504	com.netiq.iac.server.rest.CoverageMapService	createCoverageMap()	{0} saved a new coverage map definition
1505	com.netiq.iac.server.rest.CoverageMapService	createCoverageMapUsingMultiPart()	{0} saved a new coverage map definition, using MULTIPART_FORM_DATA media

## Audit Event Table

Event ID	Class	Method	Description
1506	com.netiq.iac.server.rest.CoverageMapService	updateCoverageMapUsingMultiPart()	{0} saved an updated coverage map definition using multipart form data containing a reference to a CSV file
1507	com.netiq.iac.server.rest.CoverageMapService	updateCoverageMap()	{0} saved an updated coverage map definition
1508	com.netiq.iac.server.rest.CoverageMapService	deleteCoverageMap()	{0} deleted a coverage map
1509	com.netiq.iac.server.rest.CoverageMapService	importPreview()	{0} performed an import preview which will attempt to resolve objects of the imported object, returning a import preview document to the client
1510	com.netiq.iac.server.rest.CoverageMapService	importResolveApplications()	{0} resolved review definitions in the import document
1511	com.netiq.iac.server.rest.CoverageMapService	importPolicies()	{0} imported of certification policies
1512	com.netiq.iac.server.rest.CoverageMapService	startDownload()	{0} started the coverage map download
1513	com.netiq.iac.server.rest.CoverageMapService	startDownload()	{0} started the coverage map download
1514	com.netiq.iac.server.rest.CoverageMapService	finishDownload()	{0} retrieved the download file
1515	com.netiq.iac.server.rest.CoverageMapService	cancelDownload()	{0} cancelled a download
1516	com.netiq.iac.server.rest.CoverageMapService	getReviewInstances()	{0} retrieved review instances of review definition for coverage map
1600	com.netiq.iac.server.rest.DelegationService	getDelegateMappings()	{0} retrieved delegate mappings
1601	com.netiq.iac.server.rest.DelegationService	resolveDelegate()	{0} resolved the delegate for the specified user
1602	com.netiq.iac.server.rest.DelegationService	getDelegateMappingsByDelegator()	{0} retrieved delegate mappings by delegator
1603	com.netiq.iac.server.rest.DelegationService	getDelegateMapping()	{0} retrieved specified delegate mapping
1604	com.netiq.iac.server.rest.DelegationService	getDelegateMappingCount()	{0} retrieved count of total delegate mappings and active mappings
1605	com.netiq.iac.server.rest.DelegationService	createDelegateMapping()	{0} created a new delegate mapping
1606	com.netiq.iac.server.rest.DelegationService	updateDelegateMapping()	{0} updated existing delegate mapping
1607	com.netiq.iac.server.rest.DelegationService	deleteDelegateMapping()	{0} deleted a specified delegate mapping
1608	com.netiq.iac.server.rest.DelegationService	updateDelegateMappingStatus()	{0} updated active status of one or more delegate mappings
1609	com.netiq.iac.server.rest.DelegationService	startDownload()	{0} downloaded delegate mappings
1701	com.netiq.iac.server.rest.EmailTemplateService	getEmailTemplatesAsJson()	{0} retrieved a list of email templates in JSON format
1702	com.netiq.iac.server.rest.EmailTemplateService	exportEmailTemplates()	{0} retrieved the email templates in XML format
1703	com.netiq.iac.server.rest.EmailTemplateService	exportEmailTemplate()	{0} retrieved the email templates, with the matching template identifier, in XML format
1704	com.netiq.iac.server.rest.EmailTemplateService	postEmailTemplates()	{0} added a set of email templates
1705	com.netiq.iac.server.rest.EmailTemplateService	deleteEmailTemplate()	{0} deleted an email template
1706	com.netiq.iac.server.rest.EmailTemplateService	sendPreviewEmail()	{0} sent a preview email
1800	com.netiq.iac.server.rest.FactService	startDownload()	{0} started downloading the collected metrics
1801	com.netiq.iac.server.rest.FactService	startDownload()	{0} started downloading the collected metrics
1802	com.netiq.iac.server.rest.FactService	finishDownload()	{0} retrieved the download file
1803	com.netiq.iac.server.rest.FactService	statusDownload()	{0} checked the status of a download
1804	com.netiq.iac.server.rest.FactService	cancelDownload()	{0} cancelled a download

## Audit Event Table

Event ID	Class	Method	Description
1805	com.netiq.iac.server.rest.FactService	createMetricDef()	{0} generated a custom metric from a data query
1901	com.netiq.iac.server.rest.FulfillmentService	getFulfillmentItems()	{0} retrieved the fulfillment items
1902	com.netiq.iac.server.rest.FulfillmentService	updateFulfillmentItems()	{0} updated the fulfillment item status
1903	com.netiq.iac.server.rest.FulfillmentService	getFulfillmentItem()	{0} retrieved fulfillment item information
1904	com.netiq.iac.server.rest.FulfillmentService	getFulfillmentSchema()	{0} retrieved the fulfillment items
1905	com.netiq.iac.server.rest.FulfillmentService	getCatalogFulfillmentTargets()	{0} retrieved the catalog fulfillment items
1906	com.netiq.iac.server.rest.FulfillmentService	updateCatalogFulfillmentTargets()	{0} updated the catalog fulfillment item status
1907	com.netiq.iac.server.rest.FulfillmentService	getRetryItemsCount()	{0} retrieved the fulfillment items count in retry state
1908	com.netiq.iac.server.rest.FulfillmentService	getRetryItemsRolledUp()	{0} retrieved the fulfillment items in retry state
1909	com.netiq.iac.server.rest.FulfillmentService	bulkFulfill()	{0} fulfilled or refused bulk change request items
1910	com.netiq.iac.server.rest.FulfillmentService	getFulfillmentItemAttributes()	{0} retrieved fulfillment item attribute information, valid for MODIFY_USER_SUPERVISOR and MODIFY_USER_PROFILE
1911	com.netiq.iac.server.rest.FulfillmentService	getIgnoreBulkItemsCount()	{0} retrieved the fulfillment items in ignorable state
1912	com.netiq.iac.server.rest.FulfillmentService	ignoreBulkItems()	{0} ignored bulk change request items
1913	com.netiq.iac.server.rest.FulfillmentService	startDownload()	{0} requested sample download
1914	com.netiq.iac.server.rest.FulfillmentService	getBusinessRoleAuthorizationFulfillmentItem()	{0} retrieved fulfillment items for business role authorizations
1915	com.netiq.iac.server.rest.FulfillmentService	getBusinessRoleAuthorizationFulfillmentCount()	{0} retrieved count of fulfillment items for business role authorizations
1916	com.netiq.iac.server.rest.FulfillmentService	getChildEntityFulfillmentItems()	{0} retrieved child entity fulfillment items
1917	com.netiq.iac.server.rest.FulfillmentService	getChildEntityFulfillmentItemsCount()	{0} retrieved child entity fulfillment item count
2001	com.netiq.iac.server.rest.IdentitySourceService	getIdentitySources()	{0} retrieved all identity sources
2002	com.netiq.iac.server.rest.IdentitySourceService	deleteIdentitySource()	{0} deleted the specified identity source
2003	com.netiq.iac.server.rest.IdentitySourceService	updateDirectory()	{0} updated identity source
2004	com.netiq.iac.server.rest.IdentitySourceService	startCollections()	{0} started collections for collectors associated to the specified identity
2005	com.netiq.iac.server.rest.IdentitySourceService	addDirectory()	{0} added a new identity source
2006	com.netiq.iac.server.rest.IdentitySourceService	getUnificationConfig()	{0} retrieved the unification configuration
2007	com.netiq.iac.server.rest.IdentitySourceService	updateUnificationConfig()	{0} updated unification configuration
2008	com.netiq.iac.server.rest.IdentitySourceService	getUnifications()	{0} retrieved information on unifications
2009	com.netiq.iac.server.rest.IdentitySourceService	getUnification()	{0} retrieved the unification by id
2010	com.netiq.iac.server.rest.IdentitySourceService	startDownload()	{0} started a data source download for the specified id
2011	com.netiq.iac.server.rest.IdentitySourceService	stopUnification()	{0} stopped the specified unification
2012	com.netiq.iac.server.rest.IdentitySourceService	exportIdentitySource()	{0} exported an identity source
2013	com.netiq.iac.server.rest.IdentitySourceService	getSourceForEntity()	{0} retrieved data sources for the specified entity
2014	com.netiq.iac.server.rest.IdentitySourceService	startDownload()	{0} started a data source download for the specified id
2015	com.netiq.iac.server.rest.IdentitySourceService	finishDownload()	{0} retrieved a download file
2016	com.netiq.iac.server.rest.IdentitySourceService	statusDownload()	{0} checked the status of a download

## Audit Event Table

Event ID	Class	Method	Description
2017	com.netiq.iac.server.rest.IdentitySourceService	cancelDownload()	{0} cancelled a download
2019	com.netiq.iac.server.rest.IdentitySourceService	getUnificationDetail()	{0} retrieved log detail for the specified unification
2020	com.netiq.iac.server.rest.IdentitySourceService	getIdentitySource()	{0} retrieved specified identity source
2021	com.netiq.iac.server.rest.IdentitySourceService	createSchedule()	{0} started an identity unification
2022	com.netiq.iac.server.rest.IdentitySourceService	getMergeHistories()	{0} retrieved merge histories
2023	com.netiq.iac.server.rest.IdentitySourceService	deleteMergeHistories()	{0} deleted merge histories
2024	com.netiq.iac.server.rest.IdentitySourceService	startIdentityMergeRulesDownload()	{0} started a download for identity source merge rules
2101	com.netiq.iac.server.rest.LocalizationService	getSupportedLocales()	{0} retrieved the locales supported by the server
2102	com.netiq.iac.server.rest.LocalizationService	getLocalizedLabels()	{0} downloaded all the localized labels for a specified locale
2103	com.netiq.iac.server.rest.LocalizationService	updateLocalizedLabels()	{0} updated localized labels in a certain locale
2201	com.netiq.iac.server.rest.ProvisioningRestService	getFulfillmentTargets()	{0} retrieved the configuration targets
2202	com.netiq.iac.server.rest.ProvisioningRestService	getFulfillmentTarget()	{0} retrieved a configuration target
2203	com.netiq.iac.server.rest.ProvisioningRestService	createFulfillmentTarget()	{0} created a configuration target
2204	com.netiq.iac.server.rest.ProvisioningRestService	updateFulfillmentTarget()	{0} updated a configuration target
2205	com.netiq.iac.server.rest.ProvisioningRestService	deleteFulfillmentTarget()	{0} deleted a configuration target
2206	com.netiq.iac.server.rest.ProvisioningRestService	getFulfillmentTemplate()	{0} retrieved a configuration template which has been localized
2207	com.netiq.iac.server.rest.ProvisioningRestService	getChangeset()	{0} retrieved the changeset associated with the changeset id
2208	com.netiq.iac.server.rest.ProvisioningRestService	getChangesetFF()	{0} retrieved the open tasks for this user for this changeset
2209	com.netiq.iac.server.rest.ProvisioningRestService	getAllChangesetFF()	{0} retrieved the open tasks for this user for all changesets
2210	com.netiq.iac.server.rest.ProvisioningRestService	updateChangeItemStatus()	{0} updated the change request item status
2211	com.netiq.iac.server.rest.ProvisioningRestService	getChangesetItem()	{0} retrieved the change item associated with the id
2212	com.netiq.iac.server.rest.ProvisioningRestService	updateChangesetStatus()	{0} updated the change set status
2213	com.netiq.iac.server.rest.ProvisioningRestService	updateChangeItemsState()	{0} updated the change item status based on the fulfiller action
2214	com.netiq.iac.server.rest.ProvisioningRestService	updateChangeItemsStateFF()	{0} updated the change item status based on the fulfiller action
2215	com.netiq.iac.server.rest.ProvisioningRestService	getChangeItemAction()	{0} retrieved the change item action as per id
2216	com.netiq.iac.server.rest.ProvisioningRestService	startExternalWorkflow()	{0} started an external provisioning workflow
2217	com.netiq.iac.server.rest.ProvisioningRestService	transformAutoToManual()	{0} transformed the auto-provisioning change items to manually provisioned items
2218	com.netiq.iac.server.rest.ProvisioningRestService	startRetryProvisioning()	{0} retried provisioning for a changeset, application or change request item
2219	com.netiq.iac.server.rest.ProvisioningRestService	terminateChangesetProvisioning()	{0} terminated a provisioning changeset, set it to error state
2220	com.netiq.iac.server.rest.ProvisioningRestService	terminateChangeItemProvisioning()	{0} terminated a provisioning changeitem, set it to error state

## Audit Event Table

Event ID	Class	Method	Description
2221	com.netiq.iac.server.rest.ProvisioningRestService	startAutoAppProvisioning()	{0} started auto provisioning for an application
2222	com.netiq.iac.server.rest.ProvisioningRestService	startAutoCIProvisioning()	{0} started auto provisioning for a list of changeltems {0} started auto-provisioning for all the items in the changeset
2223	com.netiq.iac.server.rest.ProvisioningRestService	startAutoProvisioning()	
2224	com.netiq.iac.server.rest.ProvisioningRestService	changeltemVerification()	{0} started the provisioning change item verification
2226	com.netiq.iac.server.rest.ProvisioningRestService	terminateChangesetProvisioning()	{0} bulk terminated change items based on the fulfiller action
2227	com.netiq.iac.server.rest.ProvisioningRestService	retryChangesetProvisioning()	{0} bulk retried fulfillment for change items based on the fulfiller action
2228	com.netiq.iac.server.rest.ProvisioningRestService	startDownload()	{0} requested fulfillment target download
2300	com.netiq.iac.server.rest.RequestService	getUserRequestExpiration()	{0} retrieved the time-based assignments a user has for an item
2301	com.netiq.iac.server.rest.RequestService	getUserBusinessRoles()	{0} retrieved the business roles a user belongs to
2302	com.netiq.iac.server.rest.RequestService	getUserBusinessRolesOnly()	{0} retrieved the business roles having authorized request-able items for the specified user
2303	com.netiq.iac.server.rest.RequestService	getUserBusinessRolesAndAuthItems()	{0} retrieved items in the specified business role that are authorized for the specified user
2304	com.netiq.iac.server.rest.RequestService	getUserRequests()	{0} retrieved requests initiated by the authenticated user
2305	com.netiq.iac.server.rest.RequestService	getUserPermissionAnalytics()	{0} retrieved permission analytics for the specified user
2306	com.netiq.iac.server.rest.RequestService	getUserRoleAnalytics()	{0} retrieved role analytics for the specified user
2307	com.netiq.iac.server.rest.RequestService	getUserAppAnalytics()	{0} retrieved application analytics for the specified user
2308	com.netiq.iac.server.rest.RequestService	getUserPermissions()	{0} retrieved permissions for the specified user
2309	com.netiq.iac.server.rest.RequestService	getUserTechnicalRoles()	{0} retrieved roles for the specified user
2310	com.netiq.iac.server.rest.RequestService	getContributedToSodViolationsByPer m()	{0} retrieved the list of SoD violations for the user that the specified permission contributes to
2311	com.netiq.iac.server.rest.RequestService	getContributedToSodViolationsByRole ( )	{0} retrieved the list of SoD violations for the user that the specified technical role contributes to
2312	com.netiq.iac.server.rest.RequestService	getSodPolicy()	{0} retrieved the SoD policy information, including information about whether the specified user has permissions and technical roles in the policy conditions
2313	com.netiq.iac.server.rest.RequestService	getDynamicPermissionParams()	{0} retrieved the list of values for the specified permission
2314	com.netiq.iac.server.rest.RequestService	getDynamicPermissionParamValues()	{0} retrieved the list of values for a particular dynamic permission parameter
2315	com.netiq.iac.server.rest.RequestService	getUserAssignedParams()	{0} retrieved the assigned parameters for the specified user and dynamic permission

## Audit Event Table

Event ID	Class	Method	Description
2316	com.netiq.iac.server.rest.RequestService	getUserPermissionInfo()	{0} retrieved permission metadata for the specified user
2317	com.netiq.iac.server.rest.RequestService	getUserRoleInfo()	{0} retrieved technical role metadata for the specified user
2318	com.netiq.iac.server.rest.RequestService	getUserApplicationInfo()	{0} retrieved application metadata for the specified user
2319	com.netiq.iac.server.rest.RequestService	getManagedUsers()	{0} retrieved a list of managed users
2320	com.netiq.iac.server.rest.RequestService	getRequestableApplicationList()	{0} retrieved a list of requestable applications
2321	com.netiq.iac.server.rest.RequestService	getApplicationPermissions()	{0} retrieved the list of requestable permissions for an application
2322	com.netiq.iac.server.rest.RequestService	getTechnicalRoles()	{0} retrieved the list of requestable technical roles
2323	com.netiq.iac.server.rest.RequestService	forwardMyWorkitem()	{0} approved or rejected approval item tasks
2324	com.netiq.iac.server.rest.RequestService	getMyWorkitems()	{0} retrieved his/her approval item tasks
2325	com.netiq.iac.server.rest.RequestService	getPsodvApprovalTasks()	{0} retrieved his/her potential SoD violation approval item tasks
2326	com.netiq.iac.server.rest.RequestService	getPsodvApprovalTask()	{0} retrieved a potential SoD violation approval item task
2327	com.netiq.iac.server.rest.RequestService	changePsodvApprovalTaskItemDecision()	{0} saved a potential SoD violation request item decision
2328	com.netiq.iac.server.rest.RequestService	finalizePsodvApprovalTask()	{0} finalized a potential SoD violation approval task
2330	com.netiq.iac.server.rest.RequestService	requestPermission()	{0} requested permission
2331	com.netiq.iac.server.rest.RequestService	retract()	{0} retracted a resource request item
2332	com.netiq.iac.server.rest.RequestService	restartWorkflow()	{0} restarted a resource request approval workflow
2333	com.netiq.iac.server.rest.RequestService	reassignApproval()	{0} reassigned an approver
2334	com.netiq.iac.server.rest.RequestService	findInflightApprovals()	{0} retrieved approvals that are in-progress
2335	com.netiq.iac.server.rest.RequestService	addChangeRequestItemDecisionStatus()	{0} saved a change request item decision status
2336	com.netiq.iac.server.rest.RequestService	getChangeRequestItemDecisionStatus()	{0} retrieved change request item decision status
2337	com.netiq.iac.server.rest.RequestService	saveShoppingCart()	{0} saved request shopping cart content
2338	com.netiq.iac.server.rest.RequestService	getShoppingCart()	{0} retrieved request shopping cart content
2339	com.netiq.iac.server.rest.RequestService	deleteShoppingCart()	{0} deleted request shopping cart
2340	com.netiq.iac.server.rest.RequestService	getUserPermissionSoDViolations()	{0} retrieved list of SoDs that would be violated if the specified user were granted the specified permission
2341	com.netiq.iac.server.rest.RequestService	getUserRoleSoDViolations()	{0} retrieved list of SoDs that would be violated if the specified user were granted the specified technical role
2342	com.netiq.iac.server.rest.RequestService	getRequestItemInfo()	{0} retrieved request item details
2343	com.netiq.iac.server.rest.RequestService	getContributedToSodViolationsByBusinessRole()	{0} retrieved list of SoD violations for the user that the specified business role contributes to
2344	com.netiq.iac.server.rest.RequestService	getRequestableItemList()	{0} retrieved a list of requestable items
2345	com.netiq.iac.server.rest.RequestService	getApprovers()	{0} retrieved approvers for an approval task

## Audit Event Table

Event ID	Class	Method	Description
2366	com.netiq.iac.server.rest.RequestService	getUserPermissionsMetadatas()	{0} retrieved metadata for multiple permissions for the specified user
2367	com.netiq.iac.server.rest.RequestService	getUserBusinessRolesMetadatas()	{0} retrieved metadata for multiple technical roles for the specified user
2368	com.netiq.iac.server.rest.RequestService	getUserItemsSoDViolations()	{0} retrieved list of SoDs that would be violated for specified user+item+item type objects
2369	com.netiq.iac.server.rest.RequestService	submitStandaloneWorkflowApproval()	{0} submitted approval or denial of a standalone workflow task
2370	com.netiq.iac.server.rest.RequestService	getMyStandaloneWorkitems()	{0} asked for standalone workflow tasks
2371	com.netiq.iac.server.rest.RequestService	getWorkflowForm()	{0} asked for approval form for a particular standalone workflow tasks
2376	com.netiq.iac.server.rest.RequestService	isPrdNameAvailable()	{0} queried the availability of a workflow name
2378	com.netiq.iac.server.rest.RequestService	getWorkflowComments()	{0} queried the comments of a workflow
2379	com.netiq.iac.server.rest.RequestService	getSampleTypes()	{0} queried the available sample workflows
2380	com.netiq.iac.server.rest.RequestService	getWorkflowStatus()	{0} queried the status of a workflow
2381	com.netiq.iac.server.rest.RequestService	getBusinessRoles()	{0} retrieved the list of requestable business roles
2382	com.netiq.iac.server.rest.RequestService	getUserBusinessRoleSoDViolations()	{0} retrieved list of SoDs that would be violated if the specified user were granted the specified business role.
2383	com.netiq.iac.server.rest.RequestService	getUserBusinessRoleInfo()	{0} retrieved the business role meta data for the specified user and business role.
2384	com.netiq.iac.server.rest.RequestService	getUserBusinessRoleAnalytics()	{0} retrieved business roles for the specified user
2385	com.netiq.iac.server.rest.RequestService	getUserRequestedBusinessRoles()	{0} retrieved business roles for the specified user
2401	com.netiq.iac.server.rest.ReviewDefinitionService	createReviewDefinition()	{0} created a review definition
2402	com.netiq.iac.server.rest.ReviewDefinitionService	getAllReviewDefinitions()	{0} retrieved all review definitions
2403	com.netiq.iac.server.rest.ReviewDefinitionService	getReviewDefinitionForInstance()	{0} retrieved a review definition for a particular review instance
2404	com.netiq.iac.server.rest.ReviewDefinitionService	getReviewDefinition()	{0} retrieved specified review definition
2405	com.netiq.iac.server.rest.ReviewDefinitionService	updateReviewDefinition()	{0} updated review definition
2406	com.netiq.iac.server.rest.ReviewDefinitionService	deleteReviewDefinition()	{0} deleted the specified review definition
2407	com.netiq.iac.server.rest.ReviewDefinitionService	getReviewDisplayAttributes()	{0} retrieved custom display attributes for reviewer item
2408	com.netiq.iac.server.rest.ReviewDefinitionService	saveReviewDisplayAttributes()	{0} saved custom attributes to be displayed on a review item
2409	com.netiq.iac.server.rest.ReviewDefinitionService	startMicroCertificationReview()	{0} started review based on a unique ID
2410	com.netiq.iac.server.rest.ReviewDefinitionService	startReview()	{0} started a review
2411	com.netiq.iac.server.rest.ReviewDefinitionService	getReviewDefinitionInstances()	{0} retrieved review instances for specified review definition
2412	com.netiq.iac.server.rest.ReviewDefinitionService	startDownload()	{0} started the review definition download
2413	com.netiq.iac.server.rest.ReviewDefinitionService	startDownload()	{0} started the review definition download
2414	com.netiq.iac.server.rest.ReviewDefinitionService	finishDownload()	{0} retrieved the download file
2415	com.netiq.iac.server.rest.ReviewDefinitionService	statusDownload()	{0} checked the status of a download

## Audit Event Table

Event ID	Class	Method	Description
2416	com.netiq.iac.server.rest.ReviewDefinitionService	cancelDownload()	{0} cancelled a download
2417	com.netiq.iac.server.rest.ReviewDefinitionService	importPreview()	{0} performed an import preview which will attempt to resolve objects and object references
2418	com.netiq.iac.server.rest.ReviewDefinitionService	importResolveApplications()	{0} resolved the applications in the import document
2419	com.netiq.iac.server.rest.ReviewDefinitionService	importRoles()	{0} imported review definitions
2420	com.netiq.iac.server.rest.ReviewDefinitionService	importZip()	{0} previewed an import, which will attempt to resolve objects and object references
2421	com.netiq.iac.server.rest.ReviewDefinitionService	importZipResolveApps()	{0} resolved applications in the import document
2500	com.netiq.iac.server.rest.ReviewInstanceService	startReviewItemsDownload()	{0} started review item download
2501	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstance()	{0} retrieved specified review instance
2502	com.netiq.iac.server.rest.ReviewInstanceService	updateReviewInstance()	{0} updated expected end-date or review owner on running review instance
2503	com.netiq.iac.server.rest.ReviewInstanceService	reassignReviewItems()	{0} reassigned review items for the specified review instance
2504	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceItems()	{0} retrieved workflow tasks for review instance
2505	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceItems()	{0} retrieved review items for specified review instance
2506	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceHistory()	{0} retrieved the review instance history for a review by unique review id
2507	com.netiq.iac.server.rest.ReviewInstanceService	overrideReviewTasks()	{0} overrode items
2508	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceItemsHistory()	{0} retrieved activity for a review instance items
2509	com.netiq.iac.server.rest.ReviewInstanceService	getReviewItemFulfillment()	{0} retrieved fulfillment item(s) for specified review item
2510	com.netiq.iac.server.rest.ReviewInstanceService	getReviewItemAccountUsers()	{0} retrieved list of shared account users
2511	com.netiq.iac.server.rest.ReviewInstanceService	updateReviewInstanceStatus()	{0} updated review instance status
2512	com.netiq.iac.server.rest.ReviewInstanceService	materializeViewStatus()	{0} updated status of materialized view used for review instance
2513	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceNotifications()	{0} retrieved the notifications that will be generated for a given review instance
2514	com.netiq.iac.server.rest.ReviewInstanceService	sendPreviewNotification()	{0} sent a preview email for the specified addressee, notification instance and review instance combination
2515	com.netiq.iac.server.rest.ReviewInstanceService	startReviewItemsDownload()	{0} started review item download
2516	com.netiq.iac.server.rest.ReviewInstanceService	finishDownload()	{0} retrieved the review item download file
2517	com.netiq.iac.server.rest.ReviewInstanceService	statusDownload()	{0} checked the status of the review item download
2518	com.netiq.iac.server.rest.ReviewInstanceService	cancelDownload()	{0} cancelled the download of a review item CSV file while in progress
2519	com.netiq.iac.server.rest.ReviewInstanceService	getReviewItemAttributes()	{0} retrieved attribute values for the specified review item
2520	com.netiq.iac.server.rest.ReviewInstanceService	getReviewInstanceStatus()	{0} retrieved review status
2521	com.netiq.iac.server.rest.ReviewInstanceService	getReviewItemEntities()	{0} retrieved child entities from specified review item

## Audit Event Table

Event ID	Class	Method	Description
2601	com.netiq.iac.server.rest.ReviewItemInfoService	getPermissionAssignmentcause()	{0} retrieved potential causes for a user permission assignment
2602	com.netiq.iac.server.rest.ReviewItemInfoService	getRBPMRolePermissions()	{0} retrieved child roles and resources (with values) associated with RBPM Role
2603	com.netiq.iac.server.rest.ReviewItemInfoService	getGlobalAuthRoles()	{0} retrieve global authorization roles that can be used in reviews
2604	com.netiq.iac.server.rest.ReviewItemInfoService	getGlobalAuthRole()	{0} retrieve global authorization info and assignments
2701	com.netiq.iac.server.rest.ReviewMonitorService	getReviewInstances()	{0} retrieved active or historical reviews the logged in user has access to
2702	com.netiq.iac.server.rest.ReviewMonitorService	getReviewInstanceActiveCount()	{0} retrieved the active review count the user has access to
2703	com.netiq.iac.server.rest.ReviewMonitorService	getReviewInstanceReviewerGroups()	{0} retrieved the unique reviewer groups for a particular review instance
2704	com.netiq.iac.server.rest.ReviewMonitorService	getReviewInstanceReviewer()	{0} retrieved the line items for a reviewer group
2705	com.netiq.iac.server.rest.ReviewMonitorService	startReviewMonitorDownload()	{0} started reviewer monitor download
2801	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerTaskReviewItems()	{0} retrieved review items for reviewer and review instance
2802	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerTaskReviewItemsGroup()	{0} retrieved grouping of tasks for either user, application or item type
2803	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerTaskById()	{0} retrieved status information for specific reviewer tasks
2804	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerInstanceMembers()	{0} retrieved reviewer instance members by reviewer instance ID
2805	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerInstanceMembers()	{0} retrieved reviewer instance members by reviewer instance ID and reviewer set member instance ID
2806	com.netiq.iac.server.rest.ReviewReviewerService	updateItemsCertifyReviewerTasks()	{0} submitted a bulk list of review item modifications
2807	com.netiq.iac.server.rest.ReviewReviewerService	startReviewerTaskDownload()	{0} started reviewer item download
2901	com.netiq.iac.server.rest.ReviewTargetSpecService	getTargetSpecPreview()	{0} previewed the target specification
2902	com.netiq.iac.server.rest.ReviewTargetSpecService	startTargetSpecDownload()	{0} started download of target criteria CSV
2903	com.netiq.iac.server.rest.ReviewTargetSpecService	finishDownload()	{0} retrieved the download file
2904	com.netiq.iac.server.rest.ReviewTargetSpecService	statusDownload()	{0} checked the status of a download
2905	com.netiq.iac.server.rest.ReviewTargetSpecService	cancelDownload()	{0} cancelled the download of a CSV file
3001	com.netiq.iac.server.rest.RoleService	getRolePolicies()	{0} retrieved a list of logical role policies, also include the information about policy
3002	com.netiq.iac.server.rest.RoleService	getRole()	{0} retrieved the role policy with the given ID
3003	com.netiq.iac.server.rest.RoleService	getRoleCalculatedAttr()	{0} retrieved the calculated attribute (attrName) for the given role policy ID
3004	com.netiq.iac.server.rest.RoleService	deleteTechRoles()	{0} deleted the technical roles with the given IDs
3005	com.netiq.iac.server.rest.RoleService	deletePolicy()	{0} deleted the role policy with the given ID
3006	com.netiq.iac.server.rest.RoleService	createRolePolicy()	{0} created a role policy
3007	com.netiq.iac.server.rest.RoleService	updateRolePolicy()	{0} updated logical role policy

## Audit Event Table

Event ID	Class	Method	Description
3008	com.netiq.iac.server.rest.RoleService	estimateUsers()	{0} retrieved an estimate of users containing all the permissions of the role policy
3009	com.netiq.iac.server.rest.RoleService	getEstimateUsers()	{0} retrieved a list of users that are in a particular role
3010	com.netiq.iac.server.rest.RoleService	sortRolePermissions()	{0} sorted the permissions contained in the given role policy
3011	com.netiq.iac.server.rest.RoleService	matchRolePermissions()	{0} retrieved existing role policies having the same permissions as the given role policy
3012	com.netiq.iac.server.rest.RoleService	getUsersInRole()	{0} retrieved a list of users that are in a particular role
3013	com.netiq.iac.server.rest.RoleService	getRoleSods()	{0} retrieved the SoD policies that reference the specified role
3014	com.netiq.iac.server.rest.RoleService	startDownload()	{0} started the technical role download
3015	com.netiq.iac.server.rest.RoleService	finishDownload()	{0} retrieved the download file
3016	com.netiq.iac.server.rest.RoleService	statusDownload()	{0} checked the status of a download
3017	com.netiq.iac.server.rest.RoleService	cancelDownload()	{0} cancelled a download
3018	com.netiq.iac.server.rest.RoleService	importPreview()	{0} performed a role service import preview which will attempt to resolve objects and object references
3019	com.netiq.iac.server.rest.RoleService	importResolveApplications()	{0} resolved the applications in the import document
3020	com.netiq.iac.server.rest.RoleService	importRoles()	{0} imported role services
3021	com.netiq.iac.server.rest.RoleService	createRoles()	{0} created roles from a mining operation
3022	com.netiq.iac.server.rest.RoleService	miningStatus()	{0} checked the status of a mining request
3023	com.netiq.iac.server.rest.RoleService	getRolePoliciesByIds()	{0} retrieved a list of logical role policies, also include the information about
3024	com.netiq.iac.server.rest.RoleService	setTechRolesAuthorizationRole()	{0} set the role state of the specified IDs
3025	com.netiq.iac.server.rest.RoleService	setTechRolesOwner()	{0} set the role owner of the specified IDs
3026	com.netiq.iac.server.rest.RoleService	setTechRolesState()	{0} promotes users detected in role to assigned roles
3027	com.netiq.iac.server.rest.RoleService	importZip()	{0} performed a role policy service multi-part import file preview which will attempt to resolve objects and object references
3028	com.netiq.iac.server.rest.RoleService	importZipResolveApps()	{0} resolved the applications in the role policy multi-part import document
3029	com.netiq.iac.server.rest.RoleService	importZip()	{0} imported role policies from zip file
3030	com.netiq.iac.server.rest.RoleService	getSodsReferencingRole()	{0} retrieved the SoD policies that reference the specified role
3031	com.netiq.iac.server.rest.RoleService	getRolePolicyPerms()	{0} retrieved list of permissions assigned to an technical role policy
3032	com.netiq.iac.server.rest.RoleService	startDownload()	{0} started the technical role download
3033	com.netiq.iac.server.rest.RoleService	getBusinessRolesReferencingRole()	{0} retrieved the Business Roles that reference the specified role

## Audit Event Table

Event ID	Class	Method	Description
3034	com.netiq.iac.server.rest.RoleService	assignRoles()	{0} assigned the users specified in the CSV file to the given technical roles
3035	com.netiq.iac.server.rest.RoleService	getReferencesForList()	{0} retrieved the policies referencing the given list of technical roles
3101	com.netiq.iac.server.rest.SchemaService	getAttributes()	{0} retrieved attributes for the specified class (entityType)
3102	com.netiq.iac.server.rest.SchemaService	updateAttributeDefinitions()	{0} updated attribute definition of a class (entityType)
3103	com.netiq.iac.server.rest.SchemaService	getAttributeDefinition()	{0} retrieved a specific attribute definition, including (for an extended attribute) whether it is in use
3104	com.netiq.iac.server.rest.SchemaService	getAttributeDefinition()	{0} retrieved a specific attribute definition by entityType (class) and attribute key
3105	com.netiq.iac.server.rest.SchemaService	updateAttributeDefinition()	{0} created a new extended attribute definition
3106	com.netiq.iac.server.rest.SchemaService	updateAttributeDefinition()	{0} updated a specific attribute definition
3107	com.netiq.iac.server.rest.SchemaService	deleteAttributeDefinition()	{0} deleted a specific attribute definition
3108	com.netiq.iac.server.rest.SchemaService	getAttributeValues()	{0} retrieved the distinct values of the passed attribute id
3109	com.netiq.iac.server.rest.SchemaService	startDownload()	{0} started an attribute download for the specified class (entityType)
3110	com.netiq.iac.server.rest.SchemaService	finishDownload()	{0} retrieved the download file
3111	com.netiq.iac.server.rest.SchemaService	statusDownload()	{0} checked the status of a download
3112	com.netiq.iac.server.rest.SchemaService	cancelDownload()	{0} cancelled a download
3113	com.netiq.iac.server.rest.SchemaService	importSchemaPreview()	{0} imported schema services
3114	com.netiq.iac.server.rest.SchemaService	importSchema()	{0} performed an import
3115	com.netiq.iac.server.rest.SchemaService	startDownload()	{0} started an attribute download for the specified class (entityType)
3201	com.netiq.iac.server.rest.SoDService	getSoDPolicies()	{0} retrieved a list of SoD policies, including the information about policy
3202	com.netiq.iac.server.rest.SoDService	getSoD()	{0} retrieved the SoD policy with the specified ID
3203	com.netiq.iac.server.rest.SoDService	getSoDCalculatedAttr()	{0} retrieved the calculated attribute (attrName) for the given SoD policy ID
3204	com.netiq.iac.server.rest.SoDService	deleteSodPolicy()	{0} deleted the SoD policy with the specified ID
3205	com.netiq.iac.server.rest.SoDService	createSoDPolicy()	{0} created a SoD policy
3206	com.netiq.iac.server.rest.SoDService	updateSoDPolicy()	{0} updated SoD policy
3207	com.netiq.iac.server.rest.SoDService	estimateUsers()	{0} retrieved an estimate of users matching the conditions of the SoD policy
3208	com.netiq.iac.server.rest.SoDService	getViolatingUsers()	{0} retrieved a list of users that are in violation of a particular SoD policy
3209	com.netiq.iac.server.rest.SoDService	getViolatingAccounts()	{0} retrieved a list of accounts that are in violation of a particular SoD policy
3210	com.netiq.iac.server.rest.SoDService	getUserSoDCase()	{0} retrieved the SOD case information associated with a SOD policy and a particular user, if any

## Audit Event Table

Event ID	Class	Method	Description
3211	com.netiq.iac.server.rest.SoDService	getAccountSoDCase()	{0} retrieved the SOD case information associated with a SOD policy and a particular account, if any
3212	com.netiq.iac.server.rest.SoDService	addSodCaseAction()	{0} added a SoD case action to a SOD case
3213	com.netiq.iac.server.rest.SoDService	getSoDCase()	{0} retrieved the SOD case information
3214	com.netiq.iac.server.rest.SoDService	getSoDCases()	{0} retrieved a list of SoD cases, also include the information about the case
3215	com.netiq.iac.server.rest.SoDService	startDownload()	{0} started the SoD download
3216	com.netiq.iac.server.rest.SoDService	startDownload()	{0} started a SoD download
3217	com.netiq.iac.server.rest.SoDService	finishDownload()	{0} retrieved the download file
3218	com.netiq.iac.server.rest.SoDService	statusDownload()	{0} checked the status of a download
3219	com.netiq.iac.server.rest.SoDService	cancelDownload()	{0} cancelled a download
3220	com.netiq.iac.server.rest.SoDService	importPreview()	{0} performed an import preview which will attempt to resolve objects and object references
3221	com.netiq.iac.server.rest.SoDService	importResolveApplications()	{0} resolved the applications in the import document
3222	com.netiq.iac.server.rest.SoDService	importRoles()	{0} performed an import
3223	com.netiq.iac.server.rest.SoDService	getViolatedPolicies()	{0} retrieved the list of SoD policies that would be violated if a user had the permissions and technical roles specified in sodCriteria
3224	com.netiq.iac.server.rest.SoDService	getPotentialSodViolations()	{0} retrieved the list of potential new SoD violations that would occur if the users specified in sodCriteria
3225	com.netiq.iac.server.rest.SoDService	getSodViolationCounts()	{0} retrieved the SoD violation counts
3226	com.netiq.iac.server.rest.SoDService	getCurrentSodViolations()	{0} retrieved the list of current SoD violations for the users specified in SoD Criteria
3227	com.netiq.iac.server.rest.SoDService	getContributedToSodViolationsByPerm()	{0} retrieved the list of SoD violations for the user that the specified permission contributes to
3228	com.netiq.iac.server.rest.SoDService	getContributedToSodViolationsByRole()	{0} retrieved the list of SoD violations for the user that the specified technical role contributes to
3229	com.netiq.iac.server.rest.SoDService	getPotentialSodViolationsByPerm()	{0} retrieved the list of potential SoD violations that would occur for the user if the user were to obtain the specified permission
3230	com.netiq.iac.server.rest.SoDService	getPotentialSodViolationsByRole()	{0} retrieved the list of potential SoD violations that would occur for the user if the user were to obtain the specified technical role
3231	com.netiq.iac.server.rest.SoDService	getPotentialSodViolationsByBusinessRole()	{0} retrieved the list of potential SoD violations that would occur for the user if the user were to obtain the specified business role
3232	com.netiq.iac.server.rest.SoDService	setSodPoliciesState()	{0} performed a bulk state owners of SoD policy service
3233	com.netiq.iac.server.rest.SoDService	setSodPoliciesOwner()	{0} performed a bulk set owners of SoD policy service

## Audit Event Table

Event ID	Class	Method	Description
3234	com.netiq.iac.server.rest.SoDService	importZip()	{0} performed a SoD policy service multi-part import preview from file which will attempt to resolve objects and object references
3235	com.netiq.iac.server.rest.SoDService	importZipResolveApps()	{0} resolved the applications in the SoD policy multi-part import file
3236	com.netiq.iac.server.rest.SoDService	importZip()	{0} imported SoD policies from zip file
3237	com.netiq.iac.server.rest.SoDService	getContributedToSodViolationsByBusinessRole()	{0} retrieved the list of potential SoD violations for the user that the specified business role contributes to
3238	com.netiq.iac.server.rest.SoDService	validateConditions()	{0} validated the SoD condition items
3239	com.netiq.iac.server.rest.SoDService	getSodConditionPermissionsForUser()	{0} retrieved the permissions the given user holds that match the criteria in the given condition item
3240	com.netiq.iac.server.rest.SoDService	getSodConditionRolesForUser()	{0} retrieved list of technical roles the given user holds that match the criteria in the given condition item
3241	com.netiq.iac.server.rest.SoDService	getSodConditionBusinessRolesForUser()	{0} retrieved list of technical roles the given user holds that match the criteria in the given condition item
3242	com.netiq.iac.server.rest.SoDService	bulkValidateConditions()	{0} bulk validated the SoD condition items for SoD List
3300	com.netiq.iac.server.rest.RiskScoreService	startDownload()	{0} started downloading risk scores
3301	com.netiq.iac.server.rest.RiskScoreService	startDownload()	{0} started downloading risk score policies
3302	com.netiq.iac.server.rest.RiskScoreService	importPreview()	{0} performed an import preview which will attempt to resolve objects and object references of the import document, returning a import preview document to the client
3303	com.netiq.iac.server.rest.RiskScoreService	importResolveApplications()	{0} resolved the applications in the import document
3304	com.netiq.iac.server.rest.RiskScoreService	importRiskPolicies()	{0} imported risk policies
3400	com.netiq.iac.server.rest.EntityCategoryRestService	startDownload()	{0} started the category download
3401	com.netiq.iac.server.rest.EntityCategoryRestService	startDownload()	{0} started the category download
3402	com.netiq.iac.server.rest.EntityCategoryRestService	finishDownload()	{0} retrieved the download file
3403	com.netiq.iac.server.rest.EntityCategoryRestService	statusDownload()	{0} checked the status of a download
3404	com.netiq.iac.server.rest.EntityCategoryRestService	cancelDownload()	{0} cancelled a download
3405	com.netiq.iac.server.rest.EntityCategoryRestService	importPreview()	{0} performed an import preview which will attempt to resolve objects and object references of the imported file, returning a import preview document to the client
3406	com.netiq.iac.server.rest.EntityCategoryRestService	importResolveApplications()	{0} resolved the applications in the import document
3407	com.netiq.iac.server.rest.EntityCategoryRestService	importCategories()	{0} performed an import
3408	com.netiq.iac.server.rest.EntityCategoryRestService	assignCategories()	{0} assigned the given categories to the selected entities

## Audit Event Table

Event ID	Class	Method	Description
3409	com.netiq.iac.server.rest.EntityCategoryRestService	removeCategories()	{0} removed the assigned categories from the selected entities
3410	com.netiq.iac.server.rest.EntityCategoryRestService	getCategories()	{0} retrieved all assigned categories for the given class and IDs
3411	com.netiq.iac.server.rest.EntityCategoryRestService	getApplicationData()	{0} retrieved a list of all applications or, if application ids provided, only return applications with specified ids
3412	com.netiq.iac.server.rest.EntityCategoryRestService	importZip()	{0} performed a multi-part import preview which will attempt to resolve objects and object references of the imported file, returning a import preview document to the client
3413	com.netiq.iac.server.rest.EntityCategoryRestService	importMultiPartResolveApps()	{0} resolved the applications in the multi-part import document
3414	com.netiq.iac.server.rest.EntityCategoryRestService	getEntityCategories()	{0} retrieved list of categories
3415	com.netiq.iac.server.rest.EntityCategoryRestService	getEntityCategory()	{0} retrieved a category
3416	com.netiq.iac.server.rest.EntityCategoryRestService	updateEntityCategory()	{0} updated a category
3417	com.netiq.iac.server.rest.EntityCategoryRestService	createEntityCategory()	{0} created a category
3418	com.netiq.iac.server.rest.EntityCategoryRestService	deleteEntityCategory()	{0} deleted a category
3501	com.netiq.iac.server.rest.ArchiveRestService	getArchivals()	{0} retrieved a list of archival activities
3503	com.netiq.iac.server.rest.ArchiveRestService	getArchivalInfo()	{0} retrieved details for the specified archive
3504	com.netiq.iac.server.rest.ArchiveRestService	cancelArchival()	{0} cancelled the running archive (if any)
3505	com.netiq.iac.server.rest.ArchiveRestService	getArchivalTables()	{0} retrieved the list of tables for an archival process
3506	com.netiq.iac.server.rest.ArchiveRestService	getNextArchivalInfoTables()	{0} retrieved the list of tables for the next archival process
3507	com.netiq.iac.server.rest.ArchiveRestService	getNextArchivalInfo()	{0} retrieved information for the next archival process
3508	com.netiq.iac.server.rest.ArchiveRestService	deleteArchivals()	{0} deleted archives
3509	com.netiq.iac.server.rest.ArchiveRestService	disableArchiving()	{0} disabled archiving
3510	com.netiq.iac.server.rest.ArchiveRestService	enableArchiving()	{0} enabled archiving
3511	com.netiq.iac.server.rest.ArchiveRestService	getArchiveDisableEnableDetail()	{0} retrieved the archiving status (enabled/disabled)
3512	com.netiq.iac.server.rest.ArchiveRestService	startNextArchivalInfo()	{0} started retrieval of information about the next archival process
3513	com.netiq.iac.server.rest.ArchiveRestService	deleteNextArchivalInfo()	{0} deleted information about the next archival process
3514	com.netiq.iac.server.rest.ArchiveRestService	getArchiveDestinations()	{0} retrieved a list of archive destinations
3515	com.netiq.iac.server.rest.ArchiveRestService	createArchiveDestination()	{0} created a new archive destination
3516	com.netiq.iac.server.rest.ArchiveRestService	modifyArchiveDestination()	{0} modified an archive destination
3517	com.netiq.iac.server.rest.ArchiveRestService	deleteArchiveDestination()	{0} deleted the archive destination with the given ID
3518	com.netiq.iac.server.rest.ArchiveRestService	getArchiveDestination()	{0} retrieved the archive destination with the given ID
3519	com.netiq.iac.server.rest.ArchiveRestService	getArchiveReaders()	{0} retrieved a list of archive readers
3520	com.netiq.iac.server.rest.ArchiveRestService	deleteArchiveReaders()	{0} deleted archive readers
3521	com.netiq.iac.server.rest.ArchiveRestService	getOpsTransactions()	{0} retrieved a list of OPS transactions

## Audit Event Table

Event ID	Class	Method	Description
3522	com.netiq.iac.server.rest.ArchiveRestService	abortOpsTransactions()	{0} deleted OPS transactions
3523	com.netiq.iac.server.rest.ArchiveRestService	testConnection()	{0} tested archive destination connection
3524	com.netiq.iac.server.rest.ArchiveRestService	testConnection()	{0} tested archive destination connection
3600	com.netiq.iac.server.rest.MaintenanceRestService	startMaintenance()	{0} started maintenance
3601	com.netiq.iac.server.rest.MaintenanceRestService	cancelMaintenanceStart()	{0} cancelled maintenance
3602	com.netiq.iac.server.rest.MaintenanceRestService	getMaintenanceState()	{0} retrieved maintenance status
3603	com.netiq.iac.server.rest.MaintenanceRestService	resumeMaintenance()	{0} resumed maintenance
3700	com.netiq.iac.server.rest.CleanupRestService	getCleanups()	{0} retrieved a list of cleanups
3702	com.netiq.iac.server.rest.CleanupRestService	getCleanupInfo()	{0} retrieved cleanup information
3703	com.netiq.iac.server.rest.CleanupRestService	cancelCleanup()	{0} cancelled a cleanup
3704	com.netiq.iac.server.rest.CleanupRestService	deleteCleanups()	{0} deleted cleanups
3705	com.netiq.iac.server.rest.CleanupRestService	getCleanupEntities()	{0} retrieved a list of entities to cleanup
3706	com.netiq.iac.server.rest.CleanupRestService	getCleanupEntityInstances()	{0} retrieved a list of cleanup entity instances for a specified cleanup entity
3707	com.netiq.iac.server.rest.CleanupRestService	getCleanupEntityTables()	{0} retrieved a list of cleanup entity tables for a specified cleanup entity instance
3708	com.netiq.iac.server.rest.CleanupRestService	getNextCleanupEntityCounts()	{0} retrieved the number of items that can be cleaned up for each entity type
3709	com.netiq.iac.server.rest.CleanupRestService	getNextCleanupEntityInstances()	{0} retrieved a list of the next cleanup entity instances for the specified cleanup entity type
3710	com.netiq.iac.server.rest.CleanupRestService	startNextCleanupEntityCounts()	{0} started retrieval of counts of items that can be cleaned up for each entity type
3711	com.netiq.iac.server.rest.CleanupRestService	deleteNextCleanupEntityCounts()	{0} deleted information about counts of items that can be cleaned up for each entity type
3800	com.netiq.iac.server.rest.DataQueryRestService	startDownload()	{0} started an Insight Query download
3801	com.netiq.iac.server.rest.DataQueryRestService	finishDownload()	{0} retrieved the download file for the specified id
3802	com.netiq.iac.server.rest.DataQueryRestService	statusDownload()	{0} retrieved the status of the download for the specified id
3803	com.netiq.iac.server.rest.DataQueryRestService	cancelDownload()	{0} cancelled the download for the specified id
3804	com.netiq.iac.server.rest.DataQueryRestService	getDataQueryResults()	{0} executed an Insight Query
3805	com.netiq.iac.server.rest.DataQueryRestService	importPreview()	{0} generated an import preview for the given import data
3806	com.netiq.iac.server.rest.DataQueryRestService	importDataQueries()	{0} imported an Insight Query
3807	com.netiq.iac.server.rest.ReviewReviewerService	startPostReviewerTaskDownload()	{0} started post reviewer item download
3808	com.netiq.iac.server.rest.ReviewReviewerService	finishDownload()	{0} retrieved the reviewer item download file
3809	com.netiq.iac.server.rest.ReviewReviewerService	statusDownload()	{0} checked the status of the reviewer item download
3810	com.netiq.iac.server.rest.ReviewReviewerService	cancelDownload()	{0} cancelled the download of a reviewer queue CSV file while in progress
3811	com.netiq.iac.server.rest.ReviewMonitorService	startReviewMonitorDownload()	{0} started reviewer monitor queue download
3812	com.netiq.iac.server.rest.ReviewMonitorService	finishDownload()	{0} retrieved the reviewer monitor queue download file

## Audit Event Table

Event ID	Class	Method	Description
3813	com.netiq.iac.server.rest.ReviewMonitorService	statusDownload()	{0} checked the status of the reviewer monitor queue download
3814	com.netiq.iac.server.rest.ReviewMonitorService	cancelDownload()	{0} cancelled the download of a review monitor queue CSV file while in progress
3815	com.netiq.iac.server.rest.ReviewInstanceService	recalculateReviewProgressCounts()	{0} recalculated progress counts on an active review
3830	com.netiq.iac.server.rest.DataQueryRestService	startDownload()	{0} started an Insight Query results download
3831	com.netiq.iac.server.rest.DataQueryRestService	getDBDirectResults()	{0} executed SQL Select Query
3900	com.netiq.iac.server.rest.DownloadRestService	getFileDownload()	{0} downloaded a file
3901	com.netiq.iac.server.rest.DownloadRestService	getFileDownloadCount()	{0} retrieved the download file count
3902	com.netiq.iac.server.rest.DownloadRestService	getDownloadStatus()	{0} checked the status of a download
3903	com.netiq.iac.server.rest.DownloadRestService	cancelDownload()	{0} cancelled a download
3904	com.netiq.iac.server.rest.DownloadRestService	getDownloadsForUser()	{0} retrieved the list of initiated downloads
3905	com.netiq.iac.server.rest.DownloadRestService	startDownload()	{0} began a CSV download
3906	com.netiq.iac.server.rest.ReviewItemInfoService	getTechnicalRolePermissions()	{0} retrieved technical role permissions with indicator whether permission is assigned to user
3907	com.netiq.iac.server.rest.DownloadRestService	startDownload()	{0} started a download
3908	com.netiq.iac.server.rest.DownloadRestService	startLoad()	{0} loaded a import
3909	com.netiq.iac.server.rest.DownloadRestService	startSystemImport()	{0} started a full system import
3910	com.netiq.iac.server.rest.DownloadRestService	importPreview()	{0} generated import preview
3911	com.netiq.iac.server.rest.DownloadRestService	performImport()	{0} finished an import
3912	com.netiq.iac.server.rest.DownloadRestService	updateSelection()	{0} changed import item selection
3913	com.netiq.iac.server.rest.DownloadRestService	importRefresh()	{0} refreshed the upload import references
3914	com.netiq.iac.server.rest.DownloadRestService	resolveApps()	{0} resolved import applications
3915	com.netiq.iac.server.rest.DownloadRestService	getQuickInfo()	{0} retrieved import quick info
4000	com.netiq.iac.server.rest.MaintScheduleRestService	getMaintSchedules()	{0} retrieved maintenance schedules
4001	com.netiq.iac.server.rest.MaintScheduleRestService	getMaintSchedule()	{0} retrieved a maintenance schedule
4002	com.netiq.iac.server.rest.MaintScheduleRestService	createMaintSchedule()	{0} created a new maintenance schedule
4003	com.netiq.iac.server.rest.MaintScheduleRestService	updateMaintSchedule()	{0} updated a maintenance schedule
4004	com.netiq.iac.server.rest.MaintScheduleRestService	deleteMaintSchedule()	{0} deleted a maintenance schedule
4005	com.netiq.iac.server.rest.MaintScheduleRestService	bulkUpdateMaintSchedules()	{0} bulk updated maintenance schedules
4006	com.netiq.iac.server.rest.MaintScheduleRestService	bulkDeleteMaintSchedules()	{0} bulk deleted maintenance schedules
4007	com.netiq.iac.server.rest.ReviewReviewerService	getReviewerTaskReviewItemCounts()	{0} retrieved review item counts for reviewer and review instance
4008	com.netiq.iac.server.rest.ReviewMonitorService	getReviewerNearestDueDate()	{0} retrieved the nearest reviewer item due date for the logged-in user
4009	com.netiq.iac.server.rest.MaintScheduleRestService	startDownload()	{0} started maintenance schedule download
4100	com.netiq.iac.server.rest.MetricsStoreRestService	getMetricsDataStores()	{0} retrieved a list of metrics data stores
4101	com.netiq.iac.server.rest.MetricsStoreRestService	createMetricsDataStore()	{0} created metrics data store
4102	com.netiq.iac.server.rest.MetricsStoreRestService	modifyMetricsDataStore()	{0} modified a metrics data store
4103	com.netiq.iac.server.rest.MetricsStoreRestService	deleteMetricsDataStore()	{0} deleted the metrics data store with the given ID
4104	com.netiq.iac.server.rest.MetricsStoreRestService	getMetricsDataStore()	{0} retrieved the metrics data store with the given ID
4105	com.netiq.iac.server.rest.MetricsStoreRestService	testConnection()	{0} tested metrics data store connection

### Audit Event Table

Event ID	Class	Method	Description
4106	com.netiq.iac.server.rest.MetricsStoreRestService	testConnection()	{0} tested existing metrics data store connection
4200	com.netiq.iac.server.rest.DataSourceConnectionService	addDataSourceConnection()	{0} added a new data source connection
4201	com.netiq.iac.server.rest.DataSourceConnectionService	getAllDataSourceConnections()	{0} retrieved all data source connections
4202	com.netiq.iac.server.rest.DataSourceConnectionService	getDataSourceConnection()	{0} retrieved the specified data source connection
4203	com.netiq.iac.server.rest.DataSourceConnectionService	deleteDataSourceConnection()	{0} deleted the specified data source connection
4204	com.netiq.iac.server.rest.DataSourceConnectionService	updateDataSourceConnection()	{0} updated data source connection
4205	com.netiq.iac.server.rest.DataSourceConnectionService	startDownload()	{0} started data source connection download
4206	com.netiq.iac.server.rest.DataSourceConnectionService	finishDownload()	{0} retrieved the download file
4207	com.netiq.iac.server.rest.DataSourceConnectionService	statusDownload()	{0} checked the status of a download
4208	com.netiq.iac.server.rest.DataSourceConnectionService	cancelDownload()	{0} cancelled a download
4300	com.netiq.iac.server.rest.AgentService	createAgent()	{0} added a new data center
4301	com.netiq.iac.server.rest.AgentService	getAllAgents()	{0} retrieved all data centers
4302	com.netiq.iac.server.rest.AgentService	getAgent()	{0} retrieved the specified data center
4303	com.netiq.iac.server.rest.AgentService	deleteAgent()	{0} deleted the specified data center
4304	com.netiq.iac.server.rest.AgentService	updateAgent()	{0} updated data center
4305	com.netiq.iac.server.rest.AgentService	startDataCenterDownload()	{0} started data center download
4306	com.netiq.iac.server.rest.AgentService	finishDownload()	{0} retrieved the data center download file
4307	com.netiq.iac.server.rest.AgentService	statusDownload()	{0} checked the status of the data center download {0} cancelled the download of a data center file while in progress
4308	com.netiq.iac.server.rest.AgentService	cancelDownload()	{0} cancelled a download
4309	com.netiq.iac.server.rest.AgentService	synchronizeAgents()	{0} retrieved all agents for current tenant from Cloud Bridge Client
4444	com.netiq.iac.server.rest.FormsService	getImage()	{0} retrieved the image for the specified form
4445	com.netiq.iac.server.rest.FormsService	getAppForm()	{0} retrieved a form for the specified application/formType
4446	com.netiq.iac.server.rest.FormsService	getAppContext()	{0} retrieved the form context for the specified application
4447	com.netiq.iac.server.rest.FormsService	getForm()	{0} retrieved a form
4448	com.netiq.iac.server.rest.FormsService	searchForms()	{0} searched for forms associated with the specified FormEntityType/FormType
4449	com.netiq.iac.server.rest.FormsService	getDefaultForm()	{0} retrieved the default form associated with the specified form entity type/form type
4450	com.netiq.iac.server.rest.FormsService	getPermForm()	{0} retrieved the form associated with the specified permission
4451	com.netiq.iac.server.rest.FormsService	getPermContext()	{0} retrieved the context for the specified permission
4452	com.netiq.iac.server.rest.FormsService	recipientContext()	{0} retrieved the context for the specified user when requesting/approving a resource
4453	com.netiq.iac.server.rest.FormsService	searchFormset()	{0} searched for a form set
4454	com.netiq.iac.server.rest.FormsService	getFormset()	{0} searched for form set for the specified permission/application
4455	com.netiq.iac.server.rest.FormsService	createFormset()	{0} saved a form set
4456	com.netiq.iac.server.rest.FormsService	associateFormset()	{0} added a form set to a permission/application

### Audit Event Table

Event ID	Class	Method	Description
4457	com.netiq.iac.server.rest.FormsService	postForm()	{0} saved a form
4458	com.netiq.iac.server.rest.FormsService	renameForm()	{0} renamed a form
4459	com.netiq.iac.server.rest.FormsService	revertForm()	{0} reverted a form to the last published value
4460	com.netiq.iac.server.rest.FormsService	putForm()	{0} updated or published a form
4461	com.netiq.iac.server.rest.FormsService	deleteForm()	{0} deleted a form
4462	com.netiq.iac.server.rest.FormsService	cloneFormset()	{0} cloned a form set
4463	com.netiq.iac.server.rest.FormsService	renameFormset()	{0} renamed a form set
4464	com.netiq.iac.server.rest.FormsService	isFormsetNameAvailable()	{0} checked if the specified form set name is available
4465	com.netiq.iac.server.rest.FormsService	isFormNameAvailable()	{0} checked if the specified form name is available
4466	com.netiq.iac.server.rest.FormsService	startDownload()	{0} started custom form download
4467	com.netiq.iac.server.rest.FormsService	finishDownload()	{0} downloaded a custom form
4468	com.netiq.iac.server.rest.FormsService	statusDownload()	{0} checked status of custom form download
4469	com.netiq.iac.server.rest.FormsService	cancelDownload()	{0} cancelled custom form download
4470	com.netiq.iac.server.rest.FormsService	importZip()	{0} started a custom form import preview
4471	com.netiq.iac.server.rest.FormsService	importForms()	{0} started a custom form import
4500	com.netiq.iac.server.rest.ScriptService	associateScript()	{0} added a script association to an application
4501	com.netiq.iac.server.rest.ScriptService	putForm()	{0} published a script
4502	com.netiq.iac.server.rest.ScriptService	getScript()	{0} searched for a particular script
4503	com.netiq.iac.server.rest.ScriptService	searchScripts()	{0} searched for a scripts
4504	com.netiq.iac.server.rest.ScriptService	createScript()	{0} created a script
4505	com.netiq.iac.server.rest.ScriptService	updateScript()	{0} updated a script
4506	com.netiq.iac.server.rest.ScriptService	simulateFulfillmentChangesetPolicy()	{0} debugged a script
4507	com.netiq.iac.server.rest.ScriptService	deleteScript()	{0} deleted a script
4508	com.netiq.iac.server.rest.ScriptService	positionScript()	{0} changed the order of scripts
4509	com.netiq.iac.server.rest.ScriptService	unassociateScript()	{0} disassociated a script from an application
4510	com.netiq.iac.server.rest.ScriptService	associateScript()	{0} associated a script with an application
4511	com.netiq.iac.server.rest.ScriptService	setDebugContext()	{0} set script debug context for an application
4512	com.netiq.iac.server.rest.ScriptService	isScriptNameAvailable()	{0} checked to see if script name was available
4600	com.netiq.iac.persistence.service.scripting.scriptObjects.ChangeSetMethods		Changeset modification: Script with id of "{0}" has refused change request item "{1}", reason given was "{2}"
4601	com.netiq.iac.persistence.service.scripting.scriptObjects.ChangeSetMethods		Changeset modification: Script with id of "{0}" has sorted changeset "{1}", resulting in "{2}" row(s) updated.
4602	com.netiq.iac.persistence.service.scripting.scriptObjects.ChangeSetMethods		Changeset modification: Script with id of "{0}" has added change request item "{1}", type "{2}" for user "{3}", reason given was "{4}"
4603	com.netiq.iac.persistence.service.scripting.scriptObjects.RollbackMethods		Changeset modification: Script with id of "{0}" has rolled back add change request item "{1}"

## Audit Event Table

Event ID	Class	Method	Description
4604	com.netiq.iac.persistence.service.scripting.scriptObjects.Roll backChangesetReorder		Changeset modification: Script with id of "{0}" has rolled back sort of changeset "{1}"
4605	com.netiq.iac.persistence.service.scripting.scriptObjects.Roll backRefuseChangeRequestItem		Changeset modification: Script with id of "{0}" has rolled back refusal of change request item "{1}"
4606	com.netiq.iac.persistence.service.scripting.scriptObjects.Cat alogMethods		Changeset script entity read: Script with id of "{0}" has read "{1}" of entity type "{2}", id "{3}"
4607	com.netiq.iac.persistence.service.scripting.scriptObjects.Cha ngeSetMethods		Changeset modification: Script with id of "{0}" has added a remove type change request item "{1}", type "{2}" for user "{3}", reason given was "{4}"
4608	com.netiq.iac.persistence.service.scripting.scriptObjects.Roll backAddRequestItem		Changeset modification: Script with id of "{0}" has rolled back adding of remove type change request item "{1}"
4609	com.netiq.iac.persistence.service.scripting.scriptObjects.Cat alogMethods		Changeset script entity read: Script with id of "{0}" has read "{1}" of entity type "{2}", id "{3}" for user "{4}"
4610	com.netiq.iac.persistence.service.scripting.scriptObjects.Cat alogMethods		Catalog modification: Script with id of "{0}" has added Technical role "{1}" for user "{2}", reason given was "{3}"
4611	com.netiq.iac.persistence.service.scripting.scriptObjects.Cat alogMethods		Catalog modification: Script with id of "{0}" has removed Technical role "{1}" for user "{2}", reason given was "{3}"
4612	com.netiq.iac.persistence.service.scripting.scriptObjects.Roll backAddOrRemoveTechRole		Catalog modification: Script with id of "{0}" has rolled back removal of Technical role "{1}" for user "{2}", reason given was "{3}"
4613	com.netiq.iac.persistence.service.scripting.scriptObjects.Roll backAddOrRemoveTechRole		Catalog modification: Script with id of "{0}" has rolled back removal of Technical role "{1}" for user "{2}", reason given was "{3}"
4614	com.netiq.iac.persistence.service.scripting.scriptObjects.Cha ngeSetMethods		Changeset modification: Script with id of "{0}" has added change request item "{1}", type "{2}" to remove permission "{3}" to account "{4}", reason given was "{5}"
4615	com.netiq.iac.persistence.service.scripting.scriptObjects.Cat alogMethods		Changeset script entity read: Script with id of "{0}" has read attributes of entity type "{1}", id "{2}"
4700	com.netiq.iac.server.rest.TERoleAnalyticsService	getMapSummary()	{0} retrieved the user to permission map summary.
4701	com.netiq.iac.server.rest.TERoleAnalyticsService	getThumbnail()	{0} retrieved the user to permission map thumbnail.
4702	com.netiq.iac.server.rest.TERoleAnalyticsService	getTile()	{0} retrieved the user to permission map tile.
4703	com.netiq.iac.server.rest.TERoleAnalyticsService	getSimilaritySuggestions()	{0} started a technical role mining background operation.
4704	com.netiq.iac.server.rest.TERoleAnalyticsService	getSimilaritySuggestions()	{0} retrieved the results technical role mining operation.
4705	com.netiq.iac.server.rest.TERoleAnalyticsService	getMatchingRolesForSuggestions()	{0} analyzed the results of a technical role operation for duplicate roles.

## Audit Event Table

Event ID	Class	Method	Description
4706	com.netiq.iac.server.rest.TERoleAnalyticsService	updateUsersSuggestions()	{0} updated the number of users for technical role mining results.
4800	com.netiq.iac.server.rest.WorkflowInterfaceService	generateChangeset()	{0} approved or denied a workflow approval
4801	com.netiq.iac.server.rest.WorkflowInterfaceService	getDelegateEmail()	{0} retrieved email of delegate.
4802	com.netiq.iac.server.rest.WorkflowInterfaceService	getWorkflowAssociationDetails()	{0} retrieved workflow association details.
4803	com.netiq.iac.server.rest.WorkflowInterfaceService	getWorkflowAssociation()	{0} retrieved workflow association.
4804	com.netiq.iac.server.rest.WorkflowInterfaceService	executePermissionMethod()	{0} executed a method to return permission metadata.
4805	com.netiq.iac.server.rest.WorkflowInterfaceService	executeUserMethod()	{0} executed a method to return user metadata.
4806	com.netiq.iac.server.rest.WorkflowInterfaceService	getSchema()	{0} retrieved entity attributes.
4807	com.netiq.iac.server.rest.WorkflowInterfaceService	whoamiViaPost()	{0} retrieved logged in user details.
4808	com.netiq.iac.server.rest.WorkflowInterfaceService	getContext()	{0} retrieved context details.
4809	com.netiq.iac.server.rest.WorkflowInterfaceService	getEmail()	{0} retrieved user or group email details.
4810	com.netiq.iac.server.rest.WorkflowInterfaceService	idVaultPost()	{0} retrieved entity (user/group/permission/application/role) details.
4811	com.netiq.iac.server.rest.WorkflowInterfaceService	idVaultGet()	{0} retrieved entity (user/group/permission/application/role) details.
4812	com.netiq.iac.server.rest.WorkflowInterfaceService	getUserGroups()	{0} retrieved group membership details.
4813	com.netiq.iac.server.rest.WorkflowInterfaceService	idVaultGetList()	{0} retrieved entity list.
4814	com.netiq.iac.server.rest.WorkflowInterfaceService	getUserByEmail()	{0} looked up user by email.
4900	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getSodApprovalPolicies()	{0} retrieved a list of SoD approval policies.
4901	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getSodApprovalPolicy()	{0} retrieved the SoD approval policy with the given id.
4902	com.netiq.iac.server.rest.SodApprovalPolicyRestService	createSodApprovalPolicy()	{0} created a new SoD approval policy.
4903	com.netiq.iac.server.rest.SodApprovalPolicyRestService	updateSodApprovalPolicy()	{0} updated the SoD approval policy with the given id.
4904	com.netiq.iac.server.rest.SodApprovalPolicyRestService	deleteSodApprovalPolicy()	{0} deleted the SoD approval policy with the given id.
4905	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getSodApprovalPolicySods()	{0} retrieved a list of SoD policies assigned to the given SoD approval policy.
4906	com.netiq.iac.server.rest.SodApprovalPolicyRestService	setApprovalItems()	{0} updated or removed the approval policy assignment for given SoD policies.
4907	com.netiq.iac.server.rest.SodApprovalPolicyRestService	removeSodApprovalPolicy()	{0} cleared the current SoD approval assignment for the given SoD policies.
4908	com.netiq.iac.server.rest.SodApprovalPolicyRestService	checkRequestItems()	{0} retrieved the current SoD approval assignment for the given SoD policies.
4909	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getDefaultSodApprovalPolicy()	{0} retrieved the default SoD approval policy.
4910	com.netiq.iac.server.rest.SodApprovalPolicyRestService	updateDefaultSodApprovalPolicy()	{0} updated the default SoD approval policy.
4911	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getApprovalEmailTemplates()	{0} retrieved the SoD approval policy email templates.
4912	com.netiq.iac.server.rest.SodApprovalPolicyRestService	startDownload()	{0} started the access request approval policy download.

### Audit Event Table

Event ID	Class	Method	Description
4913	com.netiq.iac.server.rest.SodApprovalPolicyRestService	importPreviewMultiPart()	{0} performed a access request approval policy service multi-part import preview which will attempt to resolve objects and object references.
4914	com.netiq.iac.server.rest.SodApprovalPolicyRestService	importAssignments()	{0} performed import of assignments for the given SoD approval policy.
4915	com.netiq.iac.server.rest.SodApprovalPolicyRestService	importMultiPart()	{0} imported a SoD approval policy from a zip file.
4916	com.netiq.iac.server.rest.SodApprovalPolicyRestService	importFromNode()	{0} performed a SoD import from import node.
4917	com.netiq.iac.server.rest.SodApprovalPolicyRestService	importPreviewForID()	{0} performed a SoD approval policy service import preview for SoD policy assignments
4918	com.netiq.iac.server.rest.SodApprovalPolicyRestService	getStepApprovers()	{0} retrieved a list of users that are approvers for the given SoD case or psodv task id.
5000	com.netiq.iac.server.rest.WorkflowRequestService	terminateSimulateWorkflow()	{0} terminated a debug workflow
5001	com.netiq.iac.server.rest.WorkflowRequestService	submitWorkflowApproval()	{0} submitted a decision for a debug workflow
5002	com.netiq.iac.server.rest.WorkflowRequestService	simulate()	{0} started a debug workflow
5003	com.netiq.iac.server.rest.WorkflowRequestService	simulationStatus()	{0} queried the status of a debug workflow
5004	com.netiq.iac.server.rest.WorkflowRequestService	saveSamplePrd()	{0} saved a sample workflow
5100	com.netiq.iac.persistence.service.DataCollectionCompareSe rvic		Data policy "{0}" detection is started by {1}, data policy uniqueId {2}, dataPolicy criteria "{3}"
5101	com.netiq.iac.persistence.service.DataCollectionCompareSe rvic		Data policy "{0}" detection is finished by {1}, {2} items are detected, data policy uniqueId {3}, dataPolicy criteria "{4}"
5102	com.netiq.iac.persistence.service.DataCollectionCompareSe rvic		{0} detected items are inserted or updated in data_policy_violation table by {1}
5103	com.netiq.iac.persistence.service.DataCollectionCompareSe rvic		{0} unresolved detected items exist for data policy "{1}", data policy uniqueId {2}, dataPolicy criteria "{3}"
5104	com.netiq.iac.server.rest.RemediationServiceHelper		Micro Certification is started by {0}, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, review name "{6}", review definition uniqueId "{7}", review start message "{8}", review instanceId {9}, items {10}, review status "{11}"
5105	com.netiq.iac.server.rest.RemediationServiceHelper		Micro Certification started by {0} has failed, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, review name "{6}", review definition uniqueId "{7}", review start message "{8}", error message "{9}"
5106	com.netiq.iac.server.rest.RemediationServiceHelper		Email is sent by {0}, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, items {6}, email template "{7}", recipients {8}

## Audit Event Table

Event ID	Class	Method	Description
5107	com.netiq.iac.server.rest.RemediationServiceHelper		Change request is generated by {0}, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, items {6}, changesetId {7}, changeset status "{8}"
5108	com.netiq.iac.server.rest.RemediationServiceHelper		Change request generated by {0} has failed, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}
5109	com.netiq.iac.server.rest.RemediationServiceHelper		Workflow request is started by {0}, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, userUniqueid "{6}", workflowRequestid "{7}"
5110	com.netiq.iac.server.rest.RemediationServiceHelper		Workflow request started by {0} has failed, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, userUniqueid "{6}", workflow request status "{7}"
5111	com.netiq.iac.server.rest.RemediationServiceHelper		Workflow requests are started by {0}, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, items {6}, successful {7}, failed {8}
5112	com.netiq.iac.server.rest.RemediationServiceHelper		Remediation is requested by {0}, 0 items are detected, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, remediation type "{6}"
5113	com.netiq.iac.persistence.service.DataCollectionCompareService		{0} items are resolved by {1}, all remediations are executed for the items, data policy "{2}", data policy uniqueId "{3}", dataPolicy criteria "{4}"
5114	com.netiq.iac.persistence.service.DataCollectionCompareService		{0} items are resolved manually by {1}, data policy "{2}", data policy uniqueId "{3}", dataPolicy criteria "{4}"
5115	com.netiq.iac.persistence.service.DataPolicyService		"{0}" event triggers detection for {1} data policies and controls, ids list {2}
5116	com.netiq.iac.persistence.service.DataCollectionCompareService		{0} items are resolved as do not match criteria by {1}, data policy "{2}", data policy uniqueId "{3}", dataPolicy criteria "{4}"
5117	com.netiq.iac.server.rest.RemediationServiceHelper		Remediation is requested by {0}, email is not sent, email recipients are not found, data policy "{1}", data policy uniqueId "{2}", dataPolicy criteria "{3}", remediation "{4}", remediationId {5}, remediation type "{6}"
5200	com.netiq.iac.server.rest.AuthzRolesRestService	getRolesUserIsMemberOf()	{0} retrieved roles a user is a member of
5201	com.netiq.iac.server.rest.AuthzRolesRestService	getAuthzRoleCounts()	{0} retrieved authorization role count
5202	com.netiq.iac.server.rest.AuthzRolesRestService	getAuthzRoles()	{0} retrieved authorization roles

### Audit Event Table

Event ID	Class	Method	Description
5203	com.netiq.iac.server.rest.AuthzRolesRestService	getAccessTokenUserAttributeMappings()	{0} retrieved access token user attribute mappings
5300	com.netiq.iac.server.rest.EntityCompositeService	getUsersAndGroups()	{0} retrieved users and groups
5301	com.netiq.iac.server.rest.EntityCompositeService	getSupervisorsAndGroups()	{0} retrieved supervisors and groups
5302	com.netiq.iac.server.rest.EntityCompositeService	getUsersGroupsAndServiceAccounts()	{0} retrieved users, groups, and service accounts
5303	com.netiq.iac.server.rest.EntityCompositeService	getServiceAccounts()	{0} retrieved service accounts
5304	com.netiq.iac.server.rest.EntityCompositeService	getUsersGroupsAndBusinessRoles()	{0} retrieved user, groups and business roles
5400	com.netiq.iac.server.rest.AutoResolutionRestService	getAutoResolutionPolicies()	{0} retrieved auto resolution policies
5401	com.netiq.iac.server.rest.AutoResolutionRestService	getAutoResolutionPolicy()	{0} retrieved auto resolution policy
5402	com.netiq.iac.server.rest.AutoResolutionRestService	createAutoResolutionPolicy()	{0} created auto resolution policy
5403	com.netiq.iac.server.rest.AutoResolutionRestService	updateAutoResolutionPolicy()	{0} updated auto resolution policy
5404	com.netiq.iac.server.rest.AutoResolutionRestService	deleteAutoResolutionPolicy()	{0} deleted auto resolution policy
5405	com.netiq.iac.server.rest.AutoResolutionRestService	bulkUpdateAutoResolutionPolicies()	{0} bulk updated auto resolution policies
5406	com.netiq.iac.server.rest.AutoResolutionRestService	bulkDeleteAutoResolutionPolicies()	{0} bulk deleted auto resolution policies
5407	com.netiq.iac.server.rest.AutoResolutionRestService	getAutoResolutions()	{0} retrieved auto resolutions
5408	com.netiq.iac.server.rest.AutoResolutionRestService	runAutoResolutionPolicies()	{0} bulk ran auto resolution policies
5409	com.netiq.iac.server.rest.AutoResolutionRestService	bulkDeleteAutoResolutions()	{0} bulk deleted auto resolution productions
5410	com.netiq.iac.server.rest.AutoResolutionRestService	getResolutionInconsistencies()	{0} retrieved inconsistencies detected by an auto resolution
5411	com.netiq.iac.server.rest.AutoResolutionRestService	autoRequestResources()	{0} downloaded inconsistencies detected by an auto resolution
5412	com.netiq.iac.server.rest.AutoResolutionRestService	startPoliciesDownload()	{0} downloaded auto resolution policies
6100	com.netiq.iac.server.rest.ScimRestService	createUser()	{0} created a user for a streaming identity source
6101	com.netiq.iac.server.rest.ScimRestService	modifyUser()	{0} updated a user for a streaming identity source
6102	com.netiq.iac.server.rest.ScimRestService	deleteUser()	{0} deleted a user for a streaming identity source
6103	com.netiq.iac.server.rest.ScimRestService	getUser()	{0} retrieved a user from a streaming identity source
6104	com.netiq.iac.server.rest.ScimRestService	getUsers()	{0} retrieved a list of users for streaming identity source
10000	com.netiq.iac.server.rest.BURoleService		Business role create
10001	com.netiq.iac.server.rest.ApprovalPolicyService		Business role approval policy create
10002	com.netiq.iac.server.rest.BURoleService		Business role modify
10002	com.netiq.iac.persistence.service.BusinessRoleService		Business role modify
10003	com.netiq.iac.server.rest.ApprovalPolicyService		Business role approval policy modify
10004	com.netiq.iac.persistence.service.BusinessRoleService		Business role modify metadata - owners, admins, approval policy
10005	com.netiq.iac.server.rest.BURoleServiceImportHelper		Business role import
10005	com.netiq.iac.server.rest.BURoleService		Business role import
10006	com.netiq.iac.server.rest.ApprovalPolicyService		Business role approval policy import
10007	com.netiq.iac.server.rest.RoleMiningService		Business role import
10008	com.netiq.iac.persistence.service.BusinessRoleService		Business role submit for approval

### Audit Event Table

Event ID	Class	Method	Description
10009	com.netiq.iac.persistence.service.BusinessRoleService		Business role approve
10010	com.netiq.iac.persistence.service.BusinessRoleService		Business role reject
10011	com.netiq.iac.persistence.service.BusinessRoleService		Business role publish
10012	com.netiq.iac.persistence.service.BusinessRoleService		Set managers for business role
10013	com.netiq.iac.persistence.service.BusinessRoleService		Set owners for business role
10014	com.netiq.iac.persistence.service.BusinessRoleService		Set fulfiller for business role
10015	com.netiq.iac.persistence.service.BusinessRoleService		Set approval policy for business role
10016	com.netiq.iac.persistence.service.EntityCategoryService		Set categories for business role
10017	com.netiq.iac.persistence.service.BusinessRoleService		Business role deactivate
10018	com.netiq.iac.persistence.service.BusinessRoleService		Business role delete
10019	com.netiq.iac.persistence.service.ApprovalPolicyBusinessRoleService		Business role approval policy delete
10020	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Added a member to a business role
10021	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Removed as a member of a business role role
10022	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Remove authorization of a permission from a member of business role role
10023	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Add authorization of a permission from a member of business role role
10024	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Remove authorization of a application from a member of business role role
10025	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Add authorization of a application from a member of business role role
10026	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Remove authorization of a technical role from a member of business role role
10027	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Add authorization of a technical role from a member of business role role
10028	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto grant a permission from a member of business role role
10029	com.netiq.iac.persistence.service.RequestAccessService		Access request resource
10030	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto revoke a permission from a member of business role role
10031	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto grant a application from a member of business role role
10032	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto revoke a application from a member of business role role
10033	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto grant a technical role from a member of business role role
10034	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Auto revoke a technical role from a member of business role role

## Audit Event Table

Event ID	Class	Method	Description
10035	com.netiq.iac.persistence.service.InconsistencyDetectionRun	ner	Perform a business role inconsistency detection
10036	com.netiq.iac.persistence.service.AutoRequestRunner		Resolve business role auto-grant/revoke inconsistencies
10037	com.netiq.iac.server.rest.SoDService		SoD policy create
10038	com.netiq.iac.server.rest.SoDService		SoD policy modify
10039	com.netiq.iac.server.rest.SoDService		SoD policy activate
10040	com.netiq.iac.server.rest.SoDService		SoD policy deactivate
10041	com.netiq.iac.server.rest.SoDService		Set owners for SoD policy
10042	com.netiq.iac.persistence.service.SodApprovalPolicyService		Assign approval policy for SoD policy
10043	com.netiq.iac.persistence.service.SodApprovalPolicyService		Unassign approval policy for SoD policy
10044	com.netiq.iac.server.rest.SoDService		SoD policy import
10044	com.netiq.iac.server.rest.SoDServiceHelper		SoD policy import
10045	com.netiq.iac.persistence.service.SoDPolicyService		SoD policy delete
10046	com.netiq.iac.server.rest.SodApprovalPolicyRestService		SoD approval policy create
10047	com.netiq.iac.server.rest.SodApprovalPolicyRestService		SoD approval policy modify
10048	com.netiq.iac.server.rest.SodApprovalPolicyRestService		SoD approval policy import
10048	com.netiq.iac.server.rest.SodApprovalServiceHelper		SoD approval policy import
10049	com.netiq.iac.persistence.service.SodApprovalPolicyService		SoD approval policy - set as default
10050	com.netiq.iac.persistence.service.SodApprovalPolicyService		SoD approval policy - unset as default
10051	com.netiq.iac.server.rest.SodApprovalPolicyRestService		SoD approval policy delete
10052	com.netiq.iac.persistence.service.RolePolicyService		Technical role create
10053	com.netiq.iac.persistence.service.RolePolicyService		Technical role modify
10054	com.netiq.iac.server.rest.RoleService		Technical role activate
10055	com.netiq.iac.server.rest.RoleService		Technical role deactivate
10056	com.netiq.iac.persistence.service.rtc.ProvisioningService		Technical role assigned
10056	com.netiq.iac.persistence.service.RolePolicyService		Technical role assigned
10056	com.netiq.iac.persistence.service.RequestAccessService		Technical role assigned
10057	com.netiq.iac.persistence.service.rtc.ProvisioningService		Technical role unassigned
10057	com.netiq.iac.persistence.service.RolePolicyService		Technical role unassigned
10057	com.netiq.iac.persistence.service.RequestAccessService		Technical role unassigned
10057	com.netiq.iac.persistence.detection.DetectRoleUsers		Technical role unassigned
10058	com.netiq.iac.persistence.service.RolePolicyService		Technical role promote detected to assigned
10059	com.netiq.iac.server.rest.download.backuprestore.RolePolicy	BackupRestore	Technical role import
10059	com.netiq.iac.server.rest.RoleService		Technical role import
10059	com.netiq.iac.server.rest.RoleServiceHelper		Technical role import
10060	com.netiq.iac.server.rest.mining.MiningService		Technical role mine

### Audit Event Table

Event ID	Class	Method	Description
10061	com.netiq.iac.server.rest.RoleService		Technical role set owner
10062	com.netiq.iac.persistence.service.RolePolicyService		Technical role delete
10063	com.netiq.iac.persistence.service.EntityCategoryService		Set categories for technical role
10064	com.netiq.iac.persistence.detection.DetectRoleUsers		Added as a detected member of a technical role
10065	com.netiq.iac.persistence.detection.DetectRoleUsers		Removed as a detected member of a technical role
10066	com.netiq.iac.server.rest.AccessRequestPolicyRestService		Access request policy create
10067	com.netiq.iac.server.rest.AccessRequestPolicyRestService		Access request policy modify
10068	com.netiq.iac.persistence.service.AccessRequestPolicyService		Access request policy add/remove resources
10069	com.netiq.iac.server.rest.AccessRequestServiceHelper		Access request policy import
10069	com.netiq.iac.server.rest.AccessRequestPolicyRestService		Access request policy import
10070	com.netiq.iac.persistence.service.AccessRequestPolicyService		Access request policy delete
10071	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService		Access request approval policy create
10072	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService		Access request approval policy modify
10073	com.netiq.iac.persistence.service.AccessRequestApprovalPolicyService		Access request approval policy update resources
10074	com.netiq.iac.persistence.service.AccessRequestApprovalPolicyService		Access request approval policy delete
10075	com.netiq.iac.persistence.service.AccessRequestApprovalPolicyService		Access request approval policy - set role level approval
10076	com.netiq.iac.persistence.service.AccessRequestApprovalPolicyService		Access request approval policy - unset role level approval
10077	com.netiq.iac.server.rest.AccessRequestApprovalPolicyRestService		Access request approval policy import
10077	com.netiq.iac.server.rest.AccessRequestApprovalServiceHelper		Access request approval policy import
10078	com.netiq.iac.server.rest.analyze.BURoleAnalysisService		Business role analysis
10079	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Send notification
10081	com.netiq.iac.persistence.service.EntityCategoryService		Set categories for an application
10082	com.netiq.iac.persistence.service.cum.DataCollectionConfigService		Application create
10083	com.netiq.iac.persistence.service.cum.DataCollectionConfigService		Application modify
10084	com.netiq.iac.server.rest.DataApplicationsService		Application modify attributes
10085	com.netiq.iac.server.rest.DataApplicationsService		Application modify fulfillment configuration

## Audit Event Table

Event ID	Class	Method	Description
10086	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Application delete
10087	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Application definition source create
10088	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Application definition source modify
10089	com.netiq.iac.server.rest.DataApplicationsService		Application definition source modify attributes
10090	com.netiq.iac.server.rest.DataApplicationsService		Application definition source modify fulfillment configuration
10091	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Application definition source delete
10092	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Identity source create
10093	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Identity source modify
10094	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Identity source delete
10095	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Data collector create
10096	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Data collector modify
10097	com.netiq.iac.server.rest.CollectorService		Data collector modify RTC polling
10098	com.netiq.iac.persistence.service.cum.DataCollectionConfig Service		Data collector delete
10099	com.netiq.iac.persistence.service.UnificationService		Unification configuration modify
10100	com.netiq.iac.persistence.service.EntityCategoryService		Set categories on an entity
10101	com.netiq.iac.persistence.service.RequestAccessService		Access request item approved decision
10102	com.netiq.iac.persistence.service.RequestAccessService		Access request item tentative approved decision
10103	com.netiq.iac.persistence.service.RequestAccessService		Access request item denied decision
10104	com.netiq.iac.persistence.service.RequestAccessService		Access request item tentative denied decision
10105	com.netiq.iac.persistence.service.RequestAccessService		Access request item retracted decision
10107	com.netiq.iac.persistence.service.RequestAccessService		Access request item no decision
10108	com.netiq.iac.persistence.service.SoDPolicyService		SoD Case Action Approve
10109	com.netiq.iac.persistence.service.SoDPolicyService		SoD Case Action Resolve
10110	com.netiq.iac.persistence.service.SoDPolicyService		SoD Case Action Closed
10111	com.netiq.iac.persistence.service.SoDPolicyService		SoD Case Action Restart Approval Process
10111	com.netiq.iac.persistence.service.SodApprovalPolicyService		SoD Case Action Restart Approval Process
10112	com.netiq.iac.persistence.service.SoDPolicyService		SoD Case Escalation
10113	com.netiq.iac.persistence.service.SodApprovalPolicyService		Add SoD Case step approver
10114	com.netiq.iac.persistence.detection.DetectSodViolations		SoD violation

## Audit Event Table

Event ID	Class	Method	Description
10115	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Potential SoD Violation
10115	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Potential SoD Violation
10116	com.netiq.iac.persistence.service.SodApprovalPolicyService		Add a potential SoD step approver
10119	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Potential SoD violation escalation
10120	com.netiq.iac.server.rest.AuthService		Assign a global authorization role
10120	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Assign a global authorization role
10121	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Assign a runtime authorization role
10122	com.netiq.iac.server.rest.AuthService		Remove global authorization role
10122	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Remove global authorization role
10123	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Remove runtime authorization role
10124	com.netiq.iac.server.rest.DataPolicyServiceHelper		Data policy import
10124	com.netiq.iac.server.rest.DataPolicyService		Data policy import
10125	com.netiq.iac.server.rest.DataPolicyService		Data policy delete
10126	com.netiq.iac.server.rest.DataPolicyService		Data policy modify
10127	com.netiq.iac.server.rest.CertPolicyServiceHelper		Certification policy import
10127	com.netiq.iac.server.rest.CertificationPolicyService		Certification policy import
10128	com.netiq.iac.server.rest.CertificationPolicyService		Certification policy delete
10129	com.netiq.iac.server.rest.CertificationPolicyService		Certification policy modify
10130	com.netiq.iac.server.rest.CertificationPolicyService		Certification policy create
10131	com.netiq.iac.persistence.service.CertificationPolicyService		Certification policy administrator add
10132	com.netiq.iac.persistence.service.CertificationPolicyService		Certification policy administrator remove
10133	com.netiq.iac.server.rest.RemediationService		Remediation delete
10134	com.netiq.iac.server.rest.RemediationService		Remediation modify
10135	com.netiq.iac.server.rest.RemediationService		Remediation create
10136	com.netiq.iac.server.rest.RemediationServiceHelper		Remediation run
10137	com.netiq.iac.persistence.service.DataCollectionCompareService		Data policy violation resolve
10138	com.netiq.iac.persistence.service.DataCollectionCompareService		Data policy violation detected
10139	com.netiq.iac.persistence.service.JobScheduleService		Collection schedule create
10140	com.netiq.iac.persistence.service.JobScheduleService		Collection schedule modify
10141	com.netiq.iac.persistence.service.JobScheduleService		Collection schedule delete
10142	com.netiq.iac.persistence.service.JobScheduleService		Review schedule create
10143	com.netiq.iac.persistence.service.JobScheduleService		Review schedule modify
10144	com.netiq.iac.persistence.service.JobScheduleService		Review schedule delete
10145	com.netiq.iac.persistence.service.JobScheduleService		Risk calculation schedule create

## Audit Event Table

Event ID	Class	Method	Description
10146	com.netiq.iac.persistence.service.JobScheduleService		Risk calculation schedule modify
10147	com.netiq.iac.persistence.service.JobScheduleService		Risk calculation schedule delete
10149	com.netiq.iac.persistence.service.JobScheduleService		Certification policy calculation schedule modify
10150	com.netiq.iac.persistence.service.JobScheduleService		Certification policy calculation schedule delete
10151	com.netiq.iac.persistence.service.JobScheduleService		Data policy calculation schedule create
10152	com.netiq.iac.persistence.service.JobScheduleService		Data policy calculation schedule modify
10153	com.netiq.iac.persistence.service.JobScheduleService		Data policy calculation schedule delete
10154	com.netiq.iac.persistence.service.JobScheduleService		General schedule create
10155	com.netiq.iac.persistence.service.JobScheduleService		General schedule modify
10156	com.netiq.iac.persistence.service.JobScheduleService		General schedule delete
10157	com.netiq.iac.persistence.service.ReviewService		Reviewer certifies a review item
10158	com.netiq.iac.persistence.service.ReviewService		Reviewer overrides a review item
10159	com.netiq.iac.persistence.service.ReviewService		Reassign a reviewer's item
10160	com.netiq.iac.persistence.service.ReviewService		Approve review items
10161	com.netiq.iac.persistence.service.ReviewService		Update review instance
10162	com.netiq.iac.persistence.service.ReviewService		Update status of running review
10163	com.netiq.iac.persistence.service.ReviewService		Update review definition
10164	com.netiq.iac.persistence.service.ReviewService		Update a staged review
10165	com.netiq.iac.persistence.service.ReviewService		Start a review
10166	com.netiq.iac.persistence.service.ReviewService		Create review definition
10167	com.netiq.iac.persistence.service.ReviewService		Remove review definition
10168	com.netiq.iac.persistence.service.ReviewService		Activate review started in Preview mode – Go Live
10169	com.netiq.iac.persistence.verify.VerificationWorkerThread		Fulfillment verification of user or account based resource, such as permission assignment
10170	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment pending
10171	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment pending
10172	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment refused pending
10173	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment skipped
10174	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment reassigned
10175	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment timed out
10176	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment fulfilled
10177	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment fulfilled pending
10178	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual pending fulfillment undone
10179	com.netiq.iac.persistence.service.rtc.ProvisioningService		Manual fulfillment verification ignored
10180	com.netiq.iac.server.rest.DataPolicyService		Data policy create
10181	com.netiq.iac.persistence.service.BusinessRoleService		Assign as business role manager
10182	com.netiq.iac.persistence.service.BusinessRoleService		Unassign as business role manager
10183	com.netiq.iac.persistence.service.BusinessRoleService		Assign as business role owner
10184	com.netiq.iac.persistence.service.BusinessRoleService		Unassign as business role owner
10185	com.netiq.iac.persistence.service.BusinessRoleService		Assign as business role fulfiller
10186	com.netiq.iac.persistence.service.BusinessRoleService		Unassign as business role fulfiller

## Audit Event Table

Event ID	Class	Method	Description
10187	com.netiq.iac.server.rest.util.curation.PermissionAutoCuratio	n	Assign as permission owner
10187	com.netiq.iac.persistence.publish.MergeEntities		Assign as permission owner
10187	com.netiq.iac.persistence.cep.PermissionChangeEvent		Assign as permission owner
10188	com.netiq.iac.server.rest.util.curation.PermissionAutoCuratio	n	Unassign as permission owner
10188	com.netiq.iac.persistence.publish.MergeEntities		Unassign as permission owner
10188	com.netiq.iac.persistence.cep.PermissionChangeEvent		Unassign as permission owner
10189	com.netiq.iac.server.rest.util.curation.AccountAutoCuration		Assign as account custodian
10189	com.netiq.iac.persistence.publish.MergeEntities		Assign as account custodian
10189	com.netiq.iac.persistence.cep.AccountChangeEvent		Assign as account custodian
10190	com.netiq.iac.server.rest.util.curation.AccountAutoCuration		Unassign as account custodian
10190	com.netiq.iac.persistence.publish.MergeEntities		Unassign as account custodian
10190	com.netiq.iac.persistence.cep.AccountChangeEvent		Unassign as account custodian
10191	com.netiq.iac.server.rest.DataApplicationsService		Assign as application owner
10191	com.netiq.iac.persistence.publish.MergeEntities		Assign as application owner
10191	com.netiq.iac.persistence.cep.ApplicationChangeEvent		Assign as application owner
10192	com.netiq.iac.server.rest.DataApplicationsService		Unassign as application owner
10192	com.netiq.iac.persistence.publish.MergeEntities		Unassign as application owner
10192	com.netiq.iac.persistence.cep.ApplicationChangeEvent		Unassign as application owner
10193	com.netiq.iac.server.rest.DataApplicationsService		Assign as application administrator
10193	com.netiq.iac.persistence.publish.MergeEntities		Assign as application administrator
10194	com.netiq.iac.server.rest.DataApplicationsService		Unassign as application administrator
10194	com.netiq.iac.persistence.publish.MergeEntities		Unassign as application administrator
10195	com.netiq.iac.persistence.service.CertificationPolicyService		Certification policy violation resolve
10196	com.netiq.iac.persistence.service.CertificationPolicyService		Certification policy violation detected
10197	com.netiq.iac.server.rest.util.curation.UserAutoCuration		User curation
10198	com.netiq.iac.server.rest.util.curation.AccountAutoCuration		Account curation
10199	com.netiq.iac.server.rest.util.curation.PermissionAutoCuratio	n	Permission curation
10200	com.netiq.iac.persistence.service.EntityCategoryService		Category create
10201	com.netiq.iac.server.rest.download.backuprestore.EntityCate	goryBackupRestore	Category import
10201	com.netiq.iac.server.rest.EntityCategoryRestService		Category import
10202	com.netiq.iac.persistence.service.EntityCategoryService		Category modify
10203	com.netiq.iac.persistence.service.EntityCategoryService		Category delete
10204	com.netiq.iac.persistence.service.EntityCategoryService		Unset categories for business role

## Audit Event Table

Event ID	Class	Method	Description
10205	com.netiq.iac.persistence.service.EntityCategoryService		Unset categories for an application
10206	com.netiq.iac.persistence.service.EntityCategoryService		Unset categories on an entity
10207	com.netiq.iac.persistence.service.EntityCategoryService		Unset categories for technical role
10208	com.netiq.iac.persistence.riskScore.RiskScoreCalculation		Risk score calculation
10209	com.netiq.iac.server.rest.IdentitySourceService		Collect identity source
10210	com.netiq.iac.persistence.service.UnificationService		Publish identities
10211	com.netiq.iac.server.rest.ApplicationService		Collect application source
10211	com.netiq.iac.persistence.cep.CepService		Collect application source
10212	com.netiq.iac.persistence.service.ApplicationResolutionService		Publish application source
10212	com.netiq.iac.persistence.cep.CepService		Publish application source
10213	com.netiq.iac.persistence.cep.CepService		Apply changes application source
10214	com.netiq.iac.server.rest.ApplicationService		Collect application definition source
10214	com.netiq.iac.persistence.cep.CepService		Collect application definition source
10216	com.netiq.iac.persistence.cep.CepService		Apply changes application definition source
10217	com.netiq.iac.server.rest.EntityFilterRestService		Insight query create
10221	com.netiq.iac.persistence.service.MaintenanceService		Start maintenance
10222	com.netiq.iac.persistence.service.MaintScheduleService		Maintenance schedule create
10223	com.netiq.iac.server.rest.download.backuprestore.MaintenanceScheduleBackupRestore		Maintenance schedule modify
10223	com.netiq.iac.persistence.service.MaintScheduleService		Maintenance schedule modify
10224	com.netiq.iac.persistence.service.MaintScheduleService		Maintenance schedule delete
10225	com.netiq.iac.persistence.service.MaintScheduleService		Maintenance schedule activate
10226	com.netiq.iac.persistence.service.MaintScheduleService		Maintenance schedule deactivate
10227	com.netiq.iac.persistence.service.ArchiveService		Archive destination create
10228	com.netiq.iac.persistence.service.ArchiveService		Archive destination modify
10229	com.netiq.iac.persistence.service.ArchiveService		Archive destination delete
10230	com.netiq.iac.persistence.service.MetricsStoreService		Metrics data store create
10231	com.netiq.iac.persistence.service.MetricsStoreService		Metrics data store modify
10232	com.netiq.iac.persistence.service.MetricsStoreService		Metrics data store delete
10233	com.netiq.iac.persistence.dao.ara.FactBrokerDAO		Metric create
10234	com.netiq.iac.persistence.dao.ara.FactBrokerDAO		Metric modify
10235	com.netiq.iac.persistence.dao.ara.FactBrokerDAO		Metric delete
10236	com.netiq.iac.persistence.ops.analytics.FactCollectorManager		Metric schedule update
10236	com.netiq.iac.persistence.dao.ara.FactBrokerDAO		Metric schedule update
10237	com.netiq.iac.persistence.ops.analytics.FactCollectorManager		Metric collection activate
10238	com.netiq.iac.persistence.ops.analytics.FactCollectorManager		Metric collection deactivate
10239	com.netiq.iac.persistence.dao.ara.FactBrokerDAO		Metric collection start
10240	com.netiq.iac.server.rest.AdvisorFeedService		Bulk curation start

### Audit Event Table

Event ID	Class	Method	Description
10241	com.netiq.iac.server.rest.AdvisorFeedService		Bulk user curation start
10242	com.netiq.iac.server.rest.AdvisorFeedService		Bulk permission curation start
10243	com.netiq.iac.server.rest.AdvisorFeedService		Bulk account curation start
10244	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV approved decision
10245	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV tentative approved decision
10246	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV denied decision
10247	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV tentative denied decision
10250	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV no decision
10251	com.netiq.iac.persistence.service.ArchiveDisableEnableRun	ner	Archive disable
10252	com.netiq.iac.persistence.service.ArchiveDisableEnableRun	ner	Archive enable
10253	com.netiq.iac.server.rest.SchemaService		Attribute definition create
10254	com.netiq.iac.server.rest.SchemaService		Attribute definition modify
10254	com.netiq.iac.server.rest.ReviewDefinitionService		Attribute definition modify
10254	com.netiq.iac.persistence.dao.ops.AttributeDefinitionDAO		Attribute definition modify
10255	com.netiq.iac.persistence.localization.AttributeDefinitionLocalizedLabelProvider		Attribute definition modify labels
10256	com.netiq.iac.server.rest.SchemaService		Attribute definition sync changes
10257	com.netiq.iac.persistence.ops.util.AttributeDefinitions		Attribute definition delete
10258	com.netiq.iac.server.rest.SchemaService		Attribute definition import create
10258	com.netiq.iac.server.rest.download.backuprestore.RiskConfigurationBackupRestore		Attribute definition import create
10259	com.netiq.iac.server.rest.SchemaService		Attribute definition import modify
10259	com.netiq.iac.server.rest.ReviewDefinitionService		Attribute definition import modify
10259	com.netiq.iac.server.rest.download.backuprestore.RiskConfigurationBackupRestore		Attribute definition import modify
10260	com.netiq.iac.server.rest.SchemaService		Attribute definition import sync changes
10261	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Advisor feed generation notification
10261	com.netiq.iac.persistence.advisorfeed.AdvisorFeedGenerationServiceThread		Advisor feed generation notification
10262	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Advisor feed curation notification
10262	com.netiq.iac.persistence.advisorfeed.AdvisorFeedCurationServiceThread		Advisor feed curation notification
10263	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		SoD violation approver notification
10263	com.netiq.iac.persistence.detection.DetectSodViolations		SoD violation approver notification

### Audit Event Table

Event ID	Class	Method	Description
10264	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Access request approver notification
10265	com.netiq.iac.server.rest.RequestService		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.service.SoDPolicyService		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Potential SoD violation approver notification
10265	com.netiq.iac.persistence.service.AutoResolutionResolver		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.service.AutoRequestRunner		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.service.RequestAccessService		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.detection.DetectBusinessRoleMembers		Potential SoD violation approver notification
10265	com.netiq.iac.persistence.detection.DetectSodViolations		Potential SoD violation approver notification
10266	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Potential SoD violation approver reminder notification
10267	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Potential SoD violation escalation reminder notification
10268	com.netiq.iac.persistence.service.RequestAccessServiceUtil	s	Access request approver reminder notification
10269	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Fulfillment error notification
10270	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Manual provisioning task reminder notification
10271	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		User losing permission notification
10272	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		External provisioning start failed notification
10273	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Manual provisioning task notification
10274	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Change set generation error notification
10275	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Workflow start reminder notification
10276	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Certification start reminder notification
10277	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Owner approval reminder notification
10278	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Auditor approval reminder notification
10279	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Owner approval notification

## Audit Event Table

Event ID	Class	Method	Description
10280	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Auditor approval notification
10281	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		Pending business role approval notification
10281	com.netiq.iac.persistence.service.ApprovalPolicyBusinessRoleService		Pending business role approval notification
10282	com.netiq.iac.server.rest.RemediationServiceHelper		Remediation notification
10283	com.netiq.iac.persistence.service.DelegateMappingService		Delegate mapping create
10284	com.netiq.iac.persistence.service.DelegateMappingService		Delegate mapping modify
10285	com.netiq.iac.persistence.service.DelegateMappingService		Delegate Mapping delete
10286	com.netiq.iac.persistence.service.DelegateMappingService		Delegate mapping activate
10287	com.netiq.iac.persistence.service.DelegateMappingService		Delegate mapping deactivate
10288	com.netiq.iac.server.rest.ConfigurationService		Configuration modify
10289	com.netiq.iac.persistence.service.DataPolicyService		Data Policy detection start
10290	com.netiq.iac.persistence.service.CertificationPolicyService		Certification Policy calculation start
10291	com.netiq.iac.server.rest.CoverageMapService		Coverage map modify
10292	com.netiq.iac.server.rest.CoverageMapService		Coverage map create
10293	com.netiq.iac.server.rest.CoverageMapService		Coverage map delete
10294	com.netiq.iac.server.rest.CoverageMapService		Coverage map import
10294	com.netiq.iac.server.rest.ReviewDefinitionServiceHelper		Coverage map import
10294	com.netiq.iac.server.rest.AccessRequestApprovalServiceHelper		Coverage map import
10295	com.netiq.iac.persistence.service.DashboardService		Dashboard widget modify
10296	com.netiq.iac.persistence.service.DashboardService		Dashboard widget create
10297	com.netiq.iac.persistence.service.DashboardService		Dashboard widget delete
10298	com.netiq.iac.persistence.service.DashboardService		Dashboard modify
10299	com.netiq.iac.persistence.service.DashboardService		Dashboard create
10300	com.netiq.iac.persistence.service.DashboardService		Dashboard delete
10301	com.netiq.iac.persistence.service.cum.DataCollectionConfigService		Data Source Connection modify
10302	com.netiq.iac.persistence.service.cum.DataCollectionConfigService		Data Source Connection create
10303	com.netiq.iac.persistence.service.cum.DataCollectionConfigService		Data Source Connection delete
10304	com.netiq.iac.server.rest.AgentService		Data Center modify
10305	com.netiq.iac.server.rest.AgentService		Data Center create

## Audit Event Table

Event ID	Class	Method	Description
	com.netiq.iac.persistence.service.cum.DataCollectionConfig		
10306	Service		Data Center delete
10307	com.netiq.iac.server.rest.AgentService		Data Center import
10308	com.netiq.iac.server.rest.EmailService		Send group email
10309	com.netiq.iac.server.rest.EmailService		Send user email
10310	com.netiq.iac.persistence.task.DataProductionUtil		Email application publication failed
10311	com.netiq.iac.persistence.task.DataProductionUtil		Email identity publication failed
10312	com.netiq.iac.persistence.task.DataProductionUtil		Email data source collection failed
10313	com.netiq.iac.server.dtp.ReviewTaskStartThread		Email review start error
	com.netiq.iac.persistence.service.util.impl.ReviewNotification		
10314	Job		Email review preview
	com.netiq.iac.persistence.service.util.impl.ReviewNotification		
10315	Job		Email review error
	com.netiq.iac.persistence.service.util.impl.WorkflowInterface		
10316	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review termination
10317	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review start
10318	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email before review expire
10319	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email start reviewer task
10320	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email before reviewer task expire
10321	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email after reviewer task expire
10322	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email reviewer task reassign
10323	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email start review owner approval task
10324	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email start review auditor task
10325	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email before review auditor task expire
10326	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review change
10327	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review auto provisioning start error
10328	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review external provisioning start error
10329	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review certification start error
10330	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review change set generation error
10331	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review complete
10332	com.netiq.iac.persistence.spi.util.ReviewNotificationEvent		Email review preview start
10333	com.netiq.iac.persistence.service.ReviewService		Terminate running review
10334	com.netiq.iac.persistence.service.ReviewService		Approve and complete running review
10335	com.netiq.iac.persistence.service.ReviewService		Partial approval of running review
10338	com.netiq.iac.persistence.service.ReviewService		Review Definition import
	com.netiq.iac.persistence.service.cum.DataCollectionConfig		
10339	Service		Fulfillment target create
	com.netiq.iac.persistence.service.cum.DataCollectionConfig		
10340	Service		Fulfillment target modify
	com.netiq.iac.persistence.service.cum.DataCollectionConfig		
10341	Service		Fulfillment target delete

## Audit Event Table

Event ID	Class	Method	Description
10342	com.netiq.iac.persistence.service.EntityCategoryService		Set categories for a permission
10343	com.netiq.iac.persistence.service.EntityCategoryService		Unset categories for a permission
10344	com.netiq.iac.persistence.service.RequestAccessService		Business role assigned
10345	com.netiq.iac.persistence.service.RequestAccessService		Business Role unassigned
10346	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Service account create
10347	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Service account modify
10348	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Service account delete
10349	com.netiq.iac.persistence.service.RequestAccessService		Access request revoke resource
10350	com.netiq.iac.persistence.service.RequestAccessService		Access request expire resource
10351	com.netiq.iac.persistence.service.RequestAccessService		Expiration request was overridden
10352	com.netiq.iac.persistence.service.RequestAccessService		Expiration request was retracted
10353	com.netiq.iac.persistence.service.RequestAccessServiceUtil		Access request was retracted because it was already expired
10353	com.netiq.iac.persistence.service.RequestAccessService		Access request was retracted because it was already expired
10354	com.netiq.iac.persistence.service.RequestAccessService		Access request item PSODV cleared
10355	com.netiq.iac.persistence.service.BusinessRoleService		Set authorization role for business role
10356	com.netiq.iac.persistence.service.BusinessRoleService		Unset authorization role for business role
10357	com.netiq.iac.server.rest.RoleService		Set authorization role for technical role
10358	com.netiq.iac.server.rest.RoleService		Unset authorization role for technical role
10359	com.netiq.iac.persistence.service.BusinessRoleService		Set business role requestable
10360	com.netiq.iac.persistence.service.BusinessRoleService		Unset business role requestable
10361	com.netiq.iac.persistence.service.BusinessRoleService		Modify inconsistency detection algorithm
10362	com.netiq.iac.persistence.service.BusinessRoleService		Inconsistency detection enable check potential
10363	com.netiq.iac.persistence.service.BusinessRoleService		Inconsistency detection disable check potential
10364	com.netiq.iac.server.rest.AutoResolutionRestService		Auto resolution policy create
10365	com.netiq.iac.server.rest.AutoResolutionRestService		Auto resolution policy modify
10366	com.netiq.iac.persistence.service.AutoResolutionService		Auto resolution policy delete
10367	com.netiq.iac.persistence.service.AutoResolutionService		Auto resolution policy activate
10368	com.netiq.iac.persistence.service.AutoResolutionService		Auto resolution policy deactivate
10369	com.netiq.iac.persistence.service.AutoResolutionService		Auto resolution policy run
10370	com.netiq.iac.persistence.service.AutoResolutionService		Auto resolution production delete
10371	com.netiq.iac.server.rest.download.backuprestore.BackupRestoreUtil		Import IGA configuration
10372	com.netiq.iac.server.rest.download.backuprestore.DelegationPolicyBackupRestore		Import delegation mappings
10373	com.netiq.iac.persistence.service.JobScheduleService		Schedule import
10374	com.netiq.iac.persistence.service.JobScheduleService		Collection schedule import
10375	com.netiq.iac.persistence.service.JobScheduleService		Review schedule import
10376	com.netiq.iac.persistence.service.JobScheduleService		Risk calculation schedule import
10377	com.netiq.iac.persistence.service.JobScheduleService		Certification policy calculation Schedule import
10378	com.netiq.iac.persistence.service.JobScheduleService		Data policy schedule import

### Audit Event Table

Event ID	Class	Method	Description
10379	com.netiq.iac.persistence.dao.ops.AuthorizationDAO		Import global authorization
10380	com.netiq.iac.persistence.cep.CepService		Cancel application collection
10381	com.netiq.iac.persistence.service.cum.DataCollectionService		Cancel application collector collection
10382	com.netiq.iac.persistence.service.ApplicationResolutionService		Cancel application publication
10382	com.netiq.iac.persistence.cep.CepService		Cancel application publication
10383	com.netiq.iac.persistence.cep.CepService		Cancel application apply changes
10385	com.netiq.iac.persistence.service.cum.DataCollectionService		Cancel application definition collector collection
10388	com.netiq.iac.persistence.service.cum.DataCollectionService		Cancel identity collector collection
10389	com.netiq.iac.persistence.service.UnificationService		Cancel identity publication
10390	com.netiq.iac.server.rest.download.backuprestore.AutoResolutionPolicyBackupRestore		Import auto resolution policy