

INFOConnect T27 Keystroke Quick Reference

Conventions: When you see a keystroke connected by a plus sign, as in CTRL+c, press and hold down the first key (CTRL), and then press the second key (c). For key sequences, as in CTRL q, press and release the first key (CTRL), and then press the second key (q).

Communication Functions

| Function | Keystroke |
|--|---|
| Align cursor to datacomm pointer | CTRL > |
| F1...F10 | CTRL+1...CTRL+0 |
| Local | F4 or Numpad / (Num Lock off) |
| PutETX | CTRL+z |
| Receive | F3 or Numpad * (Num Lock off) |
| Set mobile home | CTRL HOME |
| SHIFT F1...SHIFT F10 | CTRL+SHIFT+1...CTRL+SHIFT+0 |
| Specify | F5 |
| Transmit data digits and cursor location | CTRL <i>data digits</i> Specify |
| Transmit data digits | CTRL <i>data digits</i> Transmit |
| Transmit | F2 or Numpad + (plus sign) (Num Lock off) |
| Transmit line | CTRL+F2 or Numpad - (minus sign) (Num Lock off) |

Cursor Movement Functions

| Function | Keystroke |
|---|---------------------|
| Backspace | BACKSPACE |
| Carriage return | ENTER |
| Clear all variable tabs | CTRL o |
| Clear screen and move cursor home | SHIFT+HOME |
| Line feed | CTRL h ENTER |
| Move cursor down | DOWN ARROW |
| Move cursor home | HOME |
| Move cursor left | LEFT ARROW |
| Move cursor one word left | CTRL+LEFT ARROW |
| Move cursor one word right | CTRL+RIGHT ARROW |
| Move cursor right | RIGHT ARROW |
| Move cursor to ASCII column <i>c</i> , row <i>r</i> | CTRL < <i>c r</i> |
| Move cursor to end of line | CTRL+END |
| Move cursor to end of page | END |
| Move cursor to hex column <i>xx</i> , row <i>yy</i> | CTRL @ <i>xx yy</i> |
| Move cursor up | UP ARROW |
| Move to next tab | TAB |
| Move to previous tab | SHIFT+TAB |
| Page down | PGDN |
| Page up | PGUP |
| Roll page down | CTRL m |
| Roll page up | CTRL n |
| Variable tab (toggle) | CTRL p |

Editing Functions

| Function | Keystroke |
|-----------------------------------|-------------------|
| Bound (the end of some data) | CTRL+b |
| Clear to end of line | CTRL+DELETE |
| Clear to end of page | CTRL+SHIFT+DELETE |
| Copy to clipboard | CTRL+c |
| Cut to clipboard | CTRL+x |
| Delete character from line | DELETE |
| Delete character from page | CTRL DELETE |
| Delete line | CTRL+d |
| Exchange line with line above | CTRL v |
| Exchange line with line below | CTRL b |
| Insert character in line | INSERT |
| Insert character in page | CTRL INSERT |
| Insert line | CTRL+i |
| Mark (the beginning of some data) | CTRL+m |
| Paste from clipboard | CTRL+v |
| Recall | CTRL+r |
| Store | CTRL+s |

Search Functions

| Function | Keystroke |
|--|-----------------|
| Specify a character (<i>x</i>) to search for | CTRL e <i>x</i> |
| Start search mode | CTRL a |
| Activate the search | CTRL TAB |
| Stop search mode | CTRL s |

Miscellaneous Function Keys

| Function | Keystroke |
|---------------------------------|-----------------|
| Disable forms mode | CTRL q |
| Disable lower case | CTRL y |
| Display ASCII character set | CTRL SPACEBAR c |
| Display InterCom version number | CTRL SPACEBAR v |
| Enable forms mode | CTRL w |
| Enable lower case | CTRL t |
| Enable/Disable alarm bell | CTRL ? |
| Restart terminal | CTRL SPACEBAR d |

© 2001-2011 Attachmate Corporation. All rights reserved. Printed in the United States of America. InterCom is a trademark of Attachmate Corporation. INFOConnect is a trademark of Unisys Corporation.