Design and Implementation of the Portable Object Adapter for a Real-time ORB

Irfan Pyarali
irfan@cs.wustl.edu

Washington University, St. Louis
www.cs.wustl.edu/∼irfan

Advisor: Dr. Douglas C. Schmidt

January 18, 2000

Outline of Presentation



- Research Contributions
- CORBA Architecture
- Object Adapter
- Portable Object Adapter
  - Design Goals
  - Architecture
  - Real-time features
- Concluding Remarks

CORBA Architecture



- **Goals of CORBA**
  - Simplify distribution by automating
    - Object location and activation
    - Parameter marshaling
    - Demultiplexing
    - Error handling
  - Provide foundation for higher-level services

Research Contributions



- Design and implement the POA specification
- Adapt the POA for TAO, our real-time ORB
  - Minimize locking
  - Optimize demultiplexing and dispatching
  - Provide predictable behavior

Object Adapter



- **Functionality**
  - Request demultiplexing
  - Operation dispatching
  - Object reference generation
  - Servant activation and deactivation

Interoperable Object Reference (IOR)



URL format

Overview of the Portable Object Adapter (POA)

- Basic Object Adapter (BOA) begone!
  - Abandon by OMG due to lack of specificity
  - No longer publishes BOA specs
- POA is a *portable* Object Adapter
  - *i.e.*, servants are portable between different ORB implementations
- Standardized skeleton classes
- Standardized interactions between servants and object adapter
  - POA interface is defined in IDL

POA Design Goals

- Portability
- Persistent Identity
  - *e.g.*, database objects
- Automation
  - Transparent activation of servants and objects
- Conserving Resources
  - Single servant supports multiple objects
- Nested POAs
- Flexibility
  - Lifetime of objects and servants
  - User defined Object Ids
- POA behavior governed by policies
- SSI and DSI support

POA Architecture



POA Manager Processing States



- **States**
  - Active
    - Process requests
  - Holding
    - Queue requests
  - Discarding
    - Discard requests
  - Inactive
    - Shuting down

POA Architecture in UML



POA Policies

1. Threading
2. Servant Retention
3. Request Processing
4. Implicit Activation
5. Object Id Uniqueness
6. Lifespan
7. Object Id Assignment

The ACE ORB (TAO)



- **TAO Overview**
  - A high-performance, real-time ORB
    - Telecom and avionics focus
  - Leverages the ACE framework
    - Runs on RTOSs, POSIX, and Win32

POA Features for TAO

1. De-layered demultiplexing
2. POA Active Object tables
3. Different ORB Core and POA configurations
4. POA synchronization
5. Upcall optimization
6. Collocation classes
7. Predictability

De-layered Demultiplexing



- **Consequences**
  - O(1) lookups
  - User specified Ids not allowed

POA Active Object Table Strategies



- **Features**
  - Strategy pattern
  - Extensible design

POA-per-ORB configuration



- **Benefits**
  - No synchronization in POA
    - Only accessed by one thread
- **Drawbacks**
  - Complicated servant registration
    - Servants must register with multiple POAs

Global POA Configuration



- **Drawbacks**
  - Synchronization required in POA
    - Accessed by multiple threads
- **Benefits**
  - Simple servant registration
    - Servants register with one POA

POA Synchronization

- Certain ORB configurations don't require synchronization in POA
  - If only one thread uses the POA
  - If the POA state does not changed during run-time
    - Servants and servant managers are registered at startup
- Control synchronization by using a TAO specific POA creation policy:

```
// IDL
enum SynchronizationPolicyValue
{
  NULL_LOCK, THREAD_LOCK, DEFAULT_LOCK
};

interface SynchronizationPolicy : CORBA::Policy
{
  readonly attribute SynchronizationPolicyValue value;
};

SynchronizationPolicy
  create_synchronization_policy (in SynchronizationPolicyValue value);
```


Class Hierarchy of POA Locks



- **Features**
  - External Polymorphism pattern
  - Extensible design