

---

# Additional License Authorizations

For Network Operations Management software products

## Additional License Authorizations

For Network Operations Management software products

This Additional License Authorizations document (“ALA”) set forth the applicable License Options and additional specific software license terms that govern the authorized use of the software products specified below, and are part of the applicable agreement (i.e., Micro Focus End User License Agreement; and/or any separate agreement that grants Licensee a license to such products (e.g., Customer Portfolio Terms or other Master Agreement); and/or Quotation) (the “Applicable Agreement”). Capitalized terms used but not defined herein shall have the meanings set forth in the Applicable Agreement.

## Products and suites covered

Products	E-LTU or E-Media available*	Non-production use category (Perpetual and subscription License) **	Term License Non-production use category (if available) **
Intelligent Management Center for Network Node Manager i	Yes	Class 1	Class 3
Network Automation (NA)	Yes	Class 2 ***	Class 3
Network Automation Premium Edition	Yes	Class 1	Class 3
Network Automation Ultimate Edition	Yes	Class 1	Class 3
Network Node Manager i (NNMi)	Yes	Class 2	Class 3
Network Node Manager i Advanced	Yes	Class 2	Class 3
Network Node Manager i Premium Edition	Yes	Class 1	Class 3
Network Node Manager i Ultimate Edition	Yes	Class 1	Class 3
Network Node Manager i Smart Plug-in for IP Telephony	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in for MPLS	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in for IP Multicast	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in for Network	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in for Performance	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in Network Engineering Toolset	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in Performance for Metrics	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in Performance for Traffic	Yes	Class 2	Class 3
Network Node Manager i Smart Plug-in Performance for Quality Assurance	Yes	Class 2	Class 3
Network Node Manager i Integration Enablement	Yes	Class 2	Class 3
Network Node Manager i Integration Module for NetCool	Yes	Class 2	Class 3
Network Node Manager i Software Developer Toolkit	Yes	Class 2	Class 3

## Additional License Authorizations

For Network Operations Management software products

Suites	E-LTU or E-Media available*	Non-production use category (Perpetual and subscription License)**	Term License Non-production use category (if available) **
Network Operations Management (NOM) Suite Express Edition	Yes	Class 1	Class 3
Network Operations Management (NOM) Suite Premium Edition	Yes	Class 1	Class 3
Network Operations Management (NOM) Suite Ultimate Edition	Yes	Class 1	Class 3

\* Any product sold as E-LTU or E-Media shall be delivered electronically regardless of any contrary designation in a purchase order.

\*\* Additional licenses solely for non-production use may be available as specified in the Non-Production Licensing Guide found at [software.microfocus.com/legal/software-licensing](http://software.microfocus.com/legal/software-licensing) depending on the non-production software class specified above. Any such non-production licenses will be subject to the Non-Production Licensing Guide and the applicable License Option terms and conditions set forth in this ALA.

\*\*\* The Network Automation family of products which were generally available up until December 2009 are Class 1 products.

## Definitions

Term	Definition
Base Template	Means an amount of NNM iSPI Points required for specific NNM iSPIs to be operational at a basic level. The specific amount varies depending on the specific NNM iSPI. More NNM iSPI Points are required for these NNM iSPIs to be fully functional to provide services such as data collection and analysis.
Clustered Computer	Means a group of servers or other resources that act like a single system and enable high availability and in some cases, load balancing and parallel processing.
Core	Means the Server side component of software. Is typically complemented by an Agent component.
Device	Means an addressable entity, physical or virtual, including but not limited to router, switch, bridge, hub, server, PC, laptops, handheld device or printer that resides within the range defined for interrogation and asset tracking.
Global Network Management (GNM)	Means an NNMi environment of multiple NNMi Management Stations, where at least one NNMi Global Manager is receiving information from one or more NNMi Regional Managers.
Instance	Means each implementation of the application installed on a Server.
IP Phone	Means a dedicated network Device that converts voice into Internet Protocol ("IP") packets for telephone service, and are discovered through a Voice over Internet Protocol ("VoIP") call controller.
Mesh	Means a collection of two or more NA Cores that are replicating data with each other.
NA Node	Means a managed Device (module) that has its own configuration for the purpose of being managed by Network Automation. Note: Network network Devices and Nodes nodes are not always the same thing e.g. a switch (one Network Device) may have three nodes: one switching card, one routing card and one backup routing card.
Network Automation (NA) Horizontal Scalability	Means two or more NA Cores connected as a Mesh to a common database.
Network Automation (NA) MultiMaster	Means two or more NA Cores connected as a Mesh each with their own dedicated database.
NNMi Global Manager	Means a NNMi Management Station which functions in the role of receiving and consolidating information from one or more NNMi Regional Manager(s).
NNM iSPI Node	Means the collection of network interfaces that the NNMi Management Station software can pragmatically associate together for the purpose of being managed by NNMi Smart Plug-Ins.
NNM iSPI Point	Means a Base Template or metric you can manage by NNMi Smart Plug-Ins.

## Additional License Authorizations

For Network Operations Management software products

Term	Definition
NNMi Management Station	Means the software component of the Network Node Manager i software product that constitutes the central entity, where all messages are received, processed, stored and forwarded to the operator GUI.
NNMi Node	Means a collection of network interfaces that the NNMi Management Station software can pragmatically associate together.
NNMi Regional Manager	Means a NNMi Management Station which supplies information to one or more NNMi Global Managers.
NOM Endpoint Node	Means Server Operating System Instance (OSI), Ping-Only device, vSwitch or IP Phone which can be discretely monitored but not configured by the Network Operations Management Suite.
NOM Node	Means a discovered network element which can be discretely configured or monitored for the purpose of being managed by Network Operations Management Suite.
Non-SNMP enabled Virtual Machines	Means OS images hosted on a hypervisor that do not implement a Simple Network Management Protocol ("SNMP") management agent, and are discovered through an exposed API on the hypervisor.
Operating System Instance or OS Inst or OSI	Means each implementation of the bootable program that can be installed onto a physical system or a partition, such as system virtual machines, virtual environments, virtual private servers, containers, guests and zones within the physical system. A physical system can contain multiple Operating System Instances. A container means a system partition based on software rather than hardware. Guests means a VM system running on a host system where the host runs its own complete OS Instance (as opposed to a hypervisor), like VMware Workstation. Zone means Oracle/Sun Solaris specific nomenclature for a software partition which can run a virtual OS instance including but not limited to Sparse, native, and ipkg.
Ping-only Devices	Means non-snmp network Devices that are only monitored for reachability via internet control message protocol (ICMP).
Points	Means the numerical tracking system representing the total number of metrics you are authorized to execute.
QA Probe	Means an agent based probe which generates specific type of network traffic in a continuous, reliable, and predictable manner for measuring end to end network performance like jitter, latency and packet loss.
Satellite	Means gateway software that interoperates with a standard Core or a Non-Production Core.
Server	Means any designated computer system in which an Instance or Instances of the software is installed.
vSwitch	Means a software application that allows communication between virtual machines.

## License Options

The following License Options are the types of licenses available for a given software product as further specified in this ALA. The applicable License Option for a license shall be as set forth in the Applicable Agreement or Product Order. Those products with only one License Option available shall be governed by such License Option whether or not stated in the Applicable Agreement or Product Order unless otherwise agreed in writing between Licensee and Licensor.

### NA Core License

Licensed Software provided under this License Option gives Licensee the right to install or access the Licensed Software on the Server side component of software. An NA Core License must be used together with a separate set of NA Node Licenses.

### NA Node License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software with a managed Device (module) that has its own configuration for the purpose of being managed by Network Automation. Note: Network Devices and nodes are not always the same thing e.g. a switch (one Network Device) may have three nodes: one switching card, one routing card and one backup routing card.

## Additional License Authorizations

For Network Operations Management software products

---

### NA Satellite License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software to interoperate with a Network Automation Server.

### NNM iSPI Node License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software with a collection of network interfaces that the NNMi Management Station software can pragmatically associate together for the purpose of being managed by NNMi Smart Plug-Ins.

### NNM iSPI Points License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software with the Base Templates and metrics further specified below for the purpose of being managed by NNMi Smart Plug-Ins.

### NNMi Node License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software with a collection of network interfaces that the NNMi Management Station software can pragmatically associate together.

### Operations Bridge Reporter Node or OBR Node License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software with a real or virtual computer system, or a Device (for example printer, router or bridge) in a network for the purpose of reporting by Operations Bridge Reporter.

### NOM Unit License

Licensed Software provided under this License Option gives Licensee the right to install and use the Licensed Software on a rationalized unit of licensing that provides entitlement to multiple metrics in a pre-defined ratio. This licensing unit enables a customer to purchase entitlement as units and apply it to any of the underlying metrics defined by the unit. See software specific license terms below for the Network Operations Management Suite for more details.

## Software specific license terms

### Intelligent Management Center for Network Node Manager i

Intelligent Management Center for Network Node Manager i is licensed by NNMi Node License. For the purposes of Intelligent Management Center for Network Node Manager i, a node is an NNMi Node. An Intelligent Management Center for Network Node Manager i software product is licensed for use on a single computer or Clustered Computer. The reference to NNMi Node reflects the number of NNMi Nodes that the Licensee may concurrently monitor. Intelligent Management Center for Network Node Manager i does not include Vertica.

### Network Automation, Network Automation Premium Edition, Network Automation Ultimate Edition

**Network Automation** purchased prior to December 2009 is licensed by NA Core License and by NA Node License. **Network Automation** purchased between December 2009 and December 2013 is licensed by NA Node License per Core. **Network Automation Premium Edition** and **Network Automation Ultimate Edition** are licensed by NA Node License. For the purposes of the Network Automation software products, a node means an NA Node. Network Automation Premium Edition licenses do not include policy compliance related features.

## Additional License Authorizations

For Network Operations Management software products

---

A license to version 2020.08 and later of Network Automation, Network Automation Premium Edition, and Network Automation Ultimate Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.

Only Licensees with active support contracts for Network Automation, Network Automation Premium Edition and Network Automation Ultimate Edition who have installed BSA Essentials reporting software prior to December 20, 2015, will be entitled to use BSA Essentials in conjunction with these Network Automation software products until the obsolescence dates for BSA Essentials posted on the Support link at [microfocus.com](http://microfocus.com).

A license to version 2020.02 and earlier of Network Automation, Network Automation Premium Edition and Network Automation Ultimate Edition includes the use of Operations Bridge Reporter Standard Edition (version 10.40 and prior) until the obsolescence date for Operations Bridge Reporter Standard Edition posted on the Support link at [microfocus.com](http://microfocus.com). Operations Bridge Reporter is licensed by OBR Node. Each OBR Node represents 10 NA Nodes and includes reporting, collection and customization for Network Automation reports only. This Operations Bridge Reporter Standard Edition License can only be used in conjunction with these Network Automation software products.

The software specific license terms below only apply to Network Automation NA Node Licenses purchased prior to December 2009, Network Automation Premium Edition NA Node Licenses, and Network Automation Ultimate Edition NA Node Licenses, i.e. class 1 products. The quantity of Network Automation NA Node Licenses purchased must be greater than or equal to the total number of nodes being managed. Each Network Automation Server managing nodes in a production environment must have NA Node Licenses. There is no license quantity restriction on the number of nodes configurable on a Network Automation Server. Consult the Network Automation product guide for specific node limits on the product due to hardware capacity constraints.

Duplicate copies of production NA Node Licenses are used on two or more NA Servers to enable use of either NA Horizontal Scalability or NA MultiMaster capabilities. NA Node Licenses must be used in equal quantities for each NA Server participating in NA Horizontal Scalability or NA MultiMaster. Network Automation purchased prior to December 2009 additionally requires NA Core Licenses for NA Horizontal Scalability or NA MultiMaster.

The software specific license terms below only apply to Network Automation NA Node Licenses purchased between December 2009 and December 2013, i.e. class 2 products, and not to Network Automation NA Node Licenses purchased prior to December 2009, Network Automation Premium Edition NA Node Licenses, and Network Automation Ultimate Edition NA Node Licenses, i.e. class 1 products. The quantity of Network Automation NA Node Licenses purchased must be greater than or equal to the total number of nodes being managed. Each Network Automation Server managing nodes in a production environment must have separate NA Node Licenses. There is no license quantity restriction on the number of nodes configurable on a Network Automation Server. Consult the Network Automation product guide for specific node limits on the product due to hardware capacity constraints.

Unique non-production NA Node Licenses are used on any additional NA Server beyond the first NA Server to enable use of either NA Horizontal Scalability or NA MultiMaster capabilities. Non-production NA Node Licenses must be used in equal quantities for each additional NA Server participating in NA Horizontal Scalability or NA MultiMaster as well as in equal quantities of NA Node Licenses used on the first NA Server.

Non-Production Dev Test Licenses require the previous purchase of the equivalent or greater production licenses. Support for Non-Production Dev Test Licenses is restricted to the period of and current status of the equivalent production license.

## Additional License Authorizations

For Network Operations Management software products

---

Production and Non-Production Node Licenses require the use of non-Micro Focus third party databases that are not included as part of the NA Node License.

A Network Automation Satellite License permits a separate Server to act as an intermediary point for sending and receiving Network Automation traffic to/from NA Nodes to the NA Server and also adds the ability to handle NA Nodes with duplicate IP addresses.

You shall install and use Network Automation only as a complete product and may not use portions of such software on a standalone basis separate from Network Automation.

## Network Node Manager i, Network Node Manager i Advanced, Network Node Manager i Premium Edition, Network Node Manager i Ultimate Edition

**Network Node Manager i** (also referred to as Network Node Manager i Standard), **Network Node Manager i Advanced**, **Network Node Manager i Premium Edition** and **Network Node Manager i Ultimate Edition** are licensed by NNMi Node License. For the purposes of the Network Node Manager i software products, a node means an NNMi Node. The Network Node Manager i software products are licensed for use on a single computer or Clustered Computer. NNMi Nodes are only counted by the local NNMi Management Station. If they are replicated to a remote NNMi Management Station, they do not count against the license of the remote NNMi Management Station.

A license to version 2020.08 and later of Network Node Manager i Premium Edition and Network Node Manager i Ultimate Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.

Network Node Manager i and Network Node Manager i Advanced Nodes are only licensed to customers who purchased such licenses prior to December 1, 2013; the software specific license terms below only apply to Network Node Manager i and Network Node Manager i Advanced and not to Network Node Manager i Premium Edition and Network Node Manager i Ultimate Edition. Network Node Manager i and Network Node Manager i Advanced do not include Vertica.

For clarification only, installing a Network Node Manager i software product on a Clustered Computer only requires the production NNMi Node License; a separate non-production NNMi Node License is not required.

A Network Node Manager i software product consists of three components for functionality: Management Station, nodes and Smart Plug-Ins. The reference to NNMi Node Licenses reflects the number of NNMi Nodes that you may concurrently monitor from the Management Station. Smart Plug-ins provide additional functionality to either NNMi or NNMi Advanced.

There are two types of Network Node Manager i Management Stations:

- **Network Node Manager i (Standard functionality at the NNMi Management Station)**

A Network Node Manager i software product NNMi Node License consists of two components: Management Station and nodes. While NNMi can enhance its functionality via the addition of NNMi Smart Plug-Ins, it has other limitations compared to NNM i Advanced, including the inability to function as a manager of other NNM i Management Stations (called Global Network Management).

## Additional License Authorizations

For Network Operations Management software products

### ▪ Network Node Manager i Advanced (Advanced functionality at the NNMi Management Station)

A Network Node Manager i Advanced software product NNMi Node License consists of two components: Management Station and nodes. NNMi Advanced has the unique ability to function as an NNMi Global Manager (GNM) within a Global Network Management environment. Any node that exists in an NNMi Global Manager as well as an associated NNMi Regional Manager will be counted by the NNMi Node License of both NNMi Management Stations. Additional NNMi Node Licenses, above what's required for local Management Stations, may need to be purchased to implement a GNM environment.

## Network Node Manager i Smart Plug-ins

Network Node Manager i Smart Plug-ins consist of additional functionality that comes with either Network Node Manager i Premium Edition or Network Node Manager i Ultimate Edition or is being licensed separately for Network Node Manager i and Network Node Manager i Advanced. Network Node Manager i Premium Edition does not include the following Smart Plug-ins: iSPI for IP Multicast, iSPI for IP Telephony, iSPI for MPLS, iSPI NET, and iSPI Performance for Traffic.

A license to version 2020.08 and later of each of the Network Node Manager i Smart Plug-ins includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.

Network Node Manager i Smart Plug-ins are licensed separately only to Licensees who purchased such licenses prior to December 1, 2013; the software specific license terms below only apply to licenses sold for use with Network Node Manager i and Network Node Manager i Advanced and not with Network Node Manager i Premium Edition and Network Node Manager i Ultimate Edition.

A Network Node Manager i Smart Plug-ins software product NNM iSPI Node License consists of nodes. For the purposes of the Network Node Manager i Smart Plug-in software products, a node means an NNMi Node. The reference to NNMi Node Licenses reflects the number of nodes that you may concurrently monitor from the Management Station.

A Network Node Manager i Smart Plug-ins software product NNM iSPI Point License consists of NNM iSPI Points. The reference to NNM iSPI Point Licenses reflects the number of NNM iSPI Points you may use to concurrently enable NNM iSPI Base Templates and monitor metrics from the Management Station.

NNM iSPI Node Licenses and NNM iSPI Point Licenses may be used to enable monitoring of the following network technologies, as per below:

Smart Plug-In	Covers
<b>NNM iSPI IP Telephony</b>	
Each NNM iSPI Telephony Base Template	1,000 NNM iSPI Points
Each IP Phone Node	1 NNM iSPI Point
Each IP Gateway Node	3 NNM iSPI Points
Each IP PBX/System Node	7 NNM iSPI Points
<b>NNM iSPI MPLS</b>	
Each NNM iSPI MPLS Base Template	5,000 NNM iSPI Points



## Additional License Authorizations

For Network Operations Management software products

Smart Plug-In	Covers
Each Label Switch Router (LSR) Node	4 NNM iSPI Points
Each OSI Layer-3 VRF Interface	4 NNM iSPI Points
Each OSI Layer-2 Forwarding Interfaces	5 NNM iSPI Points
<b>NNM iSPI IP Multicast</b>	
Each NNM iSPI IP Multicast Base Template	1,500 NNM iSPI Points
Each IP Multicast Node	5 NNM iSPI Points
Each IP Multicast Source Group, N(S,G)	4 NNM iSPI Points
<b>NNM iSPI NET</b>	
Each Node	1 NNM iSPI Node
<b>NNM iSPI Performance for Metrics or NNM iSPI for Performance</b>	
Each Node	1 NNM iSPI Node
<b>NNM iSPI Performance for QA</b>	
Each QA Probe	1 NNM iSPI Point
<b>NNM iSPI Performance for Traffic</b>	
Each sFlow Interface	1 NNM iSPI Point
Each NetFlow Interface	5 NNM iSPI Points

## Network Operations Management bundle offerings

Bundle	Offering includes
Network Node Manager i + Network Node Manager i Smart Plug-In Performance for Metrics	<ul style="list-style-type: none"><li>▪ 1 Network Node Manager i 50 NNMi Node License bundle</li><li>▪ 1 Network Node Manager i Smart Plug-In Performance for Metrics 50 NNM iSPI Node License bundle</li></ul>
Network Node Manager i + Network Node Manager i Smart Plug-In Performance for Metrics + Network Node Manager i Smart Plug-In Network Engineering Toolset	<ul style="list-style-type: none"><li>▪ 1 Network Node Manager i 50 NNMi Node License bundle</li><li>▪ 1 Network Node Manager i Smart Plug-In Performance for Metrics 50 NNM iSPI Node License bundle</li><li>▪ 1 Network Node Manager i Smart Plug-In Network Engineering Toolset 50 NNM iSPI Node License bundle</li></ul>

## Additional License Authorizations

For Network Operations Management software products

### Network Operations Management Suite offerings

Suite	Offering includes
Network Operations Management Suite Express Edition 1 NOM Unit License	<ul style="list-style-type: none"><li>▪ 1 NOM Node or 10 IP Phones or 10 Non-SNMP enabled Virtual Machines (or 10 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li>• 1 NNMi Node of Network Node Manager i Premium Edition without IP SLA monitoring</li><li>• 1 NA Node of Network Automation Premium Edition without configuration change deployments or operating system upgrades.</li></ul></li><li>▪ A license to version 2020.08 and later of Network Operations Management Suite Express Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>
Network Operations Management Suite Express Edition 10 NOM Unit Licenses	<ul style="list-style-type: none"><li>▪ 10 NOM Nodes or 100 IP Phones or 100 Non-SNMP enabled Virtual Machines (or 100 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li>• 10 NNMi Node of Network Node Manager i Premium Edition without IP SLA monitoring</li><li>• 10 NA Nodes of Network Automation Premium Edition without configuration change deployments or operating system upgrades.</li></ul></li><li>▪ A license to version 2020.08 and later of Network Operations Management Suite Express Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>

## Additional License Authorizations

For Network Operations Management software products

Suite	Offering includes
Network Operations Management Suite Premium Edition 1 NOM Unit License	<ul style="list-style-type: none"><li>▪ 1 NOM Node or 10 IP Phones or 10 Non-SNMP enabled Virtual Machines (or 10 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li>• 1 NNMi Node of Network Node Manager i Ultimate Edition without IP Telephony, IP Multicast or MPLS Monitoring or the orchestration capability in the Network Node Manager i Smart Plug-In Network Engineering Toolset.</li><li>• 1 NA Node of Network Automation Premium Edition</li></ul></li><li>▪ A license to version 2019.11 or earlier of Network Operations Management Suite Premium Edition includes the use of Operations Bridge Reporter Standard Edition (version 10.40 and prior) until the obsolescence date for Operations Bridge Reporter Standard Edition posted on MySupport at <a href="https://softwaresupport.softwaregrp.com/obsolescence-migrations">softwaresupport.softwaregrp.com/obsolescence-migrations</a>. Operations Bridge Reporter is licensed by OBR Node. Each OBR Node represents 10 NA Nodes and includes reporting, collection and customization for Network Operations Management Suite reports only. This Operations Bridge Reporter Standard Edition License can only be used in conjunction with these Network Operations Management Suite software products.</li><li>▪ A license to version 2020.08 and later of Network Operations Management Suite Premium Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>
Network Operations Management Suite Premium Edition 10 NOM Unit Licenses	<ul style="list-style-type: none"><li>▪ 10 NOM Nodes or 100 IP Phones or 100 Non-SNMP enabled Virtual Machines (or 100 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li>• 10 NNMi Nodes of Network Node Manager i Ultimate Edition without IP Telephony, IP Multicast or MPLS Monitoring or the orchestration capability in the Network Node Manager i Smart Plug-In Network Engineering Toolset.</li><li>• 10 NA Nodes of Network Automation Premium Edition</li></ul></li><li>▪ A license to version 2019.11 or earlier of Network Operations Management Suite Premium Edition includes the use of Operations Bridge Reporter Standard Edition (version 10.40 and prior) until the obsolescence date for Operations Bridge Reporter Standard Edition posted on MySupport at <a href="https://softwaresupport.softwaregrp.com/obsolescence-migrations">softwaresupport.softwaregrp.com/obsolescence-migrations</a>. Operations Bridge Reporter is licensed by OBR Node. Each OBR Node represents 10 NA Nodes and includes reporting, collection and customization for Network Operations Management Suite reports only. This Operations Bridge Reporter Standard Edition License can only be used in conjunction with these Network Operations Management Suite software products.</li><li>▪ A license to version 2020.08 and later of Network Operations Management Suite Premium Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>

## Additional License Authorizations

For Network Operations Management software products

---

Suite	Offering includes
Network Operations Management Suite Ultimate Edition 1 NOM Unit License	<ul style="list-style-type: none"><li data-bbox="500 285 1468 411">▪ 1 NOM Node or 10 IP Phones or 10 Non-SNMP enabled Virtual Machines (or 10 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li data-bbox="516 348 1110 375">• 1 NNMi Node of Network Node Manager i Ultimate Edition</li><li data-bbox="516 384 1045 411">• 1 NA Node of Network Automation Ultimate Edition</li></ul></li><li data-bbox="500 420 1468 646">▪ Includes Operations Orchestration Studio (only with Network Operations Management Suite Ultimate Edition version 2018.02 and higher). The bundled Operations Orchestration within Network Operations Management can be used through invocation only from or to NOM components. This usage is available only for network process orchestration use cases within the context of a NOM Node. For other use cases such as general purpose IT Process Orchestration (Runbook Automation, Cloud Management, DevOps, hybrid workflow authoring and OO Chatops), it is required to purchase an Operations Orchestration Suite Add-on License which will provide unrestricted usage.</li><li data-bbox="500 655 1468 882">▪ A license to version 2019.11 or earlier of Network Operations Management Suite Ultimate Edition includes the use of Operations Bridge Reporter Standard Edition (version 10.40 and prior) until the obsolescence date for Operations Bridge Reporter Standard Edition posted on MySupport at <a href="https://softwaresupport.softwaregrp.com/obsolescence-migrations">softwaresupport.softwaregrp.com/obsolescence-migrations</a>. Operations Bridge Reporter is licensed by OBR Node. Each OBR Node represents 10 NA Nodes and includes reporting, collection and customization for Network Operations Management Suite reports only. This Operations Bridge Reporter Standard Edition License can only be used in conjunction with these Network Operations Management Suite software products.</li><li data-bbox="500 890 1468 1241">▪ A license to version 2020.08 and later of Network Operations Management Suite Ultimate Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>

---

## Additional License Authorizations

For Network Operations Management software products

---

Suite	Offering includes
Network Operations Management Suite Ultimate Edition 10 NOM Unit Licenses	<ul style="list-style-type: none"><li>▪ 10 NOM Nodes or 100 IP Phones or 100 Non-SNMP enabled Virtual Machines (or 100 NOM Endpoint Nodes included in Network Operations Management 2018.08 or later releases) and includes:<ul style="list-style-type: none"><li>• 10 NNMi Nodes of Network Node Manager i Ultimate Edition</li><li>• 10 NA Nodes of Network Automation Ultimate Edition</li></ul></li><li>▪ Includes Operations Orchestration Studio (only with Network Operations Management Suite Ultimate Edition version 2018.02 and higher). The bundled Operations Orchestration within Network Operations Management can be used through invocation only from or to NOM components. This usage is available only for network process orchestration use cases within the context of a NOM Node. For other use cases such as general purpose IT Process Orchestration (Runbook Automation, Cloud Management, DevOps, hybrid workflow authoring and OO Chatops), it is required to purchase an Operations Orchestration Suite Add-on License which will provide unrestricted usage.</li><li>▪ A license to version 2019.11 or earlier of Network Operations Management Suite Ultimate Edition includes the use of Operations Bridge Reporter Standard Edition (version 10.40 and prior) until the obsolescence date for Operations Bridge Reporter Standard Edition posted on MySupport at <a href="https://softwaresupport.softwaregrp.com/obsolescence-migrations">softwaresupport.softwaregrp.com/obsolescence-migrations</a>. Operations Bridge Reporter is licensed by OBR Node. Each OBR Node represents 10 NA Nodes and includes reporting, collection and customization for Network Operations Management Suite reports only. This Operations Bridge Reporter Standard Edition License can only be used in conjunction with these Network Operations Management Suite software products.</li><li>▪ A license to version 2020.08 and later of Network Operations Management Suite Ultimate Edition includes use of an embedded Vertica data storage component with a limit of 20 TB across all of the Network Operations Management software products. Storage is measured in Raw Data Size for data stored in Vertica and Licensee is permitted to load, store and analyze data intended only for the delivery of capabilities and functions specific to the Network Operations Management software products. End-customer's third-party tools are permitted to access data stored in Vertica but data may not be loaded or used for purposes other than as described. An additional Vertica Expansion License is required for additional data capacity. Each Vertica Expansion Add-on License permits ITOM product licenses to divide the Add-on aggregate capacity as required within a single ITOM product or across multiple ITOM products for a given Vertica cluster, within the usage guidelines as listed above. The Vertica Expansion Add-On SKU for Micro Focus ITOM Products is only available for Vertica version 9.1 or higher.</li></ul>

---

[software.microfocus.com/legal/software-licensing](https://software.microfocus.com/legal/software-licensing)

Latest version of software licensing documents