

---

# **Micro Focus Security ArcSight SmartConnectors**

Software Version: 8.3.0

## **SmartConnector for ArcSight Logger Streaming Connector**

Document Release Date: February 2022

Software Release Date: February 2022



## Legal Notices

Micro Focus  
The Lawn  
22-30 Old Bath Road  
Newbury, Berkshire RG14 1QN  
UK

<https://www.microfocus.com>

## Copyright Notice

© Copyright 2007 – 2022 Micro Focus or one of its affiliates

Confidential computer software. Valid license from Micro Focus required for possession, use or copying. The information contained herein is subject to change without notice.

The only warranties for Micro Focus products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein.

No portion of this product's documentation may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or information storage and retrieval systems, for any purpose other than the purchaser's internal use, without the express written permission of Micro Focus.

Notwithstanding anything to the contrary in your license agreement for Micro Focus ArcSight software, you may reverse engineer and modify certain open source components of the software in accordance with the license terms for those particular components. See below for the applicable terms.

U.S. Governmental Rights. For purposes of your license to Micro Focus ArcSight software, "commercial computer software" is defined at FAR 2.101. If acquired by or on behalf of a civilian agency, the U.S. Government acquires this commercial computer software and/or commercial computer software documentation and other technical data subject to the terms of the Agreement as specified in 48 C.F.R. 12.212 (Computer Software) and 12.211 (Technical Data) of the Federal Acquisition Regulation ("FAR") and its successors. If acquired by or on behalf of any agency within the Department of Defense ("DOD"), the U.S. Government acquires this commercial computer software and/or commercial computer software documentation subject to the terms of the Agreement as specified in 48 C.F.R. 227.7202-3 of the DOD FAR Supplement ("DFARS") and its successors. This U.S. Government Rights Section 18.11 is in lieu of, and supersedes, any other FAR, DFARS, or other clause or provision that addresses government rights in computer software or technical data.

## Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

## Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number
- Document Release Date, which changes each time the document is updated
- Software Release Date, which indicates the release date of this version of the software

To check for recent updates or to verify that you are using the most recent edition of a document, go to:

<https://www.microfocus.com/support-and-services/documentation>

## Support

### Contact Information

Phone	A list of phone numbers is available on the Technical Support Page: <a href="https://softwaresupport.softwaregrp.com/support-contact-information">https://softwaresupport.softwaregrp.com/support-contact-information</a>
Support Web Site	<a href="https://softwaresupport.softwaregrp.com/">https://softwaresupport.softwaregrp.com/</a>
ArcSight Product Documentation	<a href="https://community.softwaregrp.com/t5/ArcSight-Product-Documentation/ct-p/productdocs">https://community.softwaregrp.com/t5/ArcSight-Product-Documentation/ct-p/productdocs</a>

### About this PDF Version of Online Help

This document is a PDF version of the online help. This PDF file is provided so you can easily print multiple topics from the help information or read the online help in PDF format. Because this content was originally created to be viewed as online help in a web browser, some topics may not be formatted properly. Some interactive topics may not be present in this PDF version. Those topics can be successfully printed from within the online help.

# Contents

- Configuration Guide for SmartConnector for ArcSight Logger Streaming Connector ... 5
  - Product Overview ..... 5
  - Preparing to Install the SmartConnector ..... 6
  - Installing and Configuring the SmartConnector ..... 6
- Send Documentation Feedback ..... 8


# Configuration Guide for SmartConnector for ArcSight Logger Streaming Connector

The ArcSight Logger Streaming Connector is used in conjunction with the ArcSight Logger to receive log files collected by the Logger and parse the events before forwarding them to the ArcSight ESM Manager.

For mapping information, see the individual configuration guides for the SmartConnectors for Microsoft DHCP File, IBM DB2 Multiple Instance UDB Audit File, Juniper Steel-Belted Radius Syslog, Apache HTTP Server Access Log File, and Apache HTTP Server Error Log File.

## Product Overview

The ArcSight Logger forwards events collected from log files by using the ArcSight Streaming Connector to the ArcSight ESM Manager. You configure the Logger Receiver to receive log files from a device and the Logger Forwarder to forward the events to the ArcSight Logger Streaming Connector. The connector parses events depending on the processor chosen during connector installation, and sends the results to the ArcSight ESM Manager.



For more information about ArcSight Logger, and to understand how to configure the Logger Receiver and Logger Forwarder, see the [ArcSight Logger Administrator's Guide](#).

## Preparing to Install the SmartConnector



When installing from a computer running Linux or Solaris, run the SmartConnector installation program by mounting the download directory or CD-ROM drive and running the executable as **root** user.

Before you install any SmartConnectors, make sure that the Micro Focus ArcSight products with which the connectors will communicate have already been installed correctly (such as ArcSight ESM or ArcSight Logger).

For complete product information, refer to the *Administrator's Guide to ArcSight Platform*, available on [ArcSight Documentation](#).

If you are adding a connector to the ArcSight Management Center, see the *ArcSight Management Center Administrator's Guide* available on [ArcSight Documentation](#) for instructions.

Before installing the SmartConnector, make sure that the following are available:

- Local access to the machine where the SmartConnector is to be installed
- Administrator passwords

## Installing and Configuring the SmartConnector

1. Start the installation wizard.
2. Follow the instructions in the wizard to install the core software.
3. Specify the relevant Global Parameters, when prompted.
4. Select **ArcSight Streaming Connector** as the type, then click **Next**.
5. Enter the following parameters to configure the SmartConnector, then click **Next**.

Parameter	Description
Network Port	Enter the number of the port to which to listen for incoming messages; the default value is 8444.
IP Address	The connector listens to only the IP address you enter in this field. No value or a value of (ALL), the default, causes all IP addresses to be included.
Processor Type	These processors collect data from different sources. Select a processor type from the drop-down list: Apache HTTP Server Access; Apache HTTP Server Error; IBM DB2 Audit 8.x; Juniper Steel-Belted Radius; Microsoft DHCP Log. The processor chosen determines the processor used to further parse the log file events.

6. Select a destination and configure parameters.

7. Specify a name for the connector.
8. If you have selected ArcSight Manager as the destination, the certificate import window for the ArcSight Manager is displayed. Select **Import the certificate to the connector from destination** and click **Next**. (If you select **Do not import the certificate to connector from destination**, the connector installation will end.) The certificate is imported and the **Add connector Summary** window is displayed.
9. Select whether you want to run the connector as a service or in the standalone mode.
10. Complete the installation.
11. Run the SmartConnector.

For instructions about upgrading the connector or modifying parameters, see [SmartConnector Installation and User Guide](#).

# Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this computer, click the link above and an email window opens with the following information in the subject line:

**Feedback on SmartConnector for ArcSight Logger Streaming Connector (SmartConnectors 8.3.0)**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [Documentation-Feedback@microfocus.com](mailto:Documentation-Feedback@microfocus.com).

We appreciate your feedback!