opentext*

Sentinel™ System Requirements

June 2023

Legal Notice

© Copyright 2001-2023 Open Text.

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see https://www.microfocus.com/en-us/legal.

The only warranties for products and services of Open Text and its affiliates and licensors ("Open Text") are as may be set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Open Text shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Contents

	Sentinel System Requirements	5
1	Product Requirements for Sentinel	7
	Software Requirements	7
	Sentinel Server Operating Systems and Platforms	7
	Data Synchronization Platforms	8
	Client Software	9
	System Requirements for Traditional Storage	9
	System Requirements for Sentinel	9
	Hardware Requirements	
2	Product Requirements for Sentinel Agent Manager	25
	Software Requirements for Sentinel Agent Manager	25
	System Requirements for Sentinel Agent Manager	25
3	Event Sources	27

Sentinel System Requirements

The *System Requirements* document lists the hardware and software requirements for Sentinel and Sentinel Agent Manager.

Intended Audience

This guide is intended for Sentinel administrators and consultants.

Other Information in the Library

The library provides the following information resources:

Installation and Configuration Guide

Provides an introduction to Sentinel and explains how to install and configure Sentinel.

Administration Guide

Provides the administration information and tasks required to manage a Sentinel deployment.

User Guide

Provides conceptual information about Sentinel. This book also provides an overview of the user interfaces and step-by-step guidance for many tasks.

1 Product Requirements for Sentinel

- "Software Requirements" on page 7
- "System Requirements for Traditional Storage" on page 9

Software Requirements

- "Sentinel Server Operating Systems and Platforms" on page 7
- "Data Synchronization Platforms" on page 8
- "Client Software" on page 9

Sentinel Server Operating Systems and Platforms

IMPORTANT: After you install any of the certified operating systems listed in this section, you need to install additional RPMs before you install Sentinel. For more information about the additional RPMs, see Installation Checklist.

Software	Software
Sentinel Server, Collector Manager, or Correlation Engine	Sentinel runs on x86_64-based hardware and operating systems. It can run in Standard and FIPS 140-2 modes:
	 SUSE Linux Enterprise Server (SLES) 15 SP4 64- bit
	◆ SUSE Linux Enterprise Server 15 SP3 64-bit
	 SUSE Linux Enterprise Server 12 SP5 64-bit (for both traditional and appliance installations)
	 Red Hat Enterprise Linux Server (RHEL) 8.7 64- bit
	• Red Hat Enterprise Linux Server 8.6 64-bit
	• Red Hat Enterprise Linux Server 8.5 64-bit
	• Red Hat Enterprise Linux Server 7.9 64-bit

Software	Software
Sentinel Server Software Appliance (includes SLES 12 SP5 operating system)	 ISO appliance IMPORTANT: For the ISO appliance to work properly, you must disable the EFI BIOS and use the Legacy BIOS. VMWare ESX 6.7 VMWare ESX 6.5 Hyper-V Server 2016 (via DVD ISO) Hyper-V Server 2012 R2 Hardware without a pre-installed operating system (via DVD ISO) OVF appliance VMWare ESX 6.7 VMWare ESX 6.5
Data indexing	 OpenSearch 1.3.9 Download URL: https://opensearch.org/lines/ 1x.html
API Testing Tools	 Talend API Tester Boomerang SOAP & REST client

Notes:

- Sentinel is certified on ext3 (SUSE), ext4 (Red Hat), and XFS file systems.
- Sentinel is not supported if the operating system is in FIPS mode.
- Sentinel is not certified on Open Enterprise Server installs of SLES.

Data Synchronization Platforms

Sentinel includes a feature to synchronize data subsets and summaries to a data warehouse.

Feature	Runs On
Data Synchronization	Microsoft SQL Server 2017
	Microsoft SQL Server 2016
	Microsoft SQL Server 2014
	Microsoft SQL Server 2012
	Microsoft SQL Server 2008 R2
	Oracle Database 19c
	Oracle Database 12c
	Oracle Database 11g
	◆ PostgreSQL
	◆ IBM DB2

Client Software

- Java Java 1.8 is required to launch Solution Designer and Sentinel Control Center.
- **Browsers** The Sentinel interface is optimized for viewing at 1280 x 1024 or higher resolution in the following supported browsers:
 - Microsoft Edge
 - Google Chrome
 - Mozilla Firefox

Although not officially certified, other modern browsers are known to work reasonably well with the Sentinel interface.

System Requirements for Traditional Storage

This section provides sizing information based on the testing performed at OpenText with the hardware available to us at the time of testing. Your results may vary based on details of the hardware available, the specific environment, the specific type of data processed, and other factors. It is likely that larger, more powerful hardware configurations exist that can handle a greater load, and for even greater scalability Sentinel is explicitly designed to support distributed processing across multiple systems. If your environment is at all complex, contact OpenText Consulting Services or any of the Sentinel partners prior to finalizing your Sentinel architecture as they have additional spreadsheets and tools to calculate architectural constraints.

System Requirements for Sentinel

NOTE: • All-in-one configurations put all the varied processing loads (data collection, processing, analysis, user interface, search, etc) into one server rather than distributing it across multiple servers within the system. While an all-in-one configuration can work well for a smaller-scale environment that does not make heavy simultaneous use of all system features, the competing loads can potentially cause issues if the system is under stress (which is sometimes the case exactly when you need it most). Sentinel will prioritize critical functions such as data collection and storage, but (for example) UI performance may suffer. For this reason, you should deploy remote Collector Managers and/or Correlation Engines in most environments.

• You can use Intel Hyper-Threading Technology (Intel HT Technology) with the Sentinel server to positively impact the load the system can handle. The following table specifies the scenarios in which Intel HT Technology was used in testing.

Similarly, you should enable multithreading on Collector Managers. You can configure a Collector instance to use multiple threads, which allows the Collector to process a higher number of events per second. To configure the number of threads, in the Edit Collector dialog box, click the Configure Collector tab. Set Number of Threads to the number of threads you want to use. With this feature, a single 8-core Collector Manager can process 10K EPS. However, the test results listed below do not include multithreading on Collector Manager.

NOTE: The CPU and memory resources for a Collector Manager are subject to change depending on the EPS and the number of Collectors. Therefore, you should use virtual machines for Collector Managers.

Hardware Requirements

- "System Requirements for OpenSearch" on page 22
- "OpenSearch Cluster Nodes" on page 23

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
Total System	Capacity				
Retained EPS Capability: The events per second rate processed by real-time component s and retained in storage by the system.	100 EPS	3000 EPS	2500 EPS	21000 EPS	21000+ EPS

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
Operation al EPS Capability: The total events per second rate received by the system from event sources. This includes data dropped by the system's intelligent filtering capability before being stored and is the number used for the purposes of EPS-based license compliance	100 EPS	3000+ EPS	2500+ EPS	21000+ EPS	25000+ EPS

Sentinel Server Hardware

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
CPU	Intel(R) Xeon(R) CPU E5420@ 2.50GHz (4 CPU cores), without Intel HT Technology	Two Intel(R) Xeon(R) CPU ES- 2650 O@ 2.00GHz (4 core) CPUs (8 cores total), without Intel HT Technology	Two Intel(R) Xeon(R) CPU ES- 2680 O@ 2.70GHz (6 cores per CPU; 12 cores total)	Two Intel(R) Xeon(R) CPU ES- 2695 v2@ 2.40GHz(12 core) CPUs (24 cores total), with Intel HT Technology	Contact Micro Focus Services.
Primary Storage: Primary indexed event data optimized for fast retrieval.	500 GB 7.2k RPM drive	10 x 300 GB SAS 15k RPM (Hardware RAID 10)	6 x 146 GB SAS 10K RPM (RAID 10, stripe size 128k)	12 TB, 20 x 600 GB SAS 15k RPM (Hardware RAID 10, stripe size 128k)	
Secondary Storage: Secondary indexed event data optimized for storage efficiency. Includes a copy of the data in local storage but is only searched if the data is not found in primary storage.			condary storage, se entinel Administrat		
Memory	4 GB 8 GB, when Sentinel Agent Manager, NetIQ Secure Configuration Manager, or NetIQ Change Guardian are connected	24 GB		128 GB	

Remote Collector Manager #1 Hardware

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
СРU	Not Applicable (Local Embedded CM Only)	Intel(R) Xeon(R) CPU E5-2650 O@ 2.00GHz, 4 cores (virtual machine)	Two Intel(R) Xeon(R) CPU E5- 2680 O@ 2.70GHz (4 cores per CPU; 8 cores total)	Two Intel(R) Xeon(R) CPU E5- 2695 v2@ 2.40GHz(8 core) CPUs 16 cores total)	Contact Micro Focus Services.
Storage		100 GB		250 GB	
Memory		4 GB	8 GB	24 GB	
Remote Col	lector Manager #2 I	Hardware			
СРИ	Not Applicable			Two Intel(R) Xeon(R) CPU	Contact Micro Focus Services.
				E5-2695 v2@ 2.40GHz(8 core) CPUs 16 cores total)	
Storage				250 GB	
Memory				24 GB	
Agent Mana	ager Hardware				
СРИ	Not Applicable (A collection only)	gent-less	Two Intel Xeon 5140	Not Applicable	Contact Micro Focus Services.
			@2.33 GHz (2 cores per CPU; 4 cores total)	_	
Storage			4 x 300 GB SAS 10K RPM (RAID 10, stripe size 128k)		
Memory			16 GB		
Remote Cor	relation Engine Har	dware			
СРИ	Not Applicable (Local Embedded CE Only)	Intel(R) Xeon(R) CPU E5-2650 O@ 2.00GHz, 4 cores (virtual machine)	Intel(R) Xeon(R) CPU E5-2680 O@ 2.70GHz, 4 cores (virtual machine)	Two Intel(R) Xeon(R) CPU E5- 2695 v2@ 2.40GHz, 4 core per CPU (8 cores total)	Contact Micro Focus Services.
Storage		100 GB			
Memory		8 GB		16 GB	

	Local Embedded CM • Event	Local Embedded CM	Local		
number of event sources and events per second load placed on each Collector Manager. The filtered percentage indicates how many normalized events were filtered out immediatel y after collection, without being stored or passed to analytic engines. Note that the nonnormalized raw log data that the normalized raw log data that the normalized events are based off of is not affected by filtering and is always stored. The Local Embedded CM is located on the section and is always stored.	Sources: 101 • EPS: 103 • Filtered: 0%	◆ Not Used Remote CM #1 ◆ Event Sources: 2500 ◆ EPS: 3000	Embedded CM Not Used Remote CM #1 Event Sources: 3500 EPS: 2500 Filtered: 0%	Local Embedded CM Not Used Remote CM #1 Event Sources: 200 EPS: 10200 Filtered: 1% Raw Data Enabled Remote CM #2 Event Sources: 200 EPS: 10200 Filtered: 1% Raw Data Enabled	Contact Micro Focus Services.

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
Collectors Used	Oracle Solaris 2011.1r2 Sources: 100 EPS: 100 Juniper Netscreen 2011.1r2 Sources: 1 EPS: 3	Each Collector had its own Syslog server. Oracle Solaris 2011.1r2 Sources: 1000 EPS: 1500 Microsoft AD and Windows version 2011.1r4 Sources: 1000 EPS: 1000 Sourcefire Snort 2011.1 r1 Sources: 450 EPS: 500 Juniper Netscreen 2011.1r2 Sources: 20 EPS: 10	Agent Manager event source server 1 Sources: 3500 EPS: 2500 IBM i series 2011.1r5 Sources: 1500 EPS: 1000 NetIQ Agent Manager 2011.1r4 Sources: 1150 EPS: 500 NetIQ Unix Agent 2011.1r4 Sources: 1150 EPS: 500 Juniper Netscreen 2011.1r2 Sources: 2 EPS: 1	Each of the following Collectors had its own Syslog server, parsing at the following EPS rates • Fortinet FortiGate 2011.1r3 • RCM #1: 1700 • RCM #2: 1700 • Palo Alto Networks Firewall 2011.1r2 • RCM #1: 1700 • RCM #2: 1700 • RCM #2: 1700 • RCM #2: 1700 • RCM #1: 1700 • RCM	for Sentinel 1

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
Total	• Event Sources: 101 • EPS: 103 • Filtered: 0%	• Event Sources:25 00 • EPS: 3010 • Filtered: 0%	• Event Sources: 3500 • EPS: 2501 • Filtered: 0%	• Event Sources:40 0 • EPS: 20411 • Filtered: 1%	Contact Micro Focus Services.

Data Storage

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
How far into the past will users search for data on a regular basis?	7 days			,	Contact Micro Focus Services.
Amount of locally cached data for higher search performan ce					
What percentage of searches will be over data older than the number of days above?	10%				
Impacts the amount of input/ output operations per second (IOPS) for local or network storage.					
How far into the past must data be retained?	14 days				
Impacts how much disk space is required to retain all the data. If secondary				ant Danielle	
storage is enabled,			Produ	ct Requirements	for Sentinel

this

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
User Activi	ty				

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
How many users will be active at the same time, on average?	1				Contact Micro Focus Services.
Impacts the amount of IOPS for primary and secondary storage and other items.					
How many searches will an active user be performing at the same time, on average?	1 100M events per search	1 300M events per search	Not tested with search or reporting load	1 2B events per search	
Impacts the amount of IOPS for primary and secondary storage.					
How many reports will an active user be running at the same time, on average?	1 200k events per report	1 500k events per report		1 600k events per report	
Impacts the amount of IOPS for primary and secondary			Produ	ct Requirements	or Sentinel

storage.

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
Analytics					

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
What percentage of the event data is relevant to correlation rules?	100% (out of the box) (3 correlations per second)		100% (out of the box) (1 correlation per second)	100% (out of the box) (10 correlations per second)	Contact Micro Focus Services.
Amount of data the Correlation Engine will process.					
What percentage of the event data is relevant to Event Visualizati on?	100% (out of the l	оох)			
(Data indexed to OpenSearc h)					
What percentage of the event data is relevant to IP Flows?	3% (500 IP Flow even	ts per second)	5% (100 IP Flow events per second)	10% (10 IP Flow events per second)	
(IP Flow events indexed to OpenSearc h)					
How many source IPs or source host names are relevant to generic hostname resolution service?	200			100	
(Number of DNS lookups			Produ	ct Requirements t	or Sentinel 2

impacting

Category	Demo All-in- One (Not intended for production)	Medium Distributed Agentless Data Collection	Medium Distributed Agent-based Data Collection	Large Distributed Agent-less Data Collection	Extra Large
How many events are relevant to threat intelligenc e feeds?	10 EPS				
High Availability	Not Used				
Notes: Notable functionalit y disabled or warnings of what happens when exceeding the system load described above.				Increasing Retained EPS will eventually cause instability in this system configuration.	

System Requirements for OpenSearch

You must install and set up OpenSearch nodes in a cluster mode if you want to use the Event Visualizations feature. For more information, see the "Configuring the Visualization Data Store" in the Sentinel Installation and Configuration Guide.

You must set up OpenSearch as recommended in the following table:

Component	Recommendation
Indexing Node Data Storage	Operating system and application binaries and configuration Fault tolerant RAID
	Data Storage
	Disks in JBOD (Just a Bunch Of Disks) configurationSSD or 15000 RPM SATA
СРИ	Intel(R) Xeon(R) CPU ES-2695 v2@ 2.40GHz

OpenSearch Cluster Nodes

	OpenSearch Nodes	CPU per Node	Memory (GB) per Node	Disks per Node
100 EPS	1 data node + 1 master node (OpenSearch node in Sentinel)	4	4	2
3000 EPS	2 data nodes + 1 master node (OpenSearch node in Sentinel)	8	24	3
20000 EPS	4 data nodes + 1 master node (OpenSearch node in Sentinel)	8	32	4

Product Requirements for Sentinel Agent Manager

- "Software Requirements for Sentinel Agent Manager" on page 25
- "System Requirements for Sentinel Agent Manager" on page 25

Software Requirements for Sentinel Agent Manager

Software	Runs On
Sentinel Agent Manager Central Computer and Sentinel Agent Manager Console	 Microsoft Windows Server 2022 Microsoft Windows Server 2019 Microsoft Windows Server 2016
Sentinel Agent Manager Database	 Microsoft SQL Server 2017 Microsoft SQL Server 2016 Microsoft SQL Server 2014 Microsoft SQL Server 2012 Microsoft SQL Server 2012 Express

System Requirements for Sentinel Agent Manager

NOTE: These are minimum recommendations.

	Requirements			
Sentinel Agent Manager Component	Processor	Disk Space	Memory	Software
Sentinel Agent Manager Central Computer	Dual processor dual- core AMD/Intel configuration	Depends on the event load estimated for your environment.	4 GB	 Microsoft Message Queuing (MSMQ) 3.0 Microsoft .NET Framework 4.6.2 or later Microsoft Visual C++ 2017 Redistributable Package Microsoft Core XML Services (MSXML) 6.0 or later
Sentinel Agent Manager Database	Dual processor dual-core AMD/Intel configuration Quad processors recommended in environments expecting more than one million total events per day.	100 GB	4 GB	See "Software Requirements for Sentinel Agent Manager" on page 25.
Sentinel Agent Manager Agent	500 MHz Intel Pentium or equivalent	100 MB	40 MB NOTE: The amount of memory usage varies and depends on the modules you have installed and the products you are monitoring	Microsoft Visual C++ 2017 Redistributable Package

3 Event Sources

Sentinel supports a wide variety of endpoint event sources that can deliver security and operational events to Sentinel for processing along with other types of contextual data using modular, pluggable components. Sentinel provides both agents and agent-less options. For more information about the specific endpoints monitored by these agents, follow the links below.

Module/Plug-in	Compatible Versions and Endpoints
Security Agent for UNIX	Security Agent for UNIX 7.7
	• Security Agent for UNIX 7.6.4.1
	• Security Agent for UNIX 7.6.4
	• Security Agent for UNIX 7.6.3
	• Security Agent for UNIX 7.6.2
	• Security Agent for UNIX 7.6.1
	Security Agent for UNIX 7.6
Windows Agent (available via Sentinel	Microsoft Windows Server 2022
Agent Manager)	Microsoft Windows Server 2019
	Microsoft Windows Server 2016
	Microsoft Windows Server 2012 R2
	Microsoft Windows Server 2012
	Microsoft Windows 10, Version 21H2
	Microsoft Windows 10, Version 21H1
	Microsoft Windows 10
Agentless data collection	Sentinel Collectors

Module/Plug-in	Compatible Versions and Endpoints
ArcSight SmartConnectors	AirMagnet Enterprise Syslog
	 Amazon Web Services CloudTrail
	 ArcSight CEF Cisco FireSIGHT Syslog
	 ArcSight Common Event Format Hadoop
	Barracuda Email Security Gateway Syslog
	◆ Box
	 HPE Aruba Mobility Controller Syslog
	◆ IP Flow (Netflow/J-Flow)
	IP Flow Information Export (IPFIX)
	Kaspersky DB
	Microsoft Office 365
	◆ sFlow
	 Vormetric CoreGuard Syslog
	Microsoft DHCP File
	◆ SNMP Unified
	Microsoft DNS DGA Trace Log Multiple Server File
	 MS DNS Trace Log Multiple Server File
	Bluecoat Proxy SG Multiple Server File
	Bluecoat Proxy SG Syslog
	 Vmware ESXi Server Syslog
	Symantec Endpoint Protection Syslog
	 Juniper Firewall Screen-OS Syslog
	 Juniper IDP Series Syslog
	 Juniper Network and Sec Mg Syslog
	Check Point Syslog
	Cisco Secure ACS Syslog
	Cisco Wireless LAN Controller Syslog
	Cisco ASA Syslog